R3850-1.2(U)1A

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

LENGTH OF STAY BY OPERATION



UNITED STATES

1981



Length of Stay by Operation, United States, 1981

A Companion Volume To Length of Stay by Diagnosis, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
Pacific**
Mountain
North Central
West North Central
East North Central
Northeast
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	**U.S. Total[2] (2)**	**Number in Books (3)**	**Percent in Books (4)**	**U.S. Total[2] (5)**	**Number in Books (6)**	**Percent in Books (7)**
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in ***Concurrent Review Screening.*** Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	26	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	560386	3.3	15	<1	1	2	4	6	8	18
20-34	1148869	3.7	12	1	1	3	4	7	9	17
35-49	446325	5.0	24	1	1	3	6	10	14	24
50-64	407893	6.1	35	1	2	4	8	13	17	28
65+	378542	7.4	55	1	2	5	10	16	21	36
2. MULTIPLE DX										
0-19 YRS	363611	5.3	58	1	1	3	6	10	16	44
20-34	843767	5.8	40	1	2	4	7	10	15	34
35-49	633811	7.5	57	1	2	6	9	15	20	40
50-64	860823	9.5	86	2	2	7	12	19	26	51
65+	1301608	12.2	124	2	3	9	15	25	34	63
TOT. SINGLE DX	2942015	4.6	25	1	1	3	5	9	13	25
" MULTIPLE DX	4003620	8.9	89	1	2	6	11	19	26	52
TOTAL 0-19 YRS	923997	4.1	33	<1	1	3	4	7	11	31
20-34	1992636	4.6	25	1	1	3	5	8	11	25
35-49	1080136	6.5	45	1	2	5	8	13	18	34
50-64	1268716	8.4	73	1	2	6	11	17	23	45
65+	1680150	11.1	112	2	2	8	14	23	31	59
GRAND TOTAL	**6945635**	**7.1**	**66**	**1**	**2**	**4**	**9**	**15**	**22**	**43**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	11.8	99	2	2	10	15	23	29	54
20-34	518	12.4	112	1	1	10	16	23	32	69
35-49	570	15.6	146	4	6	13	17	29	39	68
50-64	866	17.0	154	4	7	14	20	30	42	73
65+	654	19.3	177	5	7	15	24	38	48	76
2. MULTIPLE DX										
0-19 YRS	456	21.3	349	2	4	17	29	53	73	99+
20-34	488	24.5	343	5	8	19	35	61	95	99+
35-49	615	24.5	368	6	9	18	30	56	79	99+
50-64	1287	25.9	317	7	9	21	34	58	72	99+
65+	1444	29.1	360	8	10	24	40	58	77	99+
TOT. SINGLE DX	2964	15.8	151	2	5	13	19	30	41	70
" MULTIPLE DX	4290	26.1	351	6	9	21	35	58	77	99+
TOTAL 0-19 YRS	812	17.1	262	2	3	13	22	41	59	99+
20-34	1006	18.3	260	1	4	14	23	45	65	99+
35-49	1185	20.2	281	4	7	15	24	44	65	99+
50-64	2153	22.3	271	6	8	17	28	47	65	99+
65+	2098	26.0	324	7	9	21	35	53	70	99+
GRAND TOTAL	7254	21.9	295	4	7	17	28	49	66	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	11.1	88	3	4	8	13	22	30	52
20-34	280	14.1	115	4	5	11	18	26	35	87
35-49	302	16.6	193	5	6	12	19	30	48	83
50-64	435	17.2	164	6	7	14	20	32	44	83
65+	385	19.6	267	6	7	14	24	42	66	99+
2. MULTIPLE DX										
0-19 YRS	330	23.2	404	5	6	16	34	63	80	99+
20-34	391	23.6	350	6	7	19	34	65	99+	99+
35-49	377	23.3	333	6	8	19	31	65	99	99+
50-64	638	26.4	332	8	9	22	36	59	81	99+
65+	771	29.5	403	8	10	24	40	66	86	99+
TOT. SINGLE DX	1699	16.0	179	4	6	12	19	30	44	85
" MULTIPLE DX	2507	26.0	373	6	8	21	36	64	88	99+
TOTAL 0-19 YRS	627	17.5	291	3	5	11	23	43	65	99+
20-34	671	19.7	274	5	6	15	26	48	81	99+
35-49	679	20.3	282	5	7	15	26	47	80	99+
50-64	1073	22.7	285	6	8	18	30	51	68	99+
65+	1156	26.2	380	7	8	20	36	63	80	99+
GRAND TOTAL	4206	22.0	319	5	7	16	29	53	76	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	537	6.4	34	2	3	5	8	10	12	24
20-34	274	7.0	37	2	3	6	8	11	13	31
35-49	148	8.0	28	2	3	7	11	15	19	25
50-64	88	9.1	65	3	3	8	11	14	23	52
65+	31	9.0	27	4	4	8	12	16	20	26
2. MULTIPLE DX										
0-19 YRS	381	11.0	126	3	3	8	12	24	36	99+
20-34	308	12.6	168	3	3	9	14	27	51	99+
35-49	156	13.0	194	3	4	9	15	38	64	99+
50-64	134	13.6	179	3	4	9	14	37	43	67
65+	51	21.6	427	4	5	13	27	56	63	96
TOT. SINGLE DX	1078	7.1	38	2	3	6	8	12	14	27
" MULTIPLE DX	1030	12.6	176	3	4	8	14	30	48	99+
TOTAL 0-19 YRS	918	8.3	78	2	3	6	9	14	24	68
20-34	582	10.0	115	2	3	7	11	18	31	83
35-49	304	10.5	120	3	3	8	12	21	40	99+
50-64	222	11.8	138	3	3	9	12	26	42	56
65+	82	16.8	311	4	4	10	19	44	57	87
GRAND TOTAL	2108	9.8	113	2	3	7	11	19	31	80

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	9.0	64	3	4	8	10	14	19	56
20-34	86	14.1	122	5	6	11	16	29	37	64
35-49	53	14.2	154	5	5	11	16	25	39	71
50-64	85	16.0	146	6	6	14	20	26	31	74
65+	144	19.2	170	7	8	15	25	35	48	55
2. MULTIPLE DX										
0-19 YRS	367	21.8	491	4	5	13	27	70	89	99+
20-34	108	19.6	319	5	6	14	26	48	93	99+
35-49	97	25.0	433	6	7	20	33	67	91	99+
50-64	191	29.0	455	7	9	25	46	88	99+	99+
65+	473	31.2	342	9	10	28	42	61	75	99+
TOT. SINGLE DX	617	13.5	132	4	5	10	16	26	35	67
" MULTIPLE DX	1236	26.6	428	6	7	22	38	65	89	99+
TOTAL 0-19 YRS	616	16.6	358	4	4	10	18	46	78	99+
20-34	194	17.2	238	5	6	12	20	42	66	99+
35-49	150	21.2	360	5	6	15	28	56	80	99+
50-64	276	25.0	395	6	8	19	37	71	99+	99+
65+	617	28.4	327	8	9	25	38	57	70	99+
GRAND TOTAL	1853	22.2	367	5	6	16	31	55	76	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	536	8.4	67	2	2	6	10	17	25	41
20-34	194	13.8	179	2	3	10	19	32	48	92
35-49	84	11.4	99	2	2	8	16	28	32	45
50-64	87	13.9	111	3	4	11	18	26	39	52
65+	86	16.3	186	3	4	13	21	28	44	78
2. MULTIPLE DX										
0-19 YRS	846	15.1	298	2	3	9	18	40	60	99+
20-34	310	22.9	480	3	4	14	34	64	83	99+
35-49	194	18.4	237	3	5	14	24	48	70	99+
50-64	205	21.2	347	3	4	16	30	61	87	99+
65+	229	22.7	259	3	5	19	33	49	60	99+
TOT. SINGLE DX	987	10.9	115	2	3	8	14	24	32	56
" MULTIPLE DX	1784	18.5	335	3	4	12	26	50	71	99+
TOTAL 0-19 YRS	1382	12.5	220	2	3	7	15	32	47	94
20-34	504	19.4	384	2	3	12	26	54	73	99+
35-49	278	16.3	205	3	4	12	22	42	58	99+
50-64	292	19.0	288	3	4	14	26	52	76	99+
65+	315	20.9	247	3	5	17	29	45	57	99+
GRAND TOTAL	2771	15.8	270	2	3	10	21	40	59	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	11.3	70	3	5	9	13	19	26	91
20-34	1039	11.4	56	4	5	9	13	20	25	39
35-49	1914	11.6	46	5	6	10	14	19	24	36
50-64	1788	12.3	54	5	6	10	14	21	26	41
65+	803	15.3	84	6	7	13	18	26	33	52
2. MULTIPLE DX										
0-19 YRS	98	18.4	179	5	7	15	24	35	48	99+
20-34	634	17.1	211	6	6	12	20	35	52	91
35-49	1491	15.9	147	5	6	12	19	30	41	79
50-64	2304	17.7	164	6	7	14	21	33	46	84
65+	1862	22.5	232	8	9	18	29	43	58	99+
TOT. SINGLE DX	5615	12.3	58	5	6	10	15	21	26	42
" MULTIPLE DX	6389	18.6	192	6	7	14	23	37	50	93
TOTAL 0-19 YRS	169	15.4	145	4	6	12	19	31	43	99+
20-34	1673	13.5	123	5	6	10	16	25	32	73
35-49	3405	13.5	95	5	6	11	16	24	31	60
50-64	4092	15.3	123	6	7	12	18	28	38	71
65+	2665	20.4	199	7	8	16	25	39	53	93
GRAND TOTAL	12004	15.7	139	5	6	12	19	29	40	78

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	13.9	182	1	2	9	19	35	39	84
20-34	462	9.5	98	1	2	6	12	23	33	52
35-49	528	8.3	67	2	2	6	11	17	21	40
50-64	353	11.5	141	1	2	8	15	27	38	56
65+	144	12.4	114	2	2	10	15	28	33	51
2. MULTIPLE DX										
0-19 YRS	275	19.8	256	3	5	15	26	45	58	91
20-34	572	14.3	259	2	2	9	18	37	53	99+
35-49	631	12.7	199	2	2	8	15	30	44	87
50-64	647	15.8	223	2	3	12	20	35	49	95
65+	421	23.2	306	3	5	19	32	50	64	99+
TOT. SINGLE DX	1639	10.2	110	1	2	7	13	23	32	52
" MULTIPLE DX	2546	16.4	256	2	3	12	22	39	54	96
TOTAL 0-19 YRS	427	17.7	238	2	3	13	23	38	52	87
20-34	1034	12.2	193	2	2	8	15	31	44	90
35-49	1159	10.7	144	2	2	7	13	23	32	72
50-64	1000	14.3	198	2	2	10	19	33	44	82
65+	565	20.4	280	2	4	16	28	44	59	93
GRAND TOTAL	4185	14.0	208	2	2	10	18	33	46	83

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	233	3.0	5	1	1	2	3	5	9	13
20-34	1293	3.2	9	<1	1	2	3	5	8	17
35-49	1600	3.4	10	1	1	3	4	6	9	16
50-64	1940	3.5	8	1	1	3	4	6	9	17
65+	802	4.1	16	1	2	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	135	4.1	16	1	1	3	4	8	12	21
20-34	679	5.5	61	1	1	3	5	12	20	36
35-49	863	5.8	46	1	2	3	6	13	17	33
50-64	1212	6.3	46	2	2	4	7	13	19	34
65+	665	7.9	68	2	2	5	10	19	26	41
TOT. SINGLE DX	5868	3.4	10	1	1	3	4	6	9	17
" MULTIPLE DX	3554	6.2	53	1	2	4	7	14	20	36
TOTAL 0-19 YRS	368	3.4	10	1	1	2	4	6	10	18
20-34	1972	4.0	29	1	1	3	4	7	11	27
35-49	2463	4.2	24	1	1	3	4	8	12	25
50-64	3152	4.5	25	1	2	3	5	9	13	27
65+	1467	5.8	43	1	2	4	6	12	19	36
GRAND TOTAL	9422	4.5	28	1	1	3	5	9	14	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	773	2.5	3	<1	1	2	3	4	5	8
20-34	5071	2.5	3	<1	1	2	3	4	5	10
35-49	6477	2.6	4	<1	1	2	3	4	5	11
50-64	6637	2.7	4	<1	1	2	3	4	6	12
65+	3156	2.8	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	724	3.0	15	1	1	2	3	5	8	15
20-34	2339	3.9	23	1	1	3	4	8	12	26
35-49	2972	4.6	27	1	1	3	5	10	14	28
50-64	4031	4.8	29	1	2	3	5	10	15	27
65+	2666	5.8	51	1	2	3	6	13	19	38
TOT. SINGLE DX	22114	2.6	4	<1	1	2	3	4	6	11
" MULTIPLE DX	12732	4.7	32	1	1	3	5	10	15	29
TOTAL 0-19 YRS	1497	2.7	9	1	1	2	3	5	6	13
20-34	7410	2.9	10	<1	1	2	3	5	7	16
35-49	9449	3.2	13	<1	1	2	3	6	9	19
50-64	10668	3.5	15	1	1	2	3	6	10	21
65+	5822	4.2	29	1	1	3	4	8	13	28
GRAND TOTAL	34846	3.4	16	1	1	2	3	6	10	21

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.5	21	2	2	5	8	12	15	22
20-34	174	7.6	33	1	3	6	8	13	19	34
35-49	191	8.2	55	2	2	6	10	15	21	52
50-64	197	10.6	50	3	3	9	13	22	27	36
65+	196	11.6	48	4	5	9	15	21	25	37
2. MULTIPLE DX										
0-19 YRS	9	8.9	45	4	4	7	11	20	25	25
20-34	167	8.4	57	3	4	6	8	14	21	53
35-49	201	13.9	146	3	4	10	17	25	34	71
50-64	515	17.0	171	4	5	14	21	32	49	71
65+	1136	19.9	196	7	8	16	25	39	51	78
TOT. SINGLE DX	787	9.4	49	2	3	8	12	18	24	38
" MULTIPLE DX	2028	17.6	184	4	6	14	22	35	48	74
TOTAL 0-19 YRS	38	7.1	27	2	2	6	9	13	19	25
20-34	341	8.0	46	2	3	6	8	13	19	35
35-49	392	11.1	110	2	3	8	13	22	31	69
50-64	712	15.2	146	3	5	12	19	29	40	70
65+	1332	18.7	183	6	7	15	23	36	48	76
GRAND TOTAL	2815	15.3	160	3	5	12	19	30	41	70

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	4.9	41	<1	<1	3	5	9	25	27
20-34	138	5.8	30	<1	1	4	8	12	15	27
35-49	148	8.0	69	1	2	6	10	15	22	51
50-64	139	6.8	28	1	1	6	9	13	19	25
65+	84	8.5	81	1	2	6	11	18	28	44
2. MULTIPLE DX										
0-19 YRS	34	5.1	42	<1	1	2	5	15	22	27
20-34	121	9.2	66	1	2	7	12	19	24	40
35-49	186	10.4	87	2	2	9	13	22	26	53
50-64	228	11.3	117	2	2	9	13	23	29	66
65+	182	13.6	169	2	3	10	17	28	34	67
TOT. SINGLE DX	544	7.0	50	1	1	5	9	14	20	39
" MULTIPLE DX	751	11.0	115	1	2	8	14	23	30	65
TOTAL 0-19 YRS	69	5.0	41	<1	<1	2	5	14	23	27
20-34	259	7.4	50	1	1	5	10	15	21	40
35-49	334	9.3	81	1	2	7	11	18	25	52
50-64	367	9.6	88	1	2	7	12	20	26	43
65+	266	12.0	147	1	2	9	15	26	33	66
GRAND TOTAL	1295	9.3	91	1	2	7	12	20	26	53

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	482	4.6	14	2	3	4	5	6	8	22
20-34	3151	4.5	5	2	3	4	5	6	8	15
35-49	3243	4.5	4	2	3	4	5	6	8	13
50-64	2724	4.8	5	3	3	4	5	7	8	14
65+	1112	5.7	15	3	3	5	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	176	5.8	14	3	3	5	6	10	13	23
20-34	1243	5.9	19	3	3	5	6	9	13	25
35-49	1770	6.0	19	3	3	5	6	10	13	24
50-64	2009	7.3	38	3	3	5	8	13	18	35
65+	1398	10.0	79	3	4	7	12	19	27	48
TOT. SINGLE DX	10712	4.7	6	3	3	4	5	7	8	15
" MULTIPLE DX	6596	7.2	40	3	3	5	8	13	18	36
TOTAL 0-19 YRS	658	4.9	15	2	3	4	5	7	10	24
20-34	4394	4.9	10	2	3	4	5	7	10	18
35-49	5013	5.0	10	3	3	4	5	7	10	17
50-64	4733	5.8	21	3	3	5	6	9	13	25
65+	2510	8.1	56	3	3	6	9	15	21	42
GRAND TOTAL	17308	5.7	21	3	3	4	6	9	13	25

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	787	2.6	3	1	1	2	3	4	5	11
20-34	591	3.3	5	1	1	3	4	5	7	13
35-49	451	4.2	9	1	2	3	5	7	9	19
50-64	392	5.3	17	2	2	4	6	9	12	26
65+	202	6.6	24	2	3	5	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	117	4.8	31	1	2	3	5	11	14	32
20-34	293	8.4	106	2	2	6	9	16	28	84
35-49	406	8.8	56	2	3	6	10	19	25	49
50-64	725	9.5	75	3	3	6	11	20	27	48
65+	577	14.1	175	3	4	9	18	33	42	65
TOT. SINGLE DX	2423	3.8	11	1	1	3	4	7	9	17
" MULTIPLE DX	2118	10.2	108	2	3	6	12	23	32	63
TOTAL 0-19 YRS	904	2.9	7	1	1	2	3	5	6	14
20-34	884	5.0	45	1	2	3	5	9	13	40
35-49	857	6.3	37	2	2	4	7	13	19	32
50-64	1117	8.0	59	2	3	5	9	16	23	39
65+	779	12.1	147	2	3	7	15	29	37	64
GRAND TOTAL	4541	6.8	66	1	2	4	7	14	23	45

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	10.2	33	3	4	9	15	18	20	31
20-34	232	10.4	25	5	6	9	13	17	20	28
35-49	140	12.8	103	4	6	11	15	23	28	53
50-64	153	12.8	45	5	6	11	16	21	25	42
65+	69	17.0	153	6	7	13	22	28	40	74
2. MULTIPLE DX										
0-19 YRS	47	15.2	127	4	5	11	19	31	36	63
20-34	182	14.7	113	5	6	11	17	27	40	61
35-49	183	16.0	99	6	7	13	20	26	35	51
50-64	298	19.3	194	6	8	15	23	38	49	85
65+	193	21.0	221	6	8	16	26	41	54	85
TOT. SINGLE DX	647	12.2	65	4	6	10	15	21	25	42
" MULTIPLE DX	903	17.8	166	6	7	14	22	35	46	77
TOTAL 0-19 YRS	100	12.6	83	3	5	10	17	22	31	50
20-34	414	12.3	69	5	6	10	14	21	27	56
35-49	323	14.6	103	5	6	12	18	25	32	51
50-64	451	17.1	153	6	7	14	20	31	44	77
65+	262	19.9	206	6	8	15	25	39	51	81
GRAND TOTAL	1550	15.5	132	5	6	12	19	28	39	64

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	851	1.3		<1	<1	1	2	2	2	3
20-34	192	1.6		<1	<1	1	2	2	3	5
35-49	268	2.0	3	<1	<1	2	2	3	4	8
50-64	482	2.1	2	<1	<1	2	2	3	4	9
65+	586	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	138	2.5	6	<1	<1	2	2	6	8	13
20-34	113	4.1	33	<1	1	2	4	9	14	35
35-49	260	4.9	30	<1	<1	3	6	11	18	27
50-64	472	5.9	55	1	1	3	7	13	19	34
65+	725	6.6	68	1	1	3	8	15	23	49
TOT. SINGLE DX	2379	1.8	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1708	5.7	53	<1	1	3	7	13	20	38
TOTAL 0-19 YRS	989	1.5	1	<1	<1	1	2	2	3	7
20-34	305	2.5	14	<1	<1	2	2	4	7	19
35-49	528	3.4	19	<1	<1	2	3	8	11	25
50-64	954	4.0	32	<1	<1	2	4	9	13	29
65+	1311	4.7	43	<1	1	2	5	11	16	37
GRAND TOTAL	4087	3.4	27	<1	<1	2	3	8	12	28

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1066	2.0	5	<1	1	2	2	3	4	8
20-34	487	2.1	2	<1	1	2	2	3	4	10
35-49	857	2.1	2	<1	<1	2	2	3	4	7
50-64	1355	2.1	1	<1	1	2	2	3	4	7
65+	1920	2.1	4	<1	1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	1032	3.4	20	<1	1	2	4	7	10	24
20-34	1243	3.9	31	<1	1	2	4	8	11	37
35-49	1215	3.6	22	1	1	2	4	7	10	23
50-64	2017	3.7	24	1	1	3	4	6	9	24
65+	2511	5.2	57	1	1	2	5	12	20	50
TOT. SINGLE DX	5685	2.1	4	<1	1	2	2	3	4	8
" MULTIPLE DX	8018	4.1	36	1	1	2	4	8	13	34
TOTAL 0-19 YRS	2098	2.7	13	<1	1	2	3	5	7	19
20-34	1730	3.4	24	<1	1	2	4	6	10	23
35-49	2072	3.0	15	<1	1	2	3	5	7	19
50-64	3372	3.0	16	1	1	2	3	5	7	17
65+	4431	3.9	37	<1	1	2	3	9	14	36
GRAND TOTAL	13703	3.3	23	<1	1	2	3	6	9	25

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	1.8	1	<1	<1	2	2	3	3	6
20-34	196	2.5	2	1	1	2	3	4	4	7
35-49	167	2.4	1	1	1	2	3	3	4	6
50-64	244	2.7	2	1	2	2	3	4	5	9
65+	337	2.9	7	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	93	3.1	14	1	1	2	3	6	9	25
20-34	104	3.3	11	1	1	2	3	6	7	23
35-49	99	3.4	6	1	1	3	4	5	11	14
50-64	168	3.1	8	1	1	2	3	5	7	12
65+	441	3.9	9	2	2	3	4	7	10	16
TOT. SINGLE DX	1182	2.5	3	1	1	2	3	4	5	8
" MULTIPLE DX	905	3.5	10	1	2	3	4	7	9	16
TOTAL 0-19 YRS	331	2.2	5	<1	1	2	2	3	5	10
20-34	300	2.8	6	1	1	2	3	4	6	16
35-49	266	2.7	3	1	1	2	3	4	5	12
50-64	412	2.8	5	1	2	2	3	4	6	11
65+	778	3.5	9	2	2	3	4	6	8	16
GRAND TOTAL	2087	2.9	7	1	1	2	3	5	7	15

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	1.8	5	<1	<1	1	2	2	3	16
20-34	58	2.3	6	<1	<1	1	2	4	8	14
35-49	40	2.0	3	<1	<1	2	2	3	4	12
50-64	60	3.3	15	<1	<1	2	4	7	11	24
65+	74	2.4	3	<1	<1	2	3	4	7	10
2. MULTIPLE DX										
0-19 YRS	59	2.5	3	1	1	2	3	5	6	9
20-34	50	4.3	19	1	1	3	5	9	12	23
35-49	38	4.2	24	1	1	2	6	9	17	23
50-64	51	4.7	111	<1	1	2	4	8	10	73
65+	92	5.4	33	1	2	3	6	13	19	27
TOT. SINGLE DX	349	2.3	7	<1	<1	2	2	4	7	14
" MULTIPLE DX	290	4.3	38	1	1	2	5	9	14	25
TOTAL 0-19 YRS	176	2.1	4	<1	<1	1	2	3	6	15
20-34	108	3.2	14	<1	<1	2	4	7	12	21
35-49	78	3.0	14	<1	<1	2	3	6	10	22
50-64	111	3.9	59	<1	<1	2	4	8	11	44
65+	166	4.1	22	<1	1	2	4	10	15	25
GRAND TOTAL	639	3.2	22	<1	1	2	3	6	10	23

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	4.5	7	1	2	4	5	8	10	16
20-34	198	4.3	9	1	2	4	5	6	8	18
35-49	148	3.8	3	1	2	4	5	6	7	9
50-64	192	4.4	8	2	2	4	5	6	8	18
65+	511	4.3	8	1	2	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	35	5.9	24	1	2	5	7	14	18	24
20-34	98	4.7	6	2	2	4	6	7	8	17
35-49	112	5.8	27	2	2	4	6	10	14	33
50-64	246	5.0	7	2	3	5	6	8	10	18
65+	943	5.5	24	2	2	5	6	8	11	22
TOT. SINGLE DX	1111	4.3	8	1	2	4	5	7	8	16
" MULTIPLE DX	1434	5.4	21	2	2	5	6	8	11	22
TOTAL 0-19 YRS	97	5.0	14	1	2	4	6	9	13	22
20-34	296	4.4	9	2	2	4	5	7	8	17
35-49	260	4.6	15	1	2	4	5	7	9	26
50-64	438	4.7	8	2	2	4	5	7	9	18
65+	1454	5.1	19	2	2	4	6	8	11	19
GRAND TOTAL	2545	4.9	15	2	2	4	6	8	10	19

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	3.5	7	<1	1	3	5	6	9	16
20-34	549	2.5	6	<1	<1	2	3	5	6	10
35-49	531	2.3	3	<1	<1	2	3	4	6	11
50-64	461	2.2	5	<1	<1	2	2	3	5	12
65+	380	2.6	4	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	261	5.0	23	1	1	4	6	9	11	22
20-34	284	5.5	43	1	2	4	6	10	14	41
35-49	190	5.0	23	1	2	3	6	11	13	26
50-64	268	4.3	35	1	1	3	5	8	12	21
65+	441	4.7	29	1	1	3	5	10	14	28
TOT. SINGLE DX	2293	2.6	6	<1	<1	2	3	5	7	12
" MULTIPLE DX	1444	4.8	32	1	1	3	6	9	13	28
TOTAL 0-19 YRS	633	4.1	15	1	1	3	5	8	9	18
20-34	833	3.5	21	<1	1	2	4	7	9	22
35-49	721	3.0	10	<1	1	2	3	6	9	15
50-64	729	3.0	17	<1	1	2	3	6	8	15
65+	821	3.7	19	1	1	2	4	7	11	25
GRAND TOTAL	3737	3.4	17	<1	1	2	4	7	9	19

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	2.8	3	1	1	2	3	5	6	10
20-34	166	3.5	6	1	2	3	4	6	7	12
35-49	262	3.6	7	1	2	3	4	6	8	11
50-64	827	3.5	5	1	2	3	4	6	8	14
65+	1747	3.4	5	1	2	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	89	4.3	39	1	1	3	4	8	12	40
20-34	111	4.6	9	1	2	4	6	8	10	19
35-49	182	4.7	24	1	2	3	5	9	13	24
50-64	625	4.6	27	2	2	3	5	8	11	21
65+	1493	4.9	19	2	2	3	6	10	13	24
TOT. SINGLE DX	3166	3.4	6	1	2	3	4	6	8	13
" MULTIPLE DX	2500	4.8	22	1	2	3	5	9	13	23
TOTAL 0-19 YRS	253	3.3	16	1	1	2	3	6	8	16
20-34	277	4.0	8	1	2	3	5	7	9	17
35-49	444	4.0	14	1	2	3	4	7	9	18
50-64	1452	3.9	16	1	2	3	4	7	9	18
65+	3240	4.1	13	1	2	3	5	8	11	19
GRAND TOTAL	5666	4.0	14	1	2	3	4	7	10	19

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	4.2	12	1	1	3	6	10	12	15
20-34	182	3.2	5	1	1	3	4	6	8	12
35-49	233	3.2	5	1	1	2	4	7	8	12
50-64	742	2.9	4	1	1	2	3	5	7	11
65+	1317	3.1	5	1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	186	4.9	14	1	1	4	7	10	12	18
20-34	178	5.5	19	1	2	4	7	11	13	26
35-49	155	5.2	17	1	2	4	6	10	12	21
50-64	528	4.4	15	1	1	3	5	9	13	19
65+	1202	5.3	33	1	2	3	6	11	16	34
TOT. SINGLE DX	2648	3.2	6	1	1	2	4	6	8	12
" MULTIPLE DX	2249	5.0	26	1	2	3	6	10	14	27
TOTAL 0-19 YRS	360	4.6	14	1	1	3	6	10	12	17
20-34	360	4.3	13	1	1	3	5	9	12	17
35-49	388	4.0	11	1	1	3	5	8	10	19
50-64	1270	3.5	10	1	1	2	4	7	9	16
65+	2519	4.1	20	1	1	3	5	8	12	23
GRAND TOTAL	4897	4.0	16	1	1	3	5	8	11	20

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.9	2	1	2	2	3	5	6	11
20-34	97	2.7	2	1	1	2	3	4	6	9
35-49	1673	2.9	1	2	2	3	3	4	5	8
50-64	11009	2.9	1	2	2	3	3	4	5	8
65+	37796	3.1	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	91	3.7	9	<1	1	3	4	8	9	18
20-34	104	4.0	9	2	2	3	5	7	9	18
35-49	1082	4.1	18	2	2	3	4	7	10	23
50-64	8637	3.8	15	2	2	3	4	6	9	18
65+	36189	4.2	18	2	2	3	4	7	10	22
TOT. SINGLE DX	50682	3.0	2	2	2	3	3	4	5	9
" MULTIPLE DX	46103	4.1	18	2	2	3	4	7	10	22
TOTAL 0-19 YRS	198	3.3	6	<1	1	3	4	6	8	13
20-34	201	3.4	6	1	2	3	4	6	7	11
35-49	2755	3.4	9	2	2	3	4	5	7	13
50-64	19646	3.3	8	2	2	3	4	5	7	13
65+	73985	3.6	10	2	2	3	4	5	8	17
GRAND TOTAL	96785	3.5	10	2	2	3	4	5	7	16

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	2.2	1	<1	1	2	3	3	4	6
20-34	266	2.5	6	1	1	2	3	4	4	8
35-49	1419	2.3	1	1	2	2	3	3	4	7
50-64	6315	2.4	1	1	2	2	3	3	4	6
65+	19520	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	245	2.8	5	1	1	2	3	4	6	12
20-34	217	2.9	4	1	1	2	3	5	6	10
35-49	765	3.1	13	1	2	2	3	5	7	15
50-64	3969	3.0	6	1	2	2	3	5	7	15
65+	14713	3.2	10	2	2	2	3	5	7	17
TOT. SINGLE DX	27927	2.4	2	1	2	2	3	3	4	6
" MULTIPLE DX	19909	3.2	9	1	2	2	3	5	7	17
TOTAL 0-19 YRS	652	2.4	3	1	1	2	3	4	5	10
20-34	483	2.7	6	1	1	2	3	4	5	9
35-49	2184	2.6	6	1	2	2	3	4	5	10
50-64	10284	2.6	3	1	2	2	3	4	5	10
65+	34233	2.8	5	1	2	2	3	4	5	12
GRAND TOTAL	47836	2.7	5	1	2	2	3	4	5	11

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	1.9		<1	<1	2	2	3	4	4
20-34	45	2.5	1	1	1	2	3	4	4	5
35-49	132	2.5	1	1	1	2	3	3	4	8
50-64	1029	2.5	2	1	1	2	3	4	4	7
65+	3467	2.7	5	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	12	4.8	29	1	1	2	6	15	17	17
20-34	15	3.1	1	1	2	3	4	4	6	6
35-49	59	4.2	58	1	1	2	4	7	13	52
50-64	597	3.0	8	1	2	2	3	5	6	11
65+	2534	3.7	18	1	2	3	4	6	10	18
TOT. SINGLE DX	4686	2.7	5	1	2	2	3	4	5	7
" MULTIPLE DX	3217	3.6	17	1	2	3	4	6	9	18
TOTAL 0-19 YRS	25	3.3	16	<1	<1	2	3	9	15	17
20-34	60	2.6	1	1	1	3	3	4	5	6
35-49	191	3.0	19	1	1	2	3	4	7	20
50-64	1626	2.7	5	1	1	2	3	4	5	10
65+	6001	3.1	11	1	2	3	3	5	6	14
GRAND TOTAL	7903	3.0	10	1	2	2	3	4	6	14

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	255	5.0	8	1	2	5	6	8	11	16
20-34	507	4.9	9	2	2	4	6	9	10	17
35-49	574	5.2	12	2	2	5	6	8	11	21
50-64	1945	5.0	12	1	2	4	6	8	10	15
65+	1741	5.2	6	2	2	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	181	6.5	31	2	2	5	8	11	17	27
20-34	418	5.9	13	2	2	5	7	10	13	20
35-49	447	6.2	15	2	2	5	7	11	14	21
50-64	1772	5.7	14	2	2	5	7	9	12	17
65+	2006	6.3	16	2	3	5	8	11	14	21
TOT. SINGLE DX	5022	5.1	10	2	2	5	6	8	10	15
" MULTIPLE DX	4824	6.0	16	2	2	5	7	10	13	21
TOTAL 0-19 YRS	436	5.6	19	1	2	5	7	10	12	22
20-34	925	5.4	11	2	2	5	7	9	11	19
35-49	1021	5.6	14	2	2	5	7	9	12	21
50-64	3717	5.3	13	2	2	5	7	9	11	17
65+	3747	5.8	12	2	2	5	7	10	12	18
GRAND TOTAL	9846	5.5	13	2	2	5	7	9	12	18

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.7	9	1	1	3	4	7	10	18
20-34	113	3.8	6	1	1	3	5	6	8	15
35-49	91	4.4	10	1	2	4	6	8	12	15
50-64	274	4.2	14	1	1	3	5	8	10	22
65+	500	3.5	6	1	2	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	101	5.5	96	1	1	3	5	9	13	64
20-34	273	5.6	16	2	2	4	7	10	12	22
35-49	282	5.6	17	1	2	5	7	10	13	20
50-64	552	5.4	24	1	2	4	6	10	13	28
65+	1012	5.5	41	1	2	4	6	11	14	25
TOT. SINGLE DX	1066	3.8	9	1	1	3	5	7	9	15
" MULTIPLE DX	2220	5.5	34	1	2	4	6	10	14	25
TOTAL 0-19 YRS	189	4.7	56	1	1	3	5	8	11	36
20-34	386	5.1	14	2	2	4	6	9	11	20
35-49	373	5.3	16	1	2	4	6	10	12	19
50-64	826	5.0	21	1	2	4	6	9	12	25
65+	1512	4.8	31	1	2	3	6	9	13	22
GRAND TOTAL	3286	4.9	26	1	2	4	6	9	12	22

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7552	1.7		<1	1	2	2	2	2	3
20-34	1385	2.0	3	1	1	2	2	3	3	4
35-49	598	2.0		1	1	2	2	3	3	4
50-64	354	2.0		1	1	2	2	3	3	4
65+	175	2.2	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	1381	1.8		<1	1	2	2	2	3	4
20-34	454	2.4	5	1	1	2	2	3	4	19
35-49	294	2.4	2	1	2	2	2	4	4	7
50-64	241	2.6	2	1	2	2	3	4	6	11
65+	183	3.5	56	1	2	2	3	5	8	20
TOT. SINGLE DX	10064	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	2553	2.2	6	1	1	2	2	3	4	9
TOTAL 0-19 YRS	8933	1.7	1	<1	1	2	2	2	2	3
20-34	1839	2.1	4	1	1	2	2	3	3	7
35-49	892	2.1	1	1	1	2	2	3	4	6
50-64	595	2.2	2	1	1	2	2	3	4	9
65+	358	2.8	30	1	1	2	3	4	6	18
GRAND TOTAL	12617	1.9	2	<1	1	2	2	2	3	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	1.6		<1	<1	2	2	2	2	3
20-34	21	2.3	5	<1	<1	2	2	3	8	12
35-49	5	2.0		1	1	2	2	3	3	3
50-64	5	5.8	64	<1	<1	2	8	20	20	20
65+	6	2.5	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
0-19 YRS	22	2.1		<1	1	2	2	3	4	6
20-34	11	2.6	3	<1	1	2	3	5	7	7
35-49	9	4.0	23	1	1	2	4	12	16	16
50-64	8	2.8	2	2	2	2	3	5	6	6
65+	6	2.7		2	2	3	3	4	4	4
TOT. SINGLE DX	68	2.2	7	<1	<1	2	2	3	4	19
" MULTIPLE DX	56	2.7	5	1	1	2	2	4	7	15
TOTAL 0-19 YRS	53	1.8	1	<1	1	2	2	2	3	6
20-34	32	2.4	4	<1	1	2	2	4	7	12
35-49	14	3.3	15	1	1	2	2	8	14	16
50-64	13	3.9	25	<1	1	2	3	9	18	20
65+	12	2.6	2	1	1	2	3	5	6	6
GRAND TOTAL	124	2.4	6	<1	1	2	2	4	6	17

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	519	2.8	4	<1	1	2	3	5	7	12
20-34	420	3.2	4	1	1	3	4	5	7	12
35-49	273	3.6	11	1	1	3	4	6	8	19
50-64	337	3.7	8	1	2	3	4	6	8	14
65+	480	3.9	12	1	1	3	4	7	11	18
2. MULTIPLE DX										
0-19 YRS	328	4.3	12	1	1	3	6	9	11	17
20-34	452	5.7	36	1	2	4	7	11	16	37
35-49	315	5.7	47	1	2	4	6	11	17	38
50-64	425	5.8	37	1	2	4	6	13	19	31
65+	817	7.1	66	2	2	4	8	16	24	43
TOT. SINGLE DX	2029	3.4	8	1	1	3	4	6	8	15
" MULTIPLE DX	2337	6.0	46	1	2	4	7	12	19	37
TOTAL 0-19 YRS	847	3.4	9	1	1	2	4	7	9	14
20-34	872	4.5	22	1	2	3	5	8	12	27
35-49	588	4.7	32	1	2	3	5	9	12	26
50-64	762	4.9	25	1	2	3	5	10	14	29
65+	1297	5.9	49	1	2	4	6	13	20	38
GRAND TOTAL	4366	4.8	30	1	1	3	5	9	14	30

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1504	2.1	2	<1	<1	2	2	3	5	9
20-34	593	2.3	3	<1	<1	2	3	4	5	10
35-49	288	2.7	10	<1	<1	2	3	5	9	21
50-64	407	2.6	8	<1	<1	2	3	4	7	16
65+	526	3.8	18	<1	1	2	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	924	3.4	22	<1	1	2	4	6	8	20
20-34	546	5.5	85	<1	1	3	6	12	19	51
35-49	330	5.9	63	1	1	3	7	14	22	36
50-64	453	6.7	54	1	1	4	8	15	22	42
65+	782	8.8	103	1	2	5	11	20	29	51
TOT. SINGLE DX	3318	2.5	7	<1	<1	2	3	4	7	15
" MULTIPLE DX	3035	5.9	68	1	1	3	7	13	21	45
TOTAL 0-19 YRS	2428	2.6	10	<1	1	2	3	5	6	15
20-34	1139	3.8	46	<1	<1	2	4	7	12	29
35-49	618	4.4	41	<1	<1	2	4	10	17	30
50-64	860	4.8	36	<1	1	2	5	11	17	33
65+	1308	6.7	76	1	1	3	8	16	25	46
GRAND TOTAL	6353	4.1	39	<1	1	2	4	9	14	32

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	2.3	1	1	1	2	3	3	4	5
20-34	1097	2.4	1	1	1	2	3	3	4	5
35-49	1636	2.4	1	1	1	2	3	3	4	6
50-64	1732	2.5	1	1	1	2	3	4	4	6
65+	723	2.6	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	129	2.4	1	1	1	2	3	3	4	7
20-34	318	2.8	7	1	1	2	3	4	5	10
35-49	477	2.8	2	1	2	2	3	4	5	10
50-64	547	3.0	5	1	1	3	3	5	7	14
65+	265	3.3	8	2	2	3	3	5	8	25
TOT. SINGLE DX	5432	2.5	1	1	1	2	3	3	4	6
" MULTIPLE DX	1736	2.9	5	1	2	2	3	4	6	13
TOTAL 0-19 YRS	373	2.3	2	1	1	2	3	3	4	6
20-34	1415	2.5	2	1	1	2	3	3	4	6
35-49	2113	2.5	1	1	1	2	3	3	4	7
50-64	2279	2.7	3	1	1	2	3	4	5	9
65+	988	2.8	3	1	1	3	3	4	5	10
GRAND TOTAL	7168	2.6	2	1	1	2	3	4	4	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2706	2.0	1	1	1	2	2	3	3	4
20-34	2152	2.1		1	1	2	3	3	3	5
35-49	1519	2.2	3	1	1	2	3	3	3	5
50-64	1358	2.2	1	1	1	2	3	3	3	4
65+	474	2.3		1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	1906	2.1	2	1	1	2	2	3	3	5
20-34	1544	2.5	7	1	1	2	3	3	4	12
35-49	1248	2.7	6	1	2	2	3	4	5	11
50-64	1373	2.8	5	1	2	2	3	4	5	15
65+	510	2.9	6	1	2	2	3	4	5	13
TOT. SINGLE DX	8209	2.1	2	1	1	2	2	3	3	4
" MULTIPLE DX	6581	2.5	5	1	1	2	3	3	4	11
TOTAL 0-19 YRS	4612	2.1	2	1	1	2	2	3	3	5
20-34	3696	2.3	3	1	1	2	3	3	4	6
35-49	2767	2.4	5	1	1	2	3	3	4	8
50-64	2731	2.5	3	1	1	2	3	3	4	11
65+	984	2.6	4	1	1	2	3	3	5	10
GRAND TOTAL	14790	2.3	3	1	1	2	3	3	4	7

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15558	1.1		<1	<1	<1	1	1	2	4
20-34	426	1.7	2	<1	<1	1	2	2	4	10
35-49	322	2.1	4	<1	<1	2	2	3	5	13
50-64	352	2.1	8	<1	<1	2	2	3	5	9
65+	187	1.9	1	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	8722	1.9	6	<1	<1	1	2	3	5	12
20-34	364	3.1	21	<1	1	2	3	6	10	23
35-49	328	4.2	48	<1	1	2	4	10	14	39
50-64	358	4.4	28	<1	1	2	5	11	16	29
65+	264	8.8	124	1	1	4	11	23	37	67
TOT. SINGLE DX	16845	1.2	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	10036	2.3	13	<1	<1	1	2	4	7	18
TOTAL 0-19 YRS	24280	1.4	3	<1	<1	1	1	2	3	8
20-34	790	2.4	12	<1	<1	2	2	4	6	17
35-49	650	3.2	27	<1	<1	2	3	6	11	25
50-64	710	3.2	20	<1	<1	2	3	7	11	25
65+	451	5.9	85	<1	1	2	6	17	25	56
GRAND TOTAL	26881	1.6	6	<1	<1	1	1	2	4	11

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	701	2.7	3	1	1	2	3	4	5	9
20-34	599	2.9	3	1	1	2	3	4	6	11
35-49	474	3.1	6	1	2	3	3	5	7	15
50-64	403	3.1	4	1	2	3	3	5	7	11
65+	160	3.9	9	2	2	3	4	8	12	15
2. MULTIPLE DX										
0-19 YRS	1042	3.1	6	1	2	3	3	5	7	15
20-34	978	3.5	21	1	2	3	3	5	8	21
35-49	770	3.5	10	1	2	3	4	6	8	16
50-64	799	4.1	20	2	2	3	4	7	12	22
65+	370	6.4	79	2	2	4	6	13	20	60
TOT. SINGLE DX	2337	3.0	5	1	2	3	3	5	6	13
" MULTIPLE DX	3959	3.8	22	1	2	3	4	6	9	22
TOTAL 0-19 YRS	1743	2.9	5	1	2	2	3	4	6	13
20-34	1577	3.3	15	1	2	3	3	5	7	17
35-49	1244	3.4	9	1	2	3	3	5	8	15
50-64	1202	3.8	16	2	2	3	4	6	10	20
65+	530	5.6	59	2	2	3	5	12	16	57
GRAND TOTAL	6296	3.5	15	1	2	3	4	5	8	19

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1125	1.6	1	<1	<1	1	2	3	3	7
20-34	582	2.8	4	1	1	2	3	4	6	10
35-49	623	2.9	4	1	1	2	3	5	7	11
50-64	625	3.0	3	1	1	3	3	5	6	11
65+	226	3.3	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	690	2.4	7	<1	<1	2	3	4	5	19
20-34	444	3.2	9	1	1	3	3	6	8	15
35-49	379	3.6	13	1	1	3	4	7	11	22
50-64	434	3.8	15	1	2	3	4	7	11	26
65+	173	7.3	171	1	2	3	6	18	23	87
TOT. SINGLE DX	3181	2.5	4	<1	1	2	3	4	6	10
" MULTIPLE DX	2120	3.5	26	<1	1	2	3	6	9	23
TOTAL 0-19 YRS	1815	1.9	4	<1	<1	1	2	3	4	10
20-34	1026	3.0	6	1	1	2	3	5	6	11
35-49	1002	3.2	8	1	1	2	3	5	8	15
50-64	1059	3.3	8	1	2	3	3	6	8	14
65+	399	5.0	82	1	1	3	4	9	17	46
GRAND TOTAL	5301	2.9	13	<1	1	2	3	5	7	16

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1010	2.6	1	1	1	2	3	4	4	5
20-34	2342	2.5	1	1	1	2	3	4	4	5
35-49	946	2.5	1	1	1	2	3	4	4	7
50-64	501	2.7	2	1	1	2	3	4	4	10
65+	123	2.9	2	1	1	3	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	1701	2.8	1	1	1	3	3	4	5	7
20-34	3818	3.0	4	1	1	3	3	5	5	10
35-49	1971	3.2	8	1	1	3	4	5	6	13
50-64	1152	3.6	9	1	2	3	4	6	8	16
65+	329	4.5	25	1	2	3	5	8	12	26
TOT. SINGLE DX	4922	2.5	2	1	1	2	3	4	4	6
" MULTIPLE DX	8971	3.2	6	1	1	3	4	5	6	12
TOTAL 0-19 YRS	2711	2.7	1	1	1	3	3	4	5	7
20-34	6160	2.8	3	1	1	3	3	4	5	8
35-49	2917	3.0	7	1	1	3	3	5	6	11
50-64	1653	3.3	8	1	2	3	4	5	7	15
65+	452	4.1	19	1	2	3	4	7	10	24
GRAND TOTAL	13893	2.9	5	1	1	3	3	4	5	10

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3498	2.5	1	1	1	2	3	4	5	5
20-34	6946	2.4	1	1	1	2	3	4	4	6
35-49	2828	2.5	2	1	1	2	3	4	4	6
50-64	1350	2.5	2	1	1	2	3	4	5	7
65+	362	2.9	7	1	1	2	3	4	7	13
2. MULTIPLE DX										
0-19 YRS	4076	2.6	3	1	1	2	3	4	5	7
20-34	9781	2.8	5	1	1	2	3	4	5	10
35-49	5273	3.0	6	1	1	3	3	5	6	14
50-64	3072	3.5	12	1	1	3	4	5	8	18
65+	936	4.7	35	1	2	3	5	9	14	28
TOT. SINGLE DX	14984	2.5	2	1	1	2	3	4	5	6
" MULTIPLE DX	23138	3.0	8	1	1	3	3	4	6	13
TOTAL 0-19 YRS	7574	2.6	2	1	1	2	3	4	5	6
20-34	16727	2.6	4	1	1	2	3	4	5	8
35-49	8101	2.8	6	1	1	2	3	4	5	11
50-64	4422	3.2	10	1	1	3	3	5	7	16
65+	1298	4.2	28	1	2	3	4	6	11	26
GRAND TOTAL	38122	2.8	5	1	1	2	3	4	5	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	512	2.2	3	<1	<1	2	3	4	5	12
20-34	681	2.2	2	<1	<1	2	3	4	5	9
35-49	719	2.3	2	<1	<1	2	3	4	5	10
50-64	1115	2.7	13	<1	1	2	3	4	6	16
65+	1083	3.0	11	<1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	566	2.8	16	1	1	2	3	4	6	21
20-34	1167	3.1	15	1	1	2	3	5	6	19
35-49	1228	3.4	12	1	1	3	4	5	8	17
50-64	1756	4.2	26	1	1	3	4	8	13	25
65+	1815	6.6	78	1	2	4	8	15	20	44
TOT. SINGLE DX	4110	2.5	8	<1	<1	2	3	4	6	12
" MULTIPLE DX	6532	4.4	38	1	1	3	4	9	14	30
TOTAL 0-19 YRS	1078	2.5	10	<1	1	2	3	4	5	14
20-34	1848	2.8	11	<1	1	2	3	4	6	14
35-49	1947	3.0	9	<1	1	2	3	5	7	16
50-64	2871	3.6	22	<1	1	2	4	6	10	22
65+	2898	5.3	57	1	1	3	6	12	17	36
GRAND TOTAL	10642	3.7	27	<1	1	2	4	7	11	25

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2894	1.7	1	<1	<1	1	2	3	4	6
20-34	2113	2.3	3	<1	<1	2	3	4	6	9
35-49	754	3.3	6	<1	1	2	4	6	8	12
50-64	625	4.5	6	1	1	4	6	8	9	12
65+	500	4.8	13	1	1	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	1381	3.4	19	<1	1	2	4	6	9	22
20-34	1878	4.1	21	1	1	3	5	8	11	21
35-49	797	5.1	20	1	1	4	6	9	12	24
50-64	976	6.3	39	1	2	5	7	12	15	26
65+	1229	8.0	65	2	2	6	9	15	23	44
TOT. SINGLE DX	6886	2.5	5	<1	<1	2	3	5	7	10
" MULTIPLE DX	6261	5.2	35	1	1	4	6	10	14	30
TOTAL 0-19 YRS	4275	2.3	8	<1	<1	2	2	4	6	12
20-34	3991	3.2	13	<1	1	2	4	6	8	15
35-49	1551	4.2	14	1	1	3	5	8	10	19
50-64	1601	5.6	27	1	2	5	7	10	13	23
65+	1729	7.1	52	1	2	5	8	13	19	41
GRAND TOTAL	13147	3.8	21	<1	1	2	5	8	10	22

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	2.9	2	1	1	2	3	5	6	11
20-34	693	3.0	4	1	1	3	3	5	6	12
35-49	651	3.1	3	1	1	3	4	5	6	11
50-64	546	3.3	6	1	2	3	4	5	6	12
65+	253	3.6	9	1	2	3	4	6	8	21
2. MULTIPLE DX										
0-19 YRS	207	3.6	13	1	1	3	4	7	9	32
20-34	701	4.2	19	1	2	3	4	8	11	19
35-49	740	4.3	16	1	2	3	4	8	11	21
50-64	773	4.7	19	1	2	3	5	9	14	25
65+	382	5.8	33	2	2	4	6	13	18	27
TOT. SINGLE DX	2356	3.2	5	1	1	3	4	5	6	12
" MULTIPLE DX	2803	4.5	21	1	2	3	5	9	13	25
TOTAL 0-19 YRS	420	3.2	8	1	1	3	4	5	8	13
20-34	1394	3.6	12	1	1	3	4	6	9	16
35-49	1391	3.7	11	1	2	3	4	6	9	18
50-64	1319	4.1	15	1	2	3	4	8	11	23
65+	635	4.9	25	2	2	3	5	11	14	26
GRAND TOTAL	5159	3.9	14	1	2	3	4	7	10	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	341	2.9	9	<1	<1	2	3	6	9	14
20-34	648	3.5	11	<1	1	3	4	7	9	16
35-49	496	3.5	19	1	1	3	4	6	10	16
50-64	460	3.8	17	1	1	3	4	7	11	19
65+	269	4.6	20	1	1	3	6	9	12	26
2. MULTIPLE DX										
0-19 YRS	403	4.7	30	<1	1	3	6	11	15	29
20-34	828	4.5	25	1	1	3	5	9	14	30
35-49	782	4.9	31	1	1	3	5	10	15	28
50-64	794	5.6	37	1	2	3	6	12	17	35
65+	500	7.7	77	1	2	5	10	17	23	49
TOT. SINGLE DX	2214	3.6	15	<1	1	3	4	7	10	17
" MULTIPLE DX	3307	5.4	39	1	1	3	6	12	17	34
TOTAL 0-19 YRS	744	3.9	22	<1	<1	2	4	8	13	22
20-34	1476	4.0	19	1	1	3	4	8	11	21
35-49	1278	4.4	27	1	1	3	5	9	13	23
50-64	1254	5.0	31	1	1	3	5	11	15	32
65+	769	6.6	60	1	2	4	8	14	19	38
GRAND TOTAL	5521	4.7	30	1	1	3	5	10	14	29

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9713	1.7	1	<1	1	2	2	2	2	3
20-34	8092	1.8	2	<1	1	2	2	2	2	4
35-49	1558	2.1	3	<1	1	2	2	3	3	8
50-64	1101	2.4	10	1	1	2	2	3	4	17
65+	516	2.7	9	1	1	2	3	4	5	17
2. MULTIPLE DX										
0-19 YRS	3292	2.3	10	<1	1	2	2	3	5	13
20-34	5201	3.7	38	1	1	2	3	7	14	35
35-49	3457	4.3	43	1	1	2	3	10	16	35
50-64	3913	4.7	41	1	2	2	4	11	17	35
65+	3090	7.3	99	1	2	3	9	19	28	71
TOT. SINGLE DX	20980	1.8	2	<1	1	2	2	2	3	4
" MULTIPLE DX	18953	4.4	48	1	1	2	3	10	17	38
TOTAL 0-19 YRS	13005	1.9	4	<1	1	2	2	2	3	6
20-34	13293	2.5	17	<1	1	2	2	3	6	21
35-49	5015	3.6	32	1	1	2	3	7	13	31
50-64	5014	4.2	36	1	1	2	3	9	15	33
65+	3606	6.7	89	1	2	3	7	18	27	68
GRAND TOTAL	39933	3.0	25	<1	1	2	2	4	10	28

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1251	1.2		<1	<1	1	1	2	2	2
20-34	180	2.4	28	<1	<1	2	2	4	5	14
35-49	53	2.0	1	<1	1	2	2	3	5	7
50-64	35	2.7	3	<1	1	2	3	4	8	9
65+	14	2.6	2	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	617	2.2	31	<1	<1	1	2	2	5	32
20-34	242	4.3	38	<1	1	2	4	13	16	56
35-49	80	4.4	22	<1	<1	2	7	11	15	20
50-64	41	5.0	33	1	1	3	6	12	15	31
65+	29	5.8	38	1	1	3	7	17	18	26
TOT. SINGLE DX	1533	1.4	4	<1	<1	1	1	2	2	6
" MULTIPLE DX	1009	3.1	34	<1	<1	1	2	7	13	32
TOTAL 0-19 YRS	1868	1.5	11	<1	<1	1	1	2	2	7
20-34	422	3.5	35	<1	1	2	3	9	15	47
35-49	133	3.4	15	<1	1	2	3	9	11	20
50-64	76	3.9	21	1	1	2	4	9	13	27
65+	43	4.7	29	1	1	2	5	12	17	26
GRAND TOTAL	2542	2.1	17	<1	<1	1	2	3	6	17

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	1.9	1	<1	<1	2	2	3	4	7
20-34	537	2.4	3	<1	1	2	2	4	5	9
35-49	885	2.3	2	<1	1	2	3	4	5	8
50-64	645	2.8	4	<1	1	2	3	5	6	11
65+	172	3.2	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	416	2.7	8	<1	1	2	2	5	7	16
20-34	461	3.8	32	1	1	2	3	7	12	24
35-49	556	3.6	14	1	1	2	4	7	10	20
50-64	641	4.5	34	1	2	3	4	8	15	29
65+	350	5.9	56	1	2	3	7	13	20	52
TOT. SINGLE DX	2562	2.5	3	<1	1	2	3	4	5	8
" MULTIPLE DX	2424	4.0	29	1	1	2	4	8	13	27
TOTAL 0-19 YRS	739	2.3	6	<1	<1	2	2	4	6	13
20-34	998	3.0	17	<1	1	2	3	5	8	18
35-49	1441	2.8	7	<1	1	2	3	5	7	15
50-64	1286	3.6	20	1	1	2	4	6	9	24
65+	522	5.0	40	1	2	3	5	11	15	31
GRAND TOTAL	4986	3.2	16	<1	1	2	3	5	8	21

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	505	2.9	4	<1	1	2	4	5	6	10
20-34	1270	3.3	4	1	2	3	4	5	6	10
35-49	1329	3.7	4	1	2	3	4	6	7	13
50-64	1623	4.1	9	2	2	3	5	6	8	14
65+	1206	4.8	16	2	2	4	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	170	4.1	12	1	2	3	4	7	10	21
20-34	420	4.4	17	1	2	4	5	7	9	20
35-49	677	5.3	27	1	2	4	6	10	14	30
50-64	1041	6.0	32	2	2	4	7	12	17	28
65+	1260	7.9	58	2	3	5	9	16	22	45
TOT. SINGLE DX	5933	3.9	9	1	2	3	5	6	8	14
" MULTIPLE DX	3566	6.3	40	2	2	4	7	13	17	35
TOTAL 0-19 YRS	675	3.2	7	1	1	3	4	5	7	15
20-34	1690	3.6	8	1	2	3	4	6	7	13
35-49	2006	4.2	13	1	2	3	5	7	9	19
50-64	2664	4.8	20	2	2	4	5	8	12	23
65+	2466	6.4	41	2	2	4	7	12	17	36
GRAND TOTAL	9501	4.8	22	1	2	4	5	8	12	24

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	3.9	4	1	1	4	5	6	8	11
20-34	40	3.7	3	1	2	3	5	6	7	8
35-49	15	4.4	5	2	2	4	5	8	9	9
50-64	9	4.2	6	2	2	3	5	9	9	9
65+	7	4.6	20	1	1	2	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	587	4.4	5	1	2	4	6	7	8	13
20-34	42	5.4	50	2	2	4	6	7	11	48
35-49	16	3.6	2	1	1	4	5	5	6	6
50-64	11	7.3	28	1	2	6	9	14	20	21
65+	6	6.5	15	3	3	6	8	13	13	13
TOT. SINGLE DX	988	3.9	5	1	1	4	5	7	8	11
" MULTIPLE DX	662	4.5	9	1	2	4	6	7	8	15
TOTAL 0-19 YRS	1504	4.1	5	1	1	4	5	7	8	12
20-34	82	4.5	28	2	2	4	5	7	8	37
35-49	31	4.0	4	1	2	4	5	7	8	9
50-64	20	5.9	20	1	2	5	8	10	15	21
65+	13	5.5	17	1	2	3	9	12	13	13
GRAND TOTAL	1650	4.1	7	1	2	4	5	7	8	12

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2139	2.8	5	<1	<1	2	4	6	7	10
20-34	721	3.4	11	<1	<1	2	4	7	9	14
35-49	699	3.7	14	<1	1	2	4	8	11	20
50-64	1286	4.5	40	<1	1	2	5	10	15	30
65+	1302	4.7	43	1	1	3	5	10	14	32
2. MULTIPLE DX										
0-19 YRS	1495	3.7	21	1	1	2	5	8	10	25
20-34	1092	4.9	33	1	1	3	6	10	14	30
35-49	867	7.1	80	1	1	4	9	15	24	47
50-64	1741	8.4	110	1	2	5	10	19	28	56
65+	2049	9.7	122	1	2	6	12	23	32	59
TOT. SINGLE DX	6147	3.7	23	<1	1	2	4	8	10	22
" MULTIPLE DX	7244	7.1	86	1	1	4	8	16	24	48
TOTAL 0-19 YRS	3634	3.2	12	<1	1	2	4	7	8	14
20-34	1813	4.3	25	<1	1	3	5	9	12	23
35-49	1566	5.6	54	1	1	3	6	12	19	40
50-64	3027	6.8	84	1	1	3	8	16	23	47
65+	3351	7.7	98	1	2	4	9	18	27	52
GRAND TOTAL	13391	5.6	60	<1	1	3	6	12	19	41

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26210	1.9	1	1	1	2	2	3	3	4
20-34	17852	2.1	1	1	1	2	2	3	3	5
35-49	1592	2.3	1	1	1	2	3	3	4	6
50-64	271	2.7	6	1	1	2	3	4	5	21
65+	88	3.5	31	1	1	2	3	5	9	39
2. MULTIPLE DX										
0-19 YRS	4732	2.1	4	1	1	2	2	3	4	8
20-34	2924	2.7	4	1	1	2	3	4	6	11
35-49	473	3.3	10	1	1	2	4	6	8	16
50-64	143	5.8	83	1	2	3	5	12	23	49
65+	57	9.2	227	1	2	3	9	24	33	89
TOT. SINGLE DX	46013	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	8329	2.5	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	30942	1.9	2	1	1	2	2	3	3	5
20-34	20776	2.2	2	1	1	2	2	3	4	6
35-49	2065	2.5	4	1	1	2	3	4	5	11
50-64	414	3.8	35	1	1	2	3	6	11	37
65+	145	5.7	115	1	1	3	4	11	25	57
GRAND TOTAL	54342	2.1	2	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41973	1.7		<1	1	2	2	2	2	3
20-34	1539	2.2	3	1	1	2	2	3	4	5
35-49	80	2.3		1	1	2	3	4	4	5
50-64	34	2.2	2	<1	1	2	2	3	3	11
65+	38	4.4	224	<1	1	2	2	4	7	94
2. MULTIPLE DX										
0-19 YRS	24434	1.8	1	<1	1	2	2	2	3	5
20-34	437	2.5	1	1	1	2	3	4	5	8
35-49	29	4.2	20	2	2	2	4	9	12	24
50-64	19	2.4	3	<1	1	2	3	3	7	10
65+	20	1.8		<1	1	2	2	2	3	3
TOT. SINGLE DX	43664	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	24939	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	66407	1.8	1	<1	1	2	2	2	3	4
20-34	1976	2.3	3	1	1	2	2	3	4	6
35-49	109	2.8	7	1	2	2	3	4	6	16
50-64	53	2.3	3	<1	1	2	2	3	3	11
65+	58	3.5	147	<1	1	2	2	3	5	87
GRAND TOTAL	68603	1.8	1	<1	1	2	2	2	3	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3688	1.4		<1	<1	1	2	2	2	3
20-34	80	2.1	1	<1	1	2	2	3	4	7
35-49	8	2.3		2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	9508	1.5		<1	<1	1	2	2	2	3
20-34	58	2.5	8	<1	<1	2	2	4	4	22
35-49	9	2.2	1	<1	<1	2	3	4	5	5
50-64	16	2.2	2	<1	<1	2	3	5	6	6
65+	13	1.6	1	<1	<1	1	2	3	5	5
TOT. SINGLE DX	3780	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	9604	1.5	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	13196	1.4	1	<1	<1	1	2	2	2	3
20-34	138	2.3	4	<1	1	2	2	4	4	9
35-49	17	2.2	1	<1	1	2	3	3	4	5
50-64	17	2.2	2	<1	<1	2	3	5	6	6
65+	16	1.7	1	<1	<1	1	2	3	4	5
GRAND TOTAL	13384	1.5	1	<1	<1	1	2	2	2	3

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1918	2.4	5	<1	1	2	3	4	6	9
20-34	1416	2.7	3	1	1	2	3	5	6	10
35-49	516	3.4	18	<1	1	2	4	6	9	18
50-64	572	4.6	40	1	1	3	5	9	16	28
65+	376	5.0	27	1	2	3	7	10	15	29
2. MULTIPLE DX										
0-19 YRS	481	3.9	24	<1	1	2	5	7	10	28
20-34	426	5.3	70	1	1	3	5	10	15	48
35-49	326	6.1	91	1	1	3	6	12	21	68
50-64	569	8.7	123	1	2	4	11	21	29	63
65+	607	11.9	216	2	2	7	15	28	46	78
TOT. SINGLE DX	4798	3.1	13	1	1	2	3	6	8	17
" MULTIPLE DX	2409	7.6	122	1	1	4	8	18	28	66
TOTAL 0-19 YRS	2399	2.7	10	<1	1	2	3	5	6	13
20-34	1842	3.3	20	1	1	2	4	5	8	19
35-49	842	4.4	48	1	1	3	4	9	14	37
50-64	1141	6.6	86	1	1	3	8	16	23	54
65+	983	9.3	156	1	2	5	11	20	37	73
GRAND TOTAL	7207	4.6	54	1	1	2	4	9	15	41

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	282	1.8	2	<1	<1	1	2	4	5	8
20-34	144	3.4	6	<1	1	3	5	6	7	11
35-49	165	3.6	18	<1	1	3	4	6	7	17
50-64	256	4.1	12	1	1	3	5	7	9	19
65+	261	4.0	11	1	1	3	5	7	8	24
2. MULTIPLE DX										
0-19 YRS	529	3.8	8	1	2	3	4	6	7	14
20-34	95	4.9	16	1	1	4	6	10	13	22
35-49	158	5.0	16	1	1	4	6	9	12	24
50-64	384	6.5	74	1	2	5	7	12	16	36
65+	608	6.5	34	1	2	5	8	13	17	33
TOT. SINGLE DX	1108	3.3	11	<1	1	3	4	6	8	16
" MULTIPLE DX	1774	5.5	34	1	2	4	6	10	14	28
TOTAL 0-19 YRS	811	3.1	8	<1	<1	3	4	6	7	12
20-34	239	4.0	11	1	1	3	5	7	10	17
35-49	323	4.3	18	1	1	4	5	8	10	23
50-64	640	5.5	51	1	1	4	6	10	14	32
65+	869	5.7	29	1	2	4	7	11	15	29
GRAND TOTAL	2882	4.6	26	1	1	3	5	8	12	25

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	478	1.7	2	<1	<1	1	2	2	3	10
20-34	1112	1.8		<1	<1	2	2	2	3	6
35-49	1773	2.0	3	<1	1	2	2	3	3	10
50-64	2799	2.2	6	<1	1	2	2	3	4	13
65+	1530	2.5	9	1	1	2	2	4	6	15
2. MULTIPLE DX										
0-19 YRS	156	2.7	26	<1	1	2	2	3	7	36
20-34	411	3.7	41	1	1	2	3	6	13	65
35-49	834	3.8	22	1	1	2	4	9	12	27
50-64	1885	4.8	46	1	1	2	5	12	18	33
65+	1440	6.3	77	1	1	3	7	15	24	44
TOT. SINGLE DX	7692	2.1	5	<1	1	2	2	3	4	12
" MULTIPLE DX	4726	4.9	52	1	1	2	5	12	18	38
TOTAL 0-19 YRS	634	2.0	9	<1	<1	1	2	2	4	13
20-34	1523	2.3	13	<1	1	2	2	3	5	18
35-49	2607	2.6	11	<1	1	2	2	4	7	18
50-64	4684	3.3	24	<1	1	2	3	6	11	25
65+	2970	4.3	46	1	1	2	4	10	16	35
GRAND TOTAL	12418	3.2	25	<1	1	2	2	6	11	26

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.4	6	<1	1	2	2	5	9	11
20-34	44	3.1	14	<1	1	2	2	10	11	20
35-49	80	7.7	83	1	1	2	11	20	25	45
50-64	234	9.5	61	1	2	9	14	19	24	40
65+	161	11.5	176	1	2	10	16	23	29	87
2. MULTIPLE DX										
0-19 YRS	25	7.5	72	1	1	2	12	20	26	31
20-34	25	9.9	61	<1	1	9	14	22	25	27
35-49	64	11.8	99	2	2	10	16	27	33	38
50-64	200	14.3	171	1	2	11	18	34	41	62
65+	232	17.5	230	2	2	15	22	33	47	85
TOT. SINGLE DX	551	8.9	99	1	1	6	13	18	25	45
" MULTIPLE DX	546	14.8	186	2	2	12	20	31	40	65
TOTAL 0-19 YRS	57	4.6	41	<1	1	2	4	13	20	31
20-34	69	5.6	42	<1	1	2	9	15	20	27
35-49	144	9.5	94	1	1	5	15	24	31	39
50-64	434	11.7	117	1	2	10	15	24	36	53
65+	393	15.1	217	2	2	13	19	30	40	86
GRAND TOTAL	1097	11.9	151	1	2	10	16	26	34	59

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	12.5	265	1	1	12	24	24	24	24
20-34	4	15.3	35	11	11	13	19	24	24	24
35-49	53	16.7	55	8	10	14	21	26	32	44
50-64	205	18.8	124	9	10	16	21	31	38	84
65+	179	17.5	62	10	11	15	20	31	36	48
2. MULTIPLE DX										
0-19 YRS	1	30.0		30	30	65	99+	99+	99+	99+
20-34	1	26.0		26	26	63	99+	99+	99+	99+
35-49	69	25.3	283	11	11	20	32	55	70	99+
50-64	401	24.4	192	10	12	22	30	44	63	99+
65+	388	25.2	211	11	13	21	31	46	63	99+
TOT. SINGLE DX	443	18.0	91	9	10	15	21	30	36	71
" MULTIPLE DX	860	24.8	208	11	12	21	31	47	64	99+
TOTAL 0-19 YRS	3	18.3	234	1	1	27	65	99+	99+	99+
20-34	5	17.4	50	11	11	19	26	93	99+	99+
35-49	122	21.5	202	10	11	17	24	42	56	99+
50-64	606	22.5	176	10	11	19	27	40	58	99+
65+	567	22.8	177	10	11	19	28	40	55	99+
GRAND TOTAL	1303	22.5	178	10	11	19	27	41	57	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	26.3	814	7	7	10	51	71	73	73
20-34	8	11.9	236	2	2	8	21	80	99+	99+
35-49	11	10.2	205	1	2	6	11	28	50	52
50-64	28	16.6	213	2	3	14	26	31	41	67
65+	12	18.3	139	4	6	17	30	33	36	37
2. MULTIPLE DX										
0-19 YRS	10	39.7	785	4	9	34	66	99	99+	99+
20-34	17	30.6	382	4	6	36	70	99+	99+	99+
35-49	40	24.0	433	3	4	18	55	99+	99+	99+
50-64	112	30.4	591	3	5	30	63	99+	99+	99+
65+	146	35.6	555	7	11	35	57	97	99+	99+
TOT. SINGLE DX	65	16.1	254	2	3	10	25	38	55	96
" MULTIPLE DX	325	32.2	561	4	7	32	59	99+	99+	99+
TOTAL 0-19 YRS	16	34.7	787	5	7	33	61	93	99	99+
20-34	25	24.6	404	2	4	27	57	99+	99+	99+
35-49	51	21.0	412	2	3	12	51	94	99+	99+
50-64	140	27.7	545	3	4	25	56	99+	99+	99+
65+	158	34.3	544	7	9	33	55	96	99+	99+
GRAND TOTAL	390	29.6	545	3	5	29	55	99+	99+	99+

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	9.0	192	1	1	5	9	18	42	78
20-34	159	8.2	207	<1	1	3	8	16	48	99
35-49	87	8.6	121	1	1	4	10	22	31	59
50-64	213	10.4	246	1	2	4	11	24	41	89
65+	162	12.0	316	1	1	5	15	43	66	99+
2. MULTIPLE DX										
0-19 YRS	308	21.7	511	1	2	14	35	71	97	99+
20-34	319	27.5	618	2	3	21	46	83	99+	99+
35-49	324	26.2	546	2	2	23	47	78	99+	99+
50-64	895	30.0	591	2	3	27	52	83	99+	99+
65+	1049	35.7	634	2	4	36	57	85	99+	99+
TOT. SINGLE DX	794	9.8	229	1	1	4	10	23	48	92
" MULTIPLE DX	2895	30.5	617	2	3	28	53	83	99+	99+
TOTAL 0-19 YRS	481	17.1	433	1	1	9	25	60	83	99+
20-34	478	21.1	564	1	2	11	36	72	92	99+
35-49	411	22.5	508	1	2	15	40	72	99+	99+
50-64	1108	26.2	585	2	2	21	46	76	99+	99+
65+	1211	32.5	657	2	2	32	55	83	99+	99+
GRAND TOTAL	3689	26.0	606	1	2	20	46	76	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	6.0	28	1	1	4	9	13	18	25
20-34	469	6.5	47	1	2	5	8	13	17	35
35-49	777	7.1	44	1	2	5	9	16	19	33
50-64	1997	8.1	58	1	2	6	11	17	21	36
65+	2071	8.7	67	1	2	6	12	18	23	39
2. MULTIPLE DX										
0-19 YRS	88	11.7	154	2	2	9	14	24	34	72
20-34	673	10.1	96	2	2	8	13	21	28	46
35-49	1754	11.5	101	2	3	9	15	23	30	52
50-64	6137	12.6	117	2	3	10	16	25	33	57
65+	8842	14.5	139	2	3	11	19	29	39	64
TOT. SINGLE DX	5406	8.0	59	1	2	6	11	17	22	37
" MULTIPLE DX	17494	13.3	128	2	3	10	17	27	36	60
TOTAL 0-19 YRS	180	8.8	98	1	2	6	11	18	24	42
20-34	1142	8.7	79	1	2	6	11	17	24	42
35-49	2531	10.1	88	1	2	8	13	21	27	47
50-64	8134	11.5	107	2	2	9	15	23	30	52
65+	10913	13.4	131	2	3	10	17	28	36	60
GRAND TOTAL	22900	12.1	117	2	2	9	16	25	33	57

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	19.5	584	2	2	10	34	55	55	55
20-34	3	8.3	76	1	1	6	15	18	18	18
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	4	13.0	178	2	2	11	24	29	29	29
65+	2	12.5	145	4	4	12	21	21	21	21
2. MULTIPLE DX										
0-19 YRS										
20-34	3	8.7	46	1	1	11	13	14	14	14
35-49	4	18.3	139	5	5	17	27	33	33	33
50-64	7	25.6	531	6	8	19	24	66	76	76
65+	11	15.6	108	2	4	12	25	31	35	35
TOT. SINGLE DX	15	12.9	210	1	2	7	19	29	48	55
" MULTIPLE DX	25	18.0	229	2	5	15	26	35	81	99+
TOTAL 0-19 YRS	4	19.5	584	2	2	14	66	99+	99+	99+
20-34	6	8.5	49	1	1	8	14	18	18	18
35-49	6	14.5	128	2	2	13	21	32	33	33
50-64	11	21.0	412	2	2	19	24	48	74	76
65+	13	15.2	103	2	4	12	22	29	34	35
GRAND TOTAL	40	16.1	223	1	2	14	21	34	64	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	12.4	119	4	5	9	13	21	30	68
20-34	374	10.4	40	2	4	9	13	19	21	32
35-49	670	10.5	57	2	3	9	13	19	25	39
50-64	1320	12.0	77	2	3	10	15	22	26	44
65+	1170	12.2	80	1	2	10	17	23	28	46
2. MULTIPLE DX										
0-19 YRS	133	15.2	143	5	6	12	20	29	38	99+
20-34	558	14.8	138	3	5	12	18	26	39	77
35-49	1035	15.3	121	3	5	13	19	29	36	66
50-64	3253	16.2	134	3	5	13	21	30	39	60
65+	3832	17.0	155	3	4	14	22	32	41	66
TOT. SINGLE DX	3624	11.6	72	2	3	10	15	21	27	43
" MULTIPLE DX	8811	16.3	143	3	5	13	21	31	39	64
TOTAL 0-19 YRS	223	14.0	135	5	5	11	18	27	37	98
20-34	932	13.0	104	3	4	11	16	23	31	66
35-49	1705	13.4	102	2	4	11	17	25	31	56
50-64	4573	15.0	122	2	4	12	19	28	36	57
65+	5002	15.9	142	2	4	13	21	30	38	62
GRAND TOTAL	12435	15.0	127	2	4	12	19	29	36	59

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.9	55	5	6	10	17	22	31	32
20-34	64	14.2	63	7	8	12	16	22	34	46
35-49	224	14.0	36	7	8	13	17	21	25	38
50-64	818	15.0	49	7	8	13	18	23	27	41
65+	600	16.9	61	8	9	15	20	27	31	47
2. MULTIPLE DX										
0-19 YRS	26	19.4	303	8	8	15	20	45	92	99+
20-34	94	20.0	282	6	8	14	23	39	54	89
35-49	399	18.5	131	7	8	16	23	32	41	65
50-64	1741	19.1	121	8	9	17	23	32	40	68
65+	1657	21.3	143	9	10	18	26	35	44	73
TOT. SINGLE DX	1718	15.5	54	8	8	14	19	24	29	42
" MULTIPLE DX	3917	20.0	138	8	9	17	24	34	42	74
TOTAL 0-19 YRS	38	17.4	230	7	8	14	18	36	71	99+
20-34	158	17.6	201	6	8	12	20	34	45	82
35-49	623	16.9	102	7	8	15	20	28	38	56
50-64	2559	17.8	102	8	9	16	21	29	36	64
65+	2257	20.1	125	9	10	17	24	33	41	68
GRAND TOTAL	5635	18.6	116	8	9	16	22	31	39	66

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	4.4	34	1	1	2	5	10	14	31
20-34	702	6.3	46	1	1	4	8	13	17	31
35-49	1097	6.5	48	1	1	4	9	14	19	32
50-64	2238	7.3	49	1	2	5	10	17	21	31
65+	1994	8.2	61	1	2	6	11	18	23	37
2. MULTIPLE DX										
0-19 YRS	603	10.0	142	1	2	6	13	22	31	90
20-34	1145	10.6	116	2	2	7	13	23	32	54
35-49	2411	10.8	110	2	2	8	14	23	31	65
50-64	6259	12.1	119	2	2	9	16	25	32	58
65+	8568	14.6	157	2	3	11	19	30	40	74
TOT. SINGLE DX	6715	7.0	52	1	1	5	9	16	21	34
" MULTIPLE DX	18986	12.9	138	2	3	10	17	27	36	66
TOTAL 0-19 YRS	1287	7.0	93	1	1	4	8	16	23	57
20-34	1847	8.9	94	1	2	6	11	19	28	51
35-49	3508	9.5	95	1	2	7	12	21	28	56
50-64	8497	10.8	105	2	2	8	14	23	30	53
65+	10562	13.4	146	2	2	10	18	28	37	68
GRAND TOTAL	25701	11.4	123	1	2	8	15	24	33	61

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	5.7	14	1	2	5	8	10	13	19
20-34	256	6.0	17	2	2	5	8	11	14	23
35-49	103	7.6	50	2	2	6	9	15	18	41
50-64	78	9.3	44	2	3	8	12	19	20	36
65+	55	10.5	65	1	2	10	14	20	25	43
2. MULTIPLE DX										
0-19 YRS	92	12.7	189	3	3	8	15	28	56	87
20-34	181	9.9	101	3	3	7	10	17	32	74
35-49	143	11.6	111	2	4	9	14	24	34	83
50-64	246	15.6	198	3	4	11	19	35	50	73
65+	331	15.8	188	2	4	12	21	32	44	75
TOT. SINGLE DX	574	7.1	34	2	2	5	9	14	18	27
" MULTIPLE DX	993	13.8	169	2	4	10	17	31	42	76
TOTAL 0-19 YRS	174	9.4	119	1	2	6	10	19	31	68
20-34	437	7.6	56	2	3	6	9	14	18	44
35-49	246	9.9	89	2	3	7	12	20	26	62
50-64	324	14.1	168	2	3	10	17	31	42	67
65+	386	15.0	175	2	3	11	20	31	42	73
GRAND TOTAL	1567	11.3	130	2	3	8	14	24	35	65

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	633	6.5	21	2	3	5	8	12	16	24
20-34	2233	6.3	20	2	3	5	8	11	14	23
35-49	827	7.6	37	2	3	6	9	14	18	32
50-64	650	10.7	72	3	4	9	13	21	26	42
65+	496	12.6	82	3	4	10	18	24	32	40
2. MULTIPLE DX										
0-19 YRS	990	13.3	208	3	4	9	15	30	50	99+
20-34	1960	10.5	98	3	3	8	12	20	31	65
35-49	1498	13.1	118	3	4	10	17	26	37	60
50-64	2679	15.7	165	4	5	12	20	32	42	74
65+	3314	17.9	185	4	5	14	23	36	46	71
TOT. SINGLE DX	4839	7.8	41	2	3	6	9	15	20	34
" MULTIPLE DX	10441	14.8	164	3	4	11	19	31	42	75
TOTAL 0-19 YRS	1623	10.7	146	3	3	7	12	22	36	89
20-34	4193	8.3	61	2	3	6	10	15	21	50
35-49	2325	11.1	96	3	3	8	14	23	30	56
50-64	3329	14.7	152	3	4	11	19	30	39	70
65+	3810	17.2	176	4	5	14	22	35	44	68
GRAND TOTAL	15280	12.6	136	3	4	9	16	27	37	64

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	498	6.3	26	1	2	6	8	10	13	27
20-34	702	7.2	40	1	1	6	10	14	20	30
35-49	606	7.0	37	1	2	5	9	15	18	30
50-64	836	8.8	66	1	2	7	12	19	25	38
65+	665	10.0	89	1	2	8	13	21	28	52
2. MULTIPLE DX										
0-19 YRS	237	10.6	84	2	2	8	13	20	28	50
20-34	687	12.6	144	1	2	9	16	26	36	75
35-49	957	12.8	139	2	2	10	17	27	37	76
50-64	2342	13.7	135	2	3	11	18	29	36	62
65+	2817	15.9	165	3	4	13	21	32	41	70
TOT. SINGLE DX	3307	8.0	56	1	2	6	10	17	22	38
" MULTIPLE DX	7040	14.3	149	2	3	11	19	29	38	67
TOTAL 0-19 YRS	735	7.7	49	1	2	6	9	15	20	37
20-34	1389	9.9	99	1	2	7	12	21	28	52
35-49	1563	10.6	108	1	2	8	14	23	31	61
50-64	3178	12.4	122	2	2	9	17	26	33	58
65+	3482	14.8	156	2	3	12	20	30	40	66
GRAND TOTAL	10347	12.3	128	2	2	9	16	26	35	59

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	324	9.8	23	6	6	9	11	14	18	25
20-34	201	11.8	20	7	8	11	14	17	20	31
35-49	355	13.3	46	8	9	12	15	19	22	38
50-64	573	14.8	54	8	9	13	17	22	27	42
65+	293	17.2	57	10	10	15	20	26	30	52
2. MULTIPLE DX										
0-19 YRS	502	13.3	106	7	7	10	14	23	36	64
20-34	328	18.8	172	8	8	14	23	42	50	73
35-49	715	18.2	128	8	9	15	21	29	42	67
50-64	1928	19.4	132	9	10	16	23	33	46	71
65+	1645	22.3	165	10	11	18	27	40	51	83
TOT. SINGLE DX	1746	13.6	49	7	8	12	16	21	26	39
" MULTIPLE DX	5118	19.5	149	8	9	16	23	35	47	75
TOTAL 0-19 YRS	826	11.9	77	6	7	9	12	19	27	51
20-34	529	16.1	126	7	8	12	17	29	45	62
35-49	1070	16.6	107	8	9	14	19	26	36	62
50-64	2501	18.4	118	9	10	15	21	31	41	68
65+	1938	21.5	152	10	11	18	26	37	50	80
GRAND TOTAL	6864	18.0	130	8	9	14	21	31	43	70

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	95th (11)
1. SINGLE DX										
0-19 YRS	7	16.3	23	11	11	15	21	23	23	23
20-34	63	11.5	22	7	7	11	13	16	22	29
35-49	1532	11.7	16	8	8	11	13	17	19	27
50-64	4712	12.5	21	8	8	11	14	18	21	29
65+	1670	14.1	34	8	9	13	16	21	25	37
2. MULTIPLE DX										
0-19 YRS	11	16.9	102	9	9	13	20	31	43	44
20-34	189	13.0	48	8	8	11	14	20	25	45
35-49	3987	13.6	43	8	8	12	15	21	26	40
50-64	14527	15.0	64	8	9	13	17	24	29	49
65+	7295	18.2	106	9	10	15	21	31	38	63
TOT. SINGLE DX	7984	12.7	24	8	8	11	14	18	22	31
" MULTIPLE DX	26009	15.7	76	8	9	13	18	25	32	53
TOTAL 0-19 YRS	18	16.7	69	9	10	14	22	23	36	44
20-34	252	12.7	42	7	8	11	14	20	24	40
35-49	5519	13.1	37	8	8	11	15	20	24	37
50-64	19239	14.4	55	8	9	12	16	22	28	45
65+	8965	17.4	96	9	9	14	20	29	37	60
GRAND TOTAL	33993	15.0	65	8	9	12	17	24	30	49

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1149	2.1	3	1	1	2	2	3	4	9
20-34	978	3.4	10	1	2	2	3	7	10	17
35-49	6040	3.3	9	1	2	2	3	7	10	16
50-64	11237	3.3	11	1	2	2	3	7	10	18
65+	3492	3.8	17	1	2	2	4	9	12	21
2. MULTIPLE DX										
0-19 YRS	1639	3.7	38	1	1	2	2	7	13	34
20-34	1670	5.1	41	1	2	2	6	12	16	31
35-49	13441	4.9	27	1	2	3	6	11	15	25
50-64	32724	5.3	32	2	2	3	7	12	16	27
65+	14088	6.9	58	2	2	4	9	16	21	37
TOT. SINGLE DX	22896	3.3	12	1	2	2	3	7	10	18
" MULTIPLE DX	63562	5.5	38	1	2	3	7	13	17	30
TOTAL 0-19 YRS	2788	3.0	24	1	1	2	2	5	9	27
20-34	2648	4.5	31	1	2	2	5	10	14	28
35-49	19481	4.4	23	1	2	2	5	10	14	23
50-64	43961	4.8	28	1	2	2	6	11	15	25
65+	17580	6.3	52	2	2	3	8	15	20	35
GRAND TOTAL	86458	4.9	32	1	2	2	6	12	16	27

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.3	10	2	2	5	7	8	12	18
20-34	82	6.7	35	2	2	5	8	12	18	36
35-49	234	8.1	38	2	2	6	12	16	19	26
50-64	942	7.6	34	2	2	6	11	16	19	26
65+	4385	7.1	32	2	2	5	9	14	18	28
2. MULTIPLE DX										
0-19 YRS	61	11.3	185	2	3	7	12	22	30	90
20-34	175	9.0	79	2	2	7	11	17	22	45
35-49	872	12.8	74	3	4	12	17	22	29	44
50-64	4711	13.1	81	3	4	11	17	24	30	47
65+	23839	13.9	111	3	4	11	18	26	34	57
TOT. SINGLE DX	5684	7.2	33	2	2	5	9	14	18	28
" MULTIPLE DX	29658	13.7	106	3	4	11	18	26	33	54
TOTAL 0-19 YRS	102	8.9	123	2	3	6	10	15	25	69
20-34	257	8.2	66	2	2	6	11	15	21	42
35-49	1106	11.8	71	2	3	11	16	21	26	43
50-64	5653	12.2	77	2	3	10	16	23	29	44
65+	28224	12.8	105	2	3	10	17	25	32	53
GRAND TOTAL	35342	12.6	100	2	3	10	16	24	31	52

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	9.8	61	1	2	8	11	17	22	42
20-34	78	8.5	16	2	3	8	12	14	15	21
35-49	122	9.0	31	2	3	8	11	17	19	27
50-64	191	9.4	50	2	2	8	13	16	22	39
65+	90	10.9	75	2	2	8	16	20	25	42
2. MULTIPLE DX										
0-19 YRS	97	12.7	76	2	5	10	16	23	29	47
20-34	195	16.1	174	4	6	11	19	31	43	74
35-49	424	14.6	144	2	3	12	18	29	39	61
50-64	930	15.3	145	3	4	12	19	30	39	65
65+	559	17.4	167	3	5	14	22	35	43	70
TOT. SINGLE DX	529	9.5	46	2	2	8	12	17	21	40
" MULTIPLE DX	2205	15.6	152	3	4	12	20	31	39	66
TOTAL 0-19 YRS	145	11.7	73	2	4	10	14	21	28	46
20-34	273	13.9	141	3	5	10	15	27	38	71
35-49	546	13.3	124	2	3	11	17	26	34	53
50-64	1121	14.2	134	2	3	11	18	28	37	64
65+	649	16.5	159	2	4	14	21	33	41	68
GRAND TOTAL	2734	14.4	137	2	4	11	18	28	38	63

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	974	3.2	12	<1	<1	2	4	7	10	17
20-34	705	4.1	25	<1	1	2	4	9	15	26
35-49	998	3.6	19	<1	1	2	3	9	14	22
50-64	1549	4.0	29	<1	1	2	3	10	14	28
65+	1325	6.2	73	1	1	3	8	16	22	44
2. MULTIPLE DX										
0-19 YRS	1568	6.1	50	1	2	4	7	13	19	44
20-34	1002	9.9	103	1	2	7	13	21	30	58
35-49	1727	9.5	83	1	2	7	13	20	28	44
50-64	4234	10.9	111	1	2	8	15	23	32	54
65+	8180	14.5	146	2	3	11	19	30	39	63
TOT. SINGLE DX	5551	4.3	36	<1	1	2	5	10	16	29
" MULTIPLE DX	16711	12.0	127	2	2	9	16	26	35	59
TOTAL 0-19 YRS	2542	5.0	38	<1	1	3	6	11	15	29
20-34	1707	7.5	80	1	1	4	10	18	25	47
35-49	2725	7.4	68	1	1	4	10	17	23	39
50-64	5783	9.1	99	1	1	6	12	21	29	48
65+	9505	13.3	144	2	2	10	18	29	37	61
GRAND TOTAL	22262	10.1	115	1	1	7	14	23	32	55

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	3.7	2	2	2	3	4	6	7	10
20-34	3033	4.1	5	2	2	4	5	6	7	13
35-49	4199	4.5	7	2	2	4	5	7	9	14
50-64	3302	5.2	14	2	3	4	6	8	11	21
65+	863	6.7	39	2	3	5	7	12	17	37
2. MULTIPLE DX										
0-19 YRS	22	5.0	15	1	2	3	5	12	15	15
20-34	743	5.6	18	2	3	4	6	9	12	26
35-49	1576	6.5	21	2	3	5	8	12	16	24
50-64	2058	8.0	50	3	3	6	9	15	22	39
65+	929	11.7	113	3	3	8	15	24	34	53
TOT. SINGLE DX	11528	4.7	12	2	2	4	5	8	10	18
" MULTIPLE DX	5328	7.8	52	2	3	6	9	15	22	39
TOTAL 0-19 YRS	153	3.9	5	2	2	3	4	6	8	15
20-34	3776	4.4	8	2	2	4	5	7	9	15
35-49	5775	5.0	12	2	2	4	6	8	11	19
50-64	5360	6.2	30	2	3	5	7	11	16	29
65+	1792	9.3	84	2	3	6	11	19	27	50
GRAND TOTAL	16856	5.7	27	2	3	4	6	10	14	28

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	9.8	90	2	2	7	12	17	29	55
20-34	176	7.7	57	1	2	5	10	18	21	42
35-49	565	10.1	57	2	3	9	12	17	23	43
50-64	1945	11.5	44	3	5	11	14	18	22	38
65+	1743	13.4	71	4	6	12	16	22	28	46
2. MULTIPLE DX										
0-19 YRS	194	14.6	175	3	4	11	17	30	48	99+
20-34	598	14.2	171	2	3	10	18	31	41	69
35-49	1617	15.4	137	3	4	12	19	29	40	64
50-64	6376	16.9	160	4	7	13	20	31	43	79
65+	7712	20.4	203	6	8	16	25	39	52	89
TOT. SINGLE DX	4495	11.9	60	2	4	11	14	20	24	43
" MULTIPLE DX	16497	18.2	183	4	7	15	22	35	47	84
TOTAL 0-19 YRS	258	13.4	158	2	3	10	16	28	42	99+
20-34	776	12.7	153	2	2	9	16	28	40	66
35-49	2182	14.0	122	2	4	11	17	26	36	60
50-64	8321	15.6	138	4	6	13	18	29	39	72
65+	9455	19.1	187	6	8	15	23	36	49	86
GRAND TOTAL	20992	16.9	164	4	6	13	20	32	44	89

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49	14	12.5	15	8	9	11	16	17	20	21
50-64	33	16.5	57	11	11	15	17	24	32	49
65+	12	20.8	91	8	9	19	28	35	37	37
2. MULTIPLE DX										
0-19 YRS	2	17.5	85	11	11	17	24	24	24	24
20-34	5	27.4	474	7	7	19	48	55	55	55
35-49	14	12.6	19	7	8	11	14	20	21	22
50-64	59	17.7	126	8	9	14	21	34	42	97
65+	26	18.5	238	8	9	14	21	55	77	99+
TOT. SINGLE DX	63	16.1	58	9	9	14	17	25	34	47
" MULTIPLE DX	106	17.7	156	8	9	13	20	35	56	99+
TOTAL 0-19 YRS	4	13.5	51	8	8	11	18	24	24	24
20-34	7	23.3	366	7	8	14	39	53	55	55
35-49	28	12.5	17	8	8	11	15	19	21	22
50-64	92	17.3	101	9	9	14	19	33	39	86
65+	38	19.2	190	8	9	16	22	36	68	99+
GRAND TOTAL	169	17.1	120	8	9	14	19	33	44	94

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	3.3	13	<1	<1	1	4	10	11	16
20-34	91	5.2	52	<1	<1	3	6	10	15	42
35-49	115	4.7	37	<1	<1	3	6	9	15	37
50-64	207	5.4	52	<1	<1	3	7	13	18	38
65+	145	6.7	59	<1	<1	4	8	16	24	31
2. MULTIPLE DX										
0-19 YRS	229	4.4	31	<1	<1	2	5	11	16	31
20-34	1598	5.4	41	<1	<1	3	7	12	17	34
35-49	1791	7.0	55	<1	<1	5	9	15	21	35
50-64	3444	7.5	67	<1	<1	5	9	15	22	47
65+	2833	10.0	129	1	2	7	12	21	31	71
TOT. SINGLE DX	595	5.4	50	<1	<1	3	7	13	19	34
" MULTIPLE DX	9895	7.7	81	<1	<1	5	9	16	24	48
TOTAL 0-19 YRS	266	4.2	29	<1	<1	2	5	11	15	29
20-34	1689	5.4	42	<1	<1	3	7	12	17	34
35-49	1906	6.8	55	<1	<1	5	9	15	21	35
50-64	3651	7.3	67	<1	<1	5	9	15	22	44
65+	2978	9.3	126	1	2	7	12	21	31	70
GRAND TOTAL	10490	7.6	79	<1	<1	5	9	16	23	47

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	954	7.3	46	1	1	6	9	14	19	37
20-34	1167	7.1	71	1	1	4	9	16	21	42
35-49	1410	8.9	79	1	2	6	11	19	25	45
50-64	4501	9.4	49	2	3	8	12	17	21	37
65+	5863	10.5	54	2	4	9	13	19	23	38
2. MULTIPLE DX										
0-19 YRS	6222	18.5	364	2	3	11	26	50	69	99+
20-34	2472	12.1	192	1	2	8	15	29	43	75
35-49	3741	13.5	186	2	2	9	17	31	44	84
50-64	14155	14.1	154	2	4	11	17	28	39	78
65+	22132	16.5	171	4	5	13	21	33	44	79
TOT. SINGLE DX	13895	9.5	58	2	2	8	12	18	23	39
" MULTIPLE DX	48722	15.6	196	2	4	12	19	33	46	86
TOTAL 0-19 YRS	7176	17.0	337	1	3	10	22	46	64	99+
20-34	3639	10.5	159	1	1	6	13	25	36	69
35-49	5151	12.2	162	1	2	9	15	27	40	73
50-64	18656	13.0	133	2	3	10	16	26	35	71
65+	27995	15.2	153	3	5	12	19	30	40	74
GRAND TOTAL	62617	14.2	172	2	3	11	18	30	42	80

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2044	3.2	11	<1	1	2	3	7	10	17
20-34	2392	4.3	19	<1	1	3	5	10	13	23
35-49	1421	5.1	30	<1	1	3	6	11	15	26
50-64	1721	6.2	36	1	1	4	8	13	17	28
65+	1445	7.5	51	1	2	5	10	16	21	33
2. MULTIPLE DX										
0-19 YRS	739	5.7	43	1	1	4	7	12	16	35
20-34	1376	7.9	66	1	2	5	10	17	23	38
35-49	1627	8.9	78	1	2	6	11	19	25	45
50-64	3379	11.0	105	2	2	8	14	23	31	52
65+	4027	13.1	143	2	3	10	17	26	36	68
TOT. SINGLE DX	9023	5.1	30	<1	1	3	6	12	16	27
" MULTIPLE DX	11148	10.7	111	2	2	8	14	22	30	56
TOTAL 0-19 YRS	2783	3.9	21	<1	1	2	4	9	12	21
20-34	3768	5.6	40	1	1	3	7	13	18	30
35-49	3048	7.1	60	1	1	4	9	16	22	38
50-64	5100	9.4	87	1	2	7	12	20	27	47
65+	5472	11.6	125	2	2	9	15	24	31	63
GRAND TOTAL	20171	8.2	83	1	1	5	11	18	25	47

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.7	9	<1	1	2	5	8	11	13
20-34	165	6.8	23	1	2	6	9	13	17	24
35-49	168	8.9	101	2	2	7	11	17	20	74
50-64	323	10.3	82	2	3	8	12	19	27	46
65+	285	10.9	76	3	4	8	13	20	27	45
2. MULTIPLE DX										
0-19 YRS	38	6.9	26	1	2	6	10	14	16	24
20-34	218	8.8	38	2	3	8	10	14	18	29
35-49	287	11.6	119	2	3	8	14	24	30	72
50-64	898	13.5	141	3	4	10	16	28	37	64
65+	884	14.5	151	3	5	11	18	30	40	82
TOT. SINGLE DX	1021	9.2	73	2	2	8	11	18	23	42
" MULTIPLE DX	2325	13.1	135	3	4	9	16	26	36	68
TOTAL 0-19 YRS	118	4.7	17	1	1	3	7	11	13	19
20-34	383	7.9	33	2	2	7	10	14	17	28
35-49	455	10.6	114	2	3	8	12	22	27	74
50-64	1221	12.7	128	3	4	9	15	25	35	62
65+	1169	13.6	136	3	4	10	17	27	36	74
GRAND TOTAL	3346	11.9	119	2	3	9	14	24	33	63

584: Miscellancous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	6	17.0	184	5	5	12	26	39	40	40
35-49	7	8.3	27	2	2	7	12	15	16	16
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	3	29.0	1488	1	1	13	58	73	73	73
20-34	4	28.3	956	8	8	15	47	74	74	74
35-49	7	14.0	398	4	4	6	10	49	59	59
50-64	8	11.8	116	2	3	7	19	29	31	31
65+	4	6.3	19	2	2	5	9	12	12	12
TOT. SINGLE DX	20	10.6	86	2	2	8	14	21	33	40
" MULTIPLE DX	26	16.0	431	2	2	7	14	56	73	74
TOTAL 0-19 YRS	5	21.0	889	1	1	13	30	73	73	73
20-34	10	21.5	455	5	6	13	26	57	74	74
35-49	14	11.1	205	2	3	7	11	20	50	59
50-64	10	10.8	95	2	3	7	14	28	31	31
65+	7	6.3	21	2	2	4	11	13	13	13
GRAND TOTAL	46	13.7	283	2	2	8	14	30	62	74

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	40.0		40	40	40	40	40	40	40
35-49	4	14.5	231	4	4	8	23	37	37	37
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	5	3.4	1	2	2	3	4	5	5	5
" MULTIPLE DX	8	14.6	222	4	4	8	23	39	40	40
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	13.0	325	3	3	4	22	40	40	40
35-49	5	12.2	200	3	3	7	17	37	37	37
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	13	10.3	162	2	3	5	8	38	40	40

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	10.3	178	1	2	5	12	26	37	70
20-34	113	13.7	246	1	2	8	15	37	48	77
35-49	97	10.3	91	1	1	8	14	26	28	45
50-64	142	12.2	162	1	2	8	16	28	32	78
65+	99	16.2	293	1	2	11	20	39	59	76
2. MULTIPLE DX										
0-19 YRS	349	15.5	341	2	3	8	21	41	73	99+
20-34	363	16.9	263	2	3	11	26	41	50	94
35-49	472	16.6	235	2	3	12	22	39	52	91
50-64	886	17.2	224	2	4	12	24	38	51	72
65+	1135	20.5	266	3	5	16	27	42	53	82
TOT. SINGLE DX	562	12.5	196	1	2	8	15	29	39	76
" MULTIPLE DX	3205	18.1	261	2	4	13	25	41	54	88
TOTAL 0-19 YRS	460	14.3	306	1	2	7	18	37	63	99+
20-34	476	16.1	261	2	3	10	24	39	49	88
35-49	569	15.6	217	2	2	12	20	37	48	87
50-64	1028	16.5	219	2	3	12	23	37	49	73
65+	1234	20.1	269	3	5	16	27	42	54	81
GRAND TOTAL	3767	17.2	255	2	3	12	24	39	52	84

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1307	8.0	70	1	2	6	9	14	21	45
20-34	1275	9.1	61	2	3	7	10	17	25	39
35-49	941	10.0	89	2	3	7	11	20	30	51
50-64	1538	10.0	91	2	3	7	12	21	29	50
65+	2129	10.7	83	2	3	8	13	21	28	49
2. MULTIPLE DX										
0-19 YRS	1550	11.5	126	2	3	8	13	25	35	73
20-34	2699	13.2	155	3	4	9	15	27	38	75
35-49	3244	13.8	150	3	4	10	17	28	39	72
50-64	7060	14.3	153	3	4	11	18	29	39	72
65+	16704	15.2	144	3	5	12	19	30	40	74
TOT. SINGLE DX	7190	9.7	81	2	3	7	11	19	28	48
" MULTIPLE DX	31257	14.5	148	3	4	11	18	29	39	73
TOTAL 0-19 YRS	2857	9.9	104	2	3	7	11	20	30	62
20-34	3974	11.9	129	2	3	8	14	24	33	68
35-49	4185	12.9	139	3	4	9	15	26	37	68
50-64	8598	13.6	145	3	4	10	17	28	38	69
65+	18833	14.7	140	3	4	12	18	29	39	71
GRAND TOTAL	38447	13.6	139	3	4	10	17	27	37	69

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	3.6	20	<1	1	2	4	8	12	22
20-34	365	5.2	30	1	1	3	7	11	14	25
35-49	472	6.5	51	1	1	4	8	14	19	32
50-64	862	7.7	84	1	1	5	9	18	24	48
65+	1120	7.9	80	1	1	5	10	18	24	47
2. MULTIPLE DX										
0-19 YRS	173	10.4	153	1	1	7	12	24	34	54
20-34	761	8.7	74	1	2	6	10	18	24	49
35-49	1454	9.8	105	1	2	7	11	20	29	59
50-64	3249	11.1	143	2	2	8	14	24	34	73
65+	5093	12.5	145	2	2	9	16	27	37	66
TOT. SINGLE DX	3027	7.0	68	1	1	4	9	16	22	43
" MULTIPLE DX	10730	11.4	136	2	2	8	14	24	34	66
TOTAL 0-19 YRS	381	6.7	92	<1	1	3	8	16	24	51
20-34	1126	7.6	63	1	2	6	9	16	21	45
35-49	1926	9.0	94	1	2	6	11	18	26	56
50-64	4111	10.4	133	1	2	7	13	23	33	70
65+	6213	11.7	137	2	2	8	15	25	35	63
GRAND TOTAL	13757	10.5	124	1	2	7	13	23	32	63

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1512	4.2	5	2	2	4	5	7	8	11
20-34	18	9.3	23	4	5	7	12	17	19	20
35-49	14	10.7	22	6	7	9	12	17	22	24
50-64	29	18.6	238	5	7	11	24	49	52	57
65+	35	17.7	85	4	7	15	24	28	30	49
2. MULTIPLE DX										
0-19 YRS	342	6.5	26	2	3	5	7	11	14	26
20-34	38	17.4	303	5	6	10	18	45	58	77
35-49	47	16.2	122	7	7	12	18	28	45	56
50-64	94	22.1	228	7	9	17	27	44	56	91
65+	138	23.0	315	8	9	18	25	44	60	91
TOT. SINGLE DX	1608	4.8	19	2	2	4	5	8	10	25
" MULTIPLE DX	659	13.5	194	3	3	9	17	29	44	78
TOTAL 0-19 YRS	1854	4.6	10	2	2	4	5	7	9	16
20-34	56	14.8	226	5	5	9	15	37	49	76
35-49	61	14.9	104	7	7	11	18	24	44	55
50-64	123	21.2	231	7	9	16	26	48	55	85
65+	173	21.9	273	7	9	17	25	41	55	90
GRAND TOTAL	2267	7.3	85	2	2	4	7	15	24	52

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	9.8	203	1	1	6	9	17	39	72
20-34	24	12.8	159	2	3	9	15	24	45	56
35-49	33	16.1	243	5	6	10	14	39	49	75
50-64	69	15.4	122	3	5	13	20	33	40	49
65+	155	18.9	245	5	6	15	26	47	75	99+
2. MULTIPLE DX										
0-19 YRS	142	21.8	353	4	5	17	35	67	99+	99+
20-34	83	28.6	628	5	7	21	52	97	99+	99+
35-49	113	24.9	369	5	7	21	35	67	99	99+
50-64	471	24.9	348	6	7	19	36	59	82	99+
65+	1605	28.1	362	6	8	25	41	65	90	99+
TOT. SINGLE DX	305	16.6	213	3	5	12	21	40	56	99+
" MULTIPLE DX	2414	26.9	371	6	8	23	39	65	93	99+
TOTAL 0-19 YRS	166	20.0	348	3	5	14	33	66	99+	99+
20-34	107	25.0	564	3	5	16	41	84	99+	99+
35-49	146	22.9	353	5	7	17	34	65	79	99+
50-64	540	23.7	329	5	7	18	34	56	77	99+
65+	1760	27.3	359	6	8	23	40	64	88	99+
GRAND TOTAL	2719	25.8	364	5	7	21	38	63	89	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.2	10	<1	2	5	7	10	11	16
20-34	492	6.3	22	1	2	5	8	12	13	24
35-49	804	6.7	25	1	2	6	9	13	17	27
50-64	1053	7.2	37	<1	1	6	9	13	17	30
65+	1234	7.9	39	1	2	7	10	15	19	30
2. MULTIPLE DX										
0-19 YRS	180	7.2	18	3	3	6	9	13	18	25
20-34	1635	8.5	44	2	3	7	10	15	20	36
35-49	3153	9.6	53	2	3	8	12	17	22	39
50-64	5801	10.3	61	3	3	8	13	19	25	41
65+	10034	12.8	101	3	4	10	16	24	32	56
TOT. SINGLE DX	3682	7.2	33	1	2	6	9	13	17	29
" MULTIPLE DX	20803	11.2	80	3	4	9	14	21	28	49
TOTAL 0-19 YRS	279	6.5	17	2	3	6	8	11	14	23
20-34	2127	8.0	40	2	3	7	10	15	18	32
35-49	3957	9.0	49	2	3	7	11	17	21	37
50-64	6854	9.8	59	2	3	8	12	18	24	40
65+	11268	12.3	97	3	4	10	15	23	30	54
GRAND TOTAL	24485	10.6	75	2	3	8	13	20	26	47

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	8.0	8	3	3	8	10	12	13	13
20-34	280	11.4	24	6	6	10	14	19	22	26
35-49	654	12.9	36	7	8	11	15	20	25	32
50-64	759	14.9	65	7	8	13	17	23	27	47
65+	605	18.0	97	9	10	16	21	28	34	63
2. MULTIPLE DX										
0-19 YRS	23	20.2	390	4	6	15	21	50	73	83
20-34	305	16.0	119	7	8	12	19	29	41	86
35-49	1009	17.6	125	8	9	14	21	31	40	65
50-64	1822	20.1	159	9	9	17	23	35	47	70
65+	2638	25.0	227	10	11	21	31	46	60	96
TOT. SINGLE DX	2319	14.7	65	7	8	13	17	24	28	47
" MULTIPLE DX	5797	21.7	194	8	10	18	26	40	53	86
TOTAL 0-19 YRS	44	14.4	242	3	5	9	16	23	52	83
20-34	585	13.8	79	6	7	11	16	24	30	60
35-49	1663	15.7	96	7	8	13	18	27	34	61
50-64	2581	18.6	137	8	9	15	22	31	42	68
65+	3243	23.7	210	9	11	20	29	43	58	92
GRAND TOTAL	8116	19.7	167	8	9	16	24	35	47	77

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	12.1	39	3	4	13	18	19	19	19
35-49	21	20.6	125	9	10	18	22	39	46	48
50-64	96	19.9	69	10	11	18	23	30	35	56
65+	103	22.6	107	12	13	21	27	34	41	88
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	20.3	252	10	11	15	20	59	88	99+
35-49	66	27.1	384	10	11	22	32	62	80	99+
50-64	274	25.8	208	11	13	21	31	46	56	89
65+	389	28.4	225	12	14	24	35	48	64	93
TOT. SINGLE DX	228	20.8	95	10	11	19	24	33	36	66
" MULTIPLE DX	750	27.1	236	11	13	23	33	48	62	97
TOTAL 0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	27	18.1	206	7	8	15	19	40	81	99+
35-49	87	25.5	328	10	11	20	30	47	75	99
50-64	370	24.2	179	11	12	20	28	42	52	81
65+	492	27.2	207	12	14	23	33	45	57	93
GRAND TOTAL	978	25.6	210	11	13	22	31	44	56	94

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	10.0	16	5	5	9	12	17	18	20
20-34	304	11.5	34	6	7	10	13	20	23	28
35-49	434	11.6	36	6	7	10	13	18	22	34
50-64	393	12.9	44	7	7	11	15	20	23	42
65+	202	16.1	73	7	8	14	19	27	37	51
2. MULTIPLE DX										
0-19 YRS	23	18.0	179	7	8	14	20	36	53	62
20-34	255	13.9	73	6	7	11	16	24	30	47
35-49	587	14.5	87	7	7	12	17	25	33	61
50-64	771	16.5	93	7	8	14	20	28	34	61
65+	735	21.7	161	9	10	18	26	39	49	85
TOT. SINGLE DX	1361	12.6	46	6	7	11	15	20	24	39
" MULTIPLE DX	2371	17.3	121	7	8	14	21	31	40	65
TOTAL 0-19 YRS	51	13.6	104	5	6	11	16	21	32	62
20-34	559	12.6	54	6	7	10	15	21	26	44
35-49	1021	13.3	68	6	7	11	15	22	28	50
50-64	1164	15.3	80	7	8	13	18	25	32	50
65+	937	20.5	148	8	10	17	24	37	47	81
GRAND TOTAL	3732	15.6	99	7	8	13	19	27	35	60

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	8.3	33	3	4	7	9	13	17	40
20-34	1654	8.6	15	5	6	8	10	12	15	23
35-49	1368	9.5	24	5	6	8	10	14	18	29
50-64	688	11.4	36	6	7	10	13	19	24	35
65+	554	14.8	89	6	7	12	17	25	32	56
2. MULTIPLE DX										
0-19 YRS	312	14.7	192	5	5	9	18	31	50	82
20-34	2506	10.8	72	5	6	9	11	17	25	54
35-49	3218	12.0	87	5	6	9	13	21	29	59
50-64	2135	15.9	135	6	7	12	19	30	39	75
65+	2312	22.6	234	8	9	18	29	44	57	88
TOT. SINGLE DX	4484	10.1	36	5	6	8	11	16	21	34
" MULTIPLE DX	10483	14.9	149	5	6	11	17	29	41	73
TOTAL 0-19 YRS	532	12.0	136	4	5	8	13	25	38	77
20-34	4160	9.9	51	5	6	8	10	15	21	45
35-49	4586	11.3	70	5	6	9	12	18	26	52
50-64	2823	14.8	115	6	7	11	17	27	36	65
65+	2866	21.1	216	7	8	17	26	41	54	86
GRAND TOTAL	14967	13.5	120	5	6	10	15	25	36	67

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	605	5.4	22	<1	1	4	7	10	13	25
20-34	1473	6.5	29	1	1	5	8	12	16	28
35-49	1461	5.5	29	1	1	4	7	11	14	24
50-64	2523	4.4	23	1	1	2	6	10	14	23
65+	2810	5.3	37	1	1	3	7	13	17	29
2. MULTIPLE DX										
0-19 YRS	572	8.4	62	2	2	7	10	15	22	51
20-34	1998	8.8	55	2	3	7	11	17	22	36
35-49	3061	8.9	63	1	2	7	11	17	22	43
50-64	6580	9.3	74	1	2	7	12	19	25	42
65+	11411	11.5	112	2	2	9	15	24	32	58
TOT. SINGLE DX	8872	5.3	30	1	1	3	7	11	15	26
" MULTIPLE DX	23622	10.3	91	1	2	8	13	21	28	50
TOTAL 0-19 YRS	1177	6.8	44	1	1	5	8	13	17	38
20-34	3471	7.8	46	1	2	6	10	15	19	33
35-49	4522	7.8	55	1	2	6	10	15	20	37
50-64	9103	8.0	65	1	1	6	11	17	23	38
65+	14221	10.3	104	1	2	8	14	22	30	55
GRAND TOTAL	32494	8.9	79	1	2	7	12	19	25	46

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	10.8	56	5	5	9	12	16	21	44
20-34	193	13.4	77	5	6	11	15	23	32	57
35-49	204	13.4	77	6	7	11	15	21	31	54
50-64	241	14.8	105	6	7	12	17	25	35	52
65+	355	16.6	110	7	8	14	19	26	33	61
2. MULTIPLE DX										
0-19 YRS	269	18.4	300	5	6	12	23	49	74	99+
20-34	566	17.1	171	7	8	12	20	34	45	79
35-49	655	18.3	187	7	8	14	22	37	50	98
50-64	1244	22.4	248	8	9	17	27	46	61	99+
65+	2078	23.3	224	9	10	19	29	44	58	99+
TOT. SINGLE DX	1102	14.5	98	6	7	12	17	24	32	55
" MULTIPLE DX	4812	21.4	229	7	9	17	27	42	57	99+
TOTAL 0-19 YRS	378	16.2	242	5	6	11	18	41	56	99+
20-34	759	16.2	150	6	7	12	19	32	41	77
35-49	859	17.2	166	7	8	13	20	33	48	95
50-64	1485	21.1	233	7	9	16	26	43	59	99
65+	2433	22.3	213	8	10	18	28	42	55	99+
GRAND TOTAL	5914	20.1	211	7	8	16	25	40	54	97

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	13.7	70	5	6	11	17	23	34	43
20-34	544	14.2	83	7	7	11	16	26	33	49
35-49	1040	13.2	43	7	8	12	15	20	25	42
50-64	2754	13.6	36	8	9	12	15	20	24	36
65+	4060	16.1	60	9	10	14	18	25	30	48
2. MULTIPLE DX										
0-19 YRS	258	19.0	291	6	7	14	23	46	74	99+
20-34	1082	18.9	180	7	8	14	23	38	50	73
35-49	2144	16.9	108	8	9	14	20	29	38	65
50-64	7559	18.0	119	8	9	15	21	30	39	72
65+	16800	21.7	154	10	11	16	26	38	48	83
TOT. SINGLE DX	8552	14.8	54	8	9	13	17	23	28	44
" MULTIPLE DX	27843	20.2	147	9	10	17	24	35	46	79
TOTAL 0-19 YRS	412	17.0	215	6	7	12	20	36	57	99+
20-34	1626	17.3	153	7	8	13	20	34	44	69
35-49	3184	15.7	90	7	8	13	18	27	34	58
50-64	10313	16.9	101	8	9	14	19	28	36	64
65+	20860	20.6	141	9	10	17	24	35	45	78
GRAND TOTAL	36395	18.9	131	8	10	16	22	33	42	74

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.4	18	2	3	7	9	13	16	21
20-34	57	10.2	31	4	5	9	11	16	18	39
35-49	56	12.1	45	5	6	10	14	22	28	36
50-64	111	13.5	87	5	6	11	14	25	32	52
65+	170	16.1	92	7	8	13	20	25	38	51
2. MULTIPLE DX										
0-19 YRS	78	19.5	424	4	6	12	21	53	81	99+
20-34	106	15.9	107	4	6	13	23	32	38	99+
35-49	189	19.1	146	7	8	15	25	34	42	66
50-64	514	19.6	180	7	9	16	24	37	46	98
65+	996	23.6	198	9	10	20	30	43	55	80
TOT. SINGLE DX	418	13.6	78	5	6	11	16	25	32	48
" MULTIPLE DX	1883	21.5	196	7	9	18	27	40	53	89
TOTAL 0-19 YRS	102	16.7	354	3	5	10	17	35	67	99+
20-34	163	13.9	88	4	5	11	17	29	37	94
35-49	245	17.5	132	6	7	13	22	31	39	64
50-64	625	18.6	170	7	8	15	23	34	44	94
65+	1166	22.5	190	8	10	19	28	41	53	78
GRAND TOTAL	2301	20.0	186	7	8	16	25	37	49	82

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	7.5	24	2	3	7	9	12	15	29
20-34	734	9.7	25	4	5	9	11	14	18	32
35-49	670	10.0	24	4	5	9	12	15	17	29
50-64	919	10.7	36	5	6	10	12	16	20	34
65+	1074	11.8	40	4	6	11	14	19	24	39
2. MULTIPLE DX										
0-19 YRS	524	12.7	158	3	4	9	15	24	35	94
20-34	1158	13.1	97	5	6	10	15	23	30	65
35-49	1266	14.2	108	6	7	11	16	26	34	56
50-64	2109	15.7	144	6	7	12	17	29	42	80
65+	3450	17.8	160	6	8	14	21	33	45	76
TOT. SINGLE DX	3840	10.4	34	4	5	9	12	16	20	33
" MULTIPLE DX	8507	15.8	144	6	7	12	18	29	40	76
TOTAL 0-19 YRS	967	10.4	104	3	4	8	11	19	27	64
20-34	1892	11.8	72	5	6	10	13	20	26	53
35-49	1936	12.8	83	5	6	10	14	21	30	51
50-64	3028	14.2	117	5	7	11	15	25	36	73
65+	4524	16.4	139	6	7	13	19	30	41	70
GRAND TOTAL	12347	14.1	116	5	6	11	16	25	35	66

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	11.1	31	4	5	9	15	22	23	99+
20-34	63	14.4	129	5	6	11	16	25	39	65
35-49	98	14.1	108	5	7	12	15	20	25	69
50-64	186	19.2	155	6	9	16	22	32	44	71
65+	334	19.0	83	8	9	17	24	32	37	49
2. MULTIPLE DX										
0-19 YRS	80	20.7	266	6	7	16	29	66	99+	99+
20-34	166	23.9	321	7	8	19	31	49	71	99
35-49	348	22.2	234	7	9	18	28	47	55	99
50-64	1170	23.3	214	9	10	19	29	43	58	99+
65+	2260	26.8	250	10	12	23	34	50	66	99+
TOT. SINGLE DX	717	17.6	113	6	8	15	22	31	38	67
" MULTIPLE DX	4024	25.2	246	9	10	21	32	48	65	99+
TOTAL 0-19 YRS	116	17.7	212	5	6	14	24	55	99+	99+
20-34	229	21.3	286	6	8	16	25	44	62	95
35-49	446	20.4	218	7	8	16	25	43	54	89
50-64	1356	22.8	209	8	10	19	28	42	57	98
65+	2594	25.8	236	9	11	22	33	48	63	99+
GRAND TOTAL	4741	24.0	233	8	10	20	31	46	61	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28004	4.4	6	2	2	4	5	7	9	14
20-34	18067	4.5	7	2	2	4	5	7	9	13
35-49	5413	5.4	9	2	3	5	7	9	11	17
50-64	2706	6.9	16	3	3	6	9	12	14	21
65+	1076	8.6	27	3	4	7	11	15	19	28
2. MULTIPLE DX										
0-19 YRS	6794	6.7	24	2	3	5	8	12	16	26
20-34	5769	6.9	24	3	3	5	8	12	15	27
35-49	2370	9.2	44	3	4	7	11	16	21	34
50-64	2242	11.4	53	4	5	9	14	20	25	40
65+	1785	14.5	100	5	6	12	18	26	33	59
TOT. SINGLE DX	55266	4.7	8	2	2	4	5	8	10	15
" MULTIPLE DX	18960	8.3	44	3	3	6	10	16	21	33
TOTAL 0-19 YRS	34798	4.8	11	2	2	4	5	8	11	18
20-34	23836	5.0	12	2	3	4	6	8	11	18
35-49	7783	6.6	23	2	3	5	8	11	15	26
50-64	4948	9.0	38	3	4	7	11	16	20	32
65+	2861	12.3	81	4	5	10	15	22	29	49
GRAND TOTAL	74226	5.6	20	2	3	4	6	10	13	23

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	4.5	6	2	3	4	5	7	8	13
20-34	318	5.5	12	2	3	5	6	9	12	20
35-49	66	6.8	6	4	4	6	6	10	12	13
50-64	42	6.6	12	3	3	6	8	9	13	22
65+	12	12.3	63	7	7	10	13	21	34	36
2. MULTIPLE DX										
0-19 YRS	137	6.6	25	3	3	5	8	11	14	28
20-34	212	6.8	15	3	3	6	8	11	15	22
35-49	73	8.8	28	4	4	8	10	18	21	28
50-64	44	14.2	134	4	5	11	18	25	41	63
65+	51	18.5	206	5	6	14	23	36	44	81
TOT. SINGLE DX	822	5.3	11	2	3	4	6	9	11	18
" MULTIPLE DX	517	8.8	63	3	4	7	10	17	23	43
TOTAL 0-19 YRS	521	5.1	13	2	3	4	6	8	10	17
20-34	530	6.0	14	2	3	5	7	10	13	21
35-49	139	7.8	19	4	4	7	9	12	18	26
50-64	86	10.5	89	3	4	7	13	21	26	55
65+	63	17.4	184	5	6	13	21	36	43	78
GRAND TOTAL	1339	6.7	34	2	3	5	7	11	16	31

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	9.3	40	2	3	8	12	16	21	36
20-34	76	9.3	21	3	4	9	11	16	18	26
35-49	28	11.5	42	4	5	10	14	19	28	30
50-64	39	11.3	26	3	5	10	15	19	21	23
65+	24	14.4	86	2	5	12	17	26	33	43
2. MULTIPLE DX										
0-19 YRS	51	10.5	23	4	5	9	13	16	18	29
20-34	58	11.9	44	2	4	11	15	20	27	33
35-49	35	14.0	47	6	7	12	16	25	29	30
50-64	42	15.5	83	4	7	14	19	26	32	52
65+	41	19.7	117	7	8	17	27	35	42	48
TOT. SINGLE DX	280	10.2	39	3	4	9	13	17	22	30
" MULTIPLE DX	227	14.0	69	4	6	12	17	26	32	44
TOTAL 0-19 YRS	164	9.7	35	3	4	9	12	16	20	30
20-34	134	10.4	33	3	4	9	13	17	20	30
35-49	63	12.9	46	5	6	12	16	24	29	30
50-64	81	13.5	60	4	6	11	17	23	26	46
65+	65	17.7	111	5	7	15	23	33	41	47
GRAND TOTAL	507	11.9	56	3	4	10	15	21	28	42

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	507	4.0	13	<1	1	3	5	9	10	20
20-34	783	4.7	20	1	1	4	6	9	12	22
35-49	510	4.9	22	1	1	3	6	10	13	20
50-64	885	5.3	29	1	1	3	6	11	15	26
65+	1329	6.5	53	1	2	4	8	14	19	37
2. MULTIPLE DX										
0-19 YRS	264	6.6	62	1	1	4	8	13	22	57
20-34	682	7.4	52	2	2	5	9	14	20	42
35-49	874	7.8	48	2	2	6	10	15	20	38
50-64	1830	9.1	84	2	2	6	11	18	26	52
65+	3851	11.6	120	2	3	8	15	24	32	62
TOT. SINGLE DX	4019	5.3	33	1	1	4	6	11	15	28
" MULTIPLE DX	7501	10.0	98	2	2	7	12	21	28	54
TOTAL 0-19 YRS	771	4.9	32	<1	1	3	6	10	14	28
20-34	1470	6.0	37	1	2	4	7	12	16	33
35-49	1384	6.7	41	1	2	5	8	13	17	35
50-64	2715	7.8	70	1	2	5	10	16	23	46
65+	5180	10.3	108	2	2	7	13	22	30	57
GRAND TOTAL	11520	8.4	80	1	2	6	10	18	25	47

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	3.7	7	1	1	3	5	7	9	14
20-34	1065	3.4	4	1	1	3	4	6	8	11
35-49	793	3.7	6	1	1	3	4	7	9	14
50-64	442	4.5	13	1	1	4	6	8	10	22
65+	162	6.2	27	2	2	5	8	12	15	33
2. MULTIPLE DX										
0-19 YRS	88	4.5	18	1	1	4	6	8	9	27
20-34	534	5.6	52	1	2	4	6	11	16	39
35-49	528	6.8	78	1	2	4	8	14	19	50
50-64	497	8.4	75	2	2	5	10	17	25	43
65+	326	12.0	152	2	3	9	15	25	33	90
TOT. SINGLE DX	2693	3.8	9	1	1	3	5	7	9	15
" MULTIPLE DX	1973	7.7	85	1	2	5	9	16	23	55
TOTAL 0-19 YRS	319	3.9	11	1	1	3	5	8	9	14
20-34	1599	4.1	22	1	1	3	5	7	10	20
35-49	1321	4.9	38	1	1	3	5	9	13	26
50-64	939	6.6	50	1	2	4	7	13	20	37
65+	488	10.1	118	2	2	7	12	22	30	76
GRAND TOTAL	4666	5.5	45	1	1	4	6	10	16	33

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	9.8	36	1	2	10	12	21	24	97
20-34	118	15.8	137	2	3	13	20	32	39	60
35-49	217	13.9	48	3	6	13	17	23	28	40
50-64	790	16.3	45	8	10	15	19	25	29	39
65+	1048	18.8	77	9	11	17	22	29	34	52
2. MULTIPLE DX										
0-19 YRS	72	14.3	97	6	7	12	16	26	31	63
20-34	192	18.5	167	3	6	15	26	33	42	84
35-49	407	18.2	132	5	9	16	22	29	36	80
50-64	1692	20.6	122	9	10	18	24	34	42	74
65+	3260	24.4	176	10	12	21	29	42	53	85
TOT. SINGLE DX	2226	17.0	69	7	9	16	21	27	32	48
" MULTIPLE DX	5623	22.5	161	9	11	19	27	38	49	79
TOTAL 0-19 YRS	125	12.4	77	2	4	10	15	23	28	75
20-34	310	17.5	158	3	4	15	23	33	42	71
35-49	624	16.7	108	4	8	15	20	27	33	70
50-64	2482	19.2	102	9	10	17	23	31	38	67
65+	4308	23.0	158	10	12	20	27	39	49	79
GRAND TOTAL	7849	20.9	141	9	10	18	25	35	45	74

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	818	4.5	10	1	1	4	6	9	11	17
20-34	3272	5.3	14	1	2	4	7	10	12	20
35-49	3449	5.6	19	1	2	5	7	10	13	22
50-64	3270	5.7	20	1	1	5	8	11	14	23
65+	2819	6.7	32	1	1	5	9	13	16	30
2. MULTIPLE DX										
0-19 YRS	1162	6.4	34	2	2	5	8	11	15	33
20-34	7290	7.2	35	2	2	6	9	13	17	31
35-49	10863	8.1	41	2	3	6	10	15	20	33
50-64	14872	8.9	52	2	3	7	11	17	22	38
65+	20190	10.8	76	2	3	9	13	21	27	48
TOT. SINGLE DX	13628	5.7	21	1	1	5	7	11	14	23
" MULTIPLE DX	54377	9.2	59	2	3	7	11	17	23	41
TOTAL 0-19 YRS	1980	5.6	25	1	2	4	7	10	13	25
20-34	10562	6.6	30	1	2	5	8	12	16	28
35-49	14312	7.5	37	2	2	6	9	14	19	31
50-64	18142	8.3	48	2	2	7	10	16	21	36
65+	23009	10.3	73	2	3	8	13	20	26	47
GRAND TOTAL	68005	8.5	53	2	2	7	10	16	22	38

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	2.8	2	<1	1	3	4	5	6	7
20-34	1519	3.7	4	1	2	3	4	6	7	11
35-49	1512	3.8	6	1	2	3	4	6	7	11
50-64	910	4.1	6	2	2	4	5	7	8	15
65+	277	4.3	16	1	2	4	5	6	8	19
2. MULTIPLE DX										
0-19 YRS	98	4.5	14	1	1	4	6	7	12	22
20-34	1091	4.4	10	2	2	4	5	7	9	15
35-49	1378	4.9	15	2	2	4	6	8	10	20
50-64	1167	5.2	12	2	3	4	6	9	11	21
65+	528	8.0	84	2	3	5	9	15	24	56
TOT. SINGLE DX	4400	3.8	6	1	2	3	4	6	7	12
" MULTIPLE DX	4262	5.2	23	2	2	4	6	9	12	25
TOTAL 0-19 YRS	280	3.4	7	<1	1	3	4	6	7	16
20-34	2610	4.0	7	1	2	3	5	6	8	13
35-49	2890	4.3	11	2	2	4	5	7	9	15
50-64	2077	4.7	10	2	2	4	5	8	10	19
65+	805	6.7	64	2	2	4	7	12	18	49
GRAND TOTAL	8662	4.5	15	2	2	4	5	7	9	19

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	2.8	5	<1	1	2	3	4	6	8
20-34	1773	3.0	3	<1	1	3	4	5	6	9
35-49	894	3.6	4	1	2	3	4	6	7	10
50-64	509	4.0	10	1	2	3	4	7	8	19
65+	212	4.7	11	2	2	4	5	8	10	22
2. MULTIPLE DX										
0-19 YRS	135	4.1	8	1	2	3	5	7	9	18
20-34	1431	4.6	12	2	2	4	5	7	9	19
35-49	1474	4.9	10	2	2	4	6	8	10	18
50-64	1256	5.7	19	2	3	5	7	9	12	26
65+	856	7.9	75	2	3	5	9	14	22	54
TOT. SINGLE DX	3653	3.4	5	1	1	3	4	5	7	12
" MULTIPLE DX	5152	5.5	25	2	2	4	6	9	12	26
TOTAL 0-19 YRS	400	3.2	7	<1	1	3	4	6	7	15
20-34	3204	3.7	8	1	1	3	5	6	8	13
35-49	2368	4.4	9	2	2	4	5	7	9	16
50-64	1765	5.2	17	2	2	4	6	9	11	25
65+	1068	7.3	64	2	3	5	8	14	20	51
GRAND TOTAL	8805	4.6	18	1	2	4	5	8	10	22

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	4.3	3	2	2	4	5	7	8	11
20-34	2217	4.9	4	2	3	5	6	8	9	12
35-49	2651	5.0	4	2	3	5	6	7	9	13
50-64	1750	5.3	6	2	3	5	6	8	10	14
65+	606	5.7	8	2	3	5	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	290	4.9	6	2	3	4	6	8	9	15
20-34	7556	5.4	8	3	3	5	6	8	10	17
35-49	10929	5.9	12	3	3	5	7	9	12	19
50-64	8980	6.5	20	3	3	5	7	11	14	23
65+	4042	8.3	40	3	4	6	10	15	20	34
TOT. SINGLE DX	7342	5.1	6	2	3	5	6	8	9	13
" MULTIPLE DX	31797	6.3	18	3	3	5	7	10	13	23
TOTAL 0-19 YRS	408	4.8	6	2	2	4	6	7	8	13
20-34	9773	5.3	8	2	3	5	6	8	9	16
35-49	13580	5.7	11	3	3	5	7	9	11	18
50-64	10730	6.3	19	3	3	5	7	10	13	22
65+	4648	8.0	37	3	3	6	9	14	19	33
GRAND TOTAL	39139	6.0	16	3	3	5	7	10	12	21

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	3.4	6	1	1	3	4	6	7	15
20-34	1590	3.5	6	1	1	3	4	6	8	12
35-49	1163	3.7	7	1	1	3	4	7	9	14
50-64	713	4.3	9	1	2	4	5	7	9	16
65+	363	5.4	19	1	2	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	176	6.0	41	1	2	4	7	12	15	36
20-34	1007	5.2	25	1	2	4	6	9	13	25
35-49	1082	6.1	57	1	2	4	7	11	16	39
50-64	1099	7.2	56	2	2	5	8	14	21	42
65+	980	10.0	82	2	3	7	13	21	27	46
TOT. SINGLE DX	4120	3.9	9	1	1	3	5	7	9	15
" MULTIPLE DX	4344	7.0	58	1	2	5	8	14	20	40
TOTAL 0-19 YRS	467	4.4	21	1	1	3	5	8	12	20
20-34	2597	4.1	15	1	1	3	5	7	9	18
35-49	2245	4.9	33	1	2	4	6	9	12	25
50-64	1812	6.1	40	1	2	4	7	12	17	34
65+	1343	8.7	69	2	2	6	11	18	25	43
GRAND TOTAL	8464	5.5	36	1	2	4	6	11	15	30

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.9	41	4	5	7	12	21	24	24
20-34	34	10.3	42	2	3	9	14	20	23	28
35-49	31	9.5	50	1	1	8	16	20	21	21
50-64	29	14.3	112	2	3	11	19	30	36	46
65+	25	14.0	98	<1	1	15	22	27	29	29
2. MULTIPLE DX										
0-19 YRS	23	19.7	325	3	4	16	22	58	64	64
20-34	73	17.3	239	4	6	12	20	44	57	93
35-49	55	19.1	250	2	4	15	26	46	59	98
50-64	94	22.7	290	3	5	20	30	43	57	81
65+	116	25.3	299	4	7	22	34	46	63	97
TOT. SINGLE DX	127	11.7	74	1	2	10	18	23	27	38
" MULTIPLE DX	361	21.7	286	3	5	18	30	45	61	95
TOTAL 0-19 YRS	31	17.2	267	4	4	11	21	40	63	64
20-34	107	15.1	187	4	5	10	18	35	52	84
35-49	86	15.6	199	1	2	13	21	38	52	87
50-64	123	20.7	260	3	4	18	28	41	50	81
65+	141	23.3	281	2	4	21	31	45	60	96
GRAND TOTAL	488	19.1	249	2	4	15	26	41	55	86

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	235	6.4	38	1	1	4	9	15	18	26
20-34	1249	5.1	36	1	1	2	7	12	16	29
35-49	1110	5.6	42	1	1	3	8	13	18	30
50-64	1261	6.9	70	1	1	3	9	17	22	38
65+	809	9.0	82	1	1	7	13	20	24	46
2. MULTIPLE DX										
0-19 YRS	414	14.1	208	2	2	9	16	34	48	74
20-34	1790	11.5	126	1	2	9	15	24	34	69
35-49	2656	11.7	119	1	2	9	15	24	32	56
50-64	4870	12.5	118	1	2	10	17	25	32	56
65+	4695	15.4	150	2	3	12	20	31	39	63
TOT. SINGLE DX	4664	6.5	57	1	1	3	9	16	21	36
" MULTIPLE DX	14425	13.2	135	2	2	10	17	27	35	62
TOTAL 0-19 YRS	649	11.3	161	1	2	8	13	26	39	67
20-34	3039	8.9	99	1	1	6	12	20	28	54
35-49	3766	9.9	105	1	1	7	13	21	29	52
50-64	6131	11.3	113	1	2	9	15	24	31	53
65+	5504	14.4	145	2	2	12	19	29	38	62
GRAND TOTAL	19089	11.6	124	1	2	9	16	25	33	57

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1360	7.3	8	4	5	7	8	11	13	19
20-34	15781	7.3	7	4	5	7	8	11	12	17
35-49	14107	7.7	9	5	5	7	9	11	13	19
50-64	14117	8.5	12	5	5	8	10	13	15	21
65+	8186	10.5	25	5	6	9	12	17	20	28
2. MULTIPLE DX										
0-19 YRS	812	9.8	50	5	5	8	12	15	19	32
20-34	11158	9.5	29	5	5	8	11	15	18	31
35-49	14245	10.4	39	5	6	9	12	17	21	34
50-64	21155	11.9	49	5	6	10	14	20	24	40
65+	23901	16.0	95	7	8	14	19	27	35	58
TOT. SINGLE DX	53551	8.2	13	5	5	7	9	12	15	22
" MULTIPLE DX	71271	12.6	66	5	6	10	15	22	27	46
TOTAL 0-19 YRS	2172	8.3	18	4	5	7	10	13	15	23
20-34	26939	8.2	18	4	5	7	9	13	15	24
35-49	28352	9.1	26	5	5	8	10	14	17	28
50-64	35272	10.5	37	5	5	9	12	17	21	34
65+	32087	14.6	83	6	7	12	18	25	31	53
GRAND TOTAL	124822	10.7	48	5	5	9	13	18	23	39

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	11.9	88	1	2	11	18	25	31	34
20-34	174	9.2	48	2	3	8	11	17	25	32
35-49	285	10.4	67	2	2	9	14	21	24	40
50-64	408	12.1	68	2	3	11	17	23	26	40
65+	668	15.2	99	2	4	14	21	27	33	45
2. MULTIPLE DX										
0-19 YRS	24	10.9	54	2	3	9	16	23	26	28
20-34	235	14.6	147	2	3	12	18	27	42	55
35-49	470	16.2	142	4	6	13	20	29	38	66
50-64	1159	19.2	180	4	7	16	24	36	47	81
65+	2771	21.6	167	7	9	19	26	37	48	77
TOT. SINGLE DX	1557	12.8	84	2	3	11	17	24	29	44
" MULTIPLE DX	4659	20.0	172	5	8	17	25	36	46	76
TOTAL 0-19 YRS	46	11.4	69	2	2	10	16	23	28	34
20-34	409	12.3	112	2	3	10	15	24	32	51
35-49	755	14.0	122	2	3	11	18	26	32	61
50-64	1567	17.3	162	3	5	15	22	32	42	75
65+	3439	20.4	161	5	8	18	25	36	45	74
GRAND TOTAL	6216	18.2	160	3	6	16	23	33	42	71

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	7.8	37	1	1	7	11	15	23	27
20-34	321	8.6	77	1	1	6	11	20	27	42
35-49	481	9.6	122	1	1	6	12	21	28	61
50-64	494	10.1	104	1	1	7	14	23	32	54
65+	404	12.2	142	1	2	9	18	26	38	59
2. MULTIPLE DX										
0-19 YRS	43	18.9	378	2	4	12	22	44	63	92
20-34	498	14.2	218	1	2	9	18	35	49	77
35-49	912	16.7	246	2	2	12	22	40	53	80
50-64	1340	18.0	253	2	3	13	25	40	54	89
65+	1444	18.8	223	2	4	15	25	38	51	79
TOT. SINGLE DX	1750	10.1	113	1	1	7	13	23	30	54
" MULTIPLE DX	4237	17.6	241	2	3	13	24	39	52	81
TOTAL 0-19 YRS	93	12.9	224	1	2	9	15	28	43	83
20-34	819	12.0	171	1	2	8	15	29	40	64
35-49	1393	14.2	215	1	2	10	19	34	48	73
50-64	1834	15.9	225	1	2	11	22	36	48	81
65+	1848	17.4	213	2	3	14	24	37	48	76
GRAND TOTAL	5987	15.4	215	1	2	11	21	35	47	75

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1488	4.5	13	1	1	4	6	8	10	19
20-34	4553	5.0	14	1	2	4	6	9	12	19
35-49	4127	5.0	19	1	1	4	6	9	12	21
50-64	4903	5.2	24	1	1	4	7	10	13	24
65+	5627	6.1	36	1	1	5	8	12	16	29
2. MULTIPLE DX										
0-19 YRS	1438	6.0	33	2	2	4	7	10	15	33
20-34	7278	6.6	33	2	2	5	8	12	17	31
35-49	10795	7.1	35	2	2	6	9	13	18	29
50-64	19149	7.7	42	2	2	6	9	15	19	34
65+	37222	9.7	72	2	3	7	12	19	25	47
TOT. SINGLE DX	20698	5.3	24	1	1	4	7	10	13	24
" MULTIPLE DX	75882	8.4	57	2	3	6	10	16	22	40
TOTAL 0-19 YRS	2926	5.2	24	1	2	4	6	9	12	26
20-34	11831	6.0	27	2	2	5	7	11	15	27
35-49	14922	6.5	32	1	2	5	8	12	16	28
50-64	24052	7.2	40	1	2	6	9	14	18	33
65+	42849	9.2	69	2	2	7	11	18	24	45
GRAND TOTAL	96580	7.8	51	2	2	6	9	15	20	38

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14296	2.2	1	<1	1	2	3	4	4	6
20-34	14433	3.6	2	2	2	3	4	5	6	8
35-49	12082	3.9	3	2	2	4	5	6	7	9
50-64	18072	4.3	3	2	2	4	5	6	8	11
65+	13788	5.0	7	2	3	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	7297	2.6	10	<1	1	2	3	4	6	13
20-34	4636	4.5	10	2	2	4	5	7	9	15
35-49	6108	5.1	9	2	2	4	6	8	11	18
50-64	13167	6.0	19	2	3	5	7	10	13	24
65+	16942	8.1	49	3	3	6	9	15	20	39
TOT. SINGLE DX	72671	3.8	5	1	2	4	5	6	7	11
" MULTIPLE DX	48150	6.0	30	1	2	5	7	11	15	28
TOTAL 0-19 YRS	21593	2.4	5	<1	1	2	3	4	5	8
20-34	19069	3.8	4	2	2	3	4	6	7	11
35-49	18190	4.3	6	2	2	4	5	7	8	13
50-64	31239	5.0	11	2	3	4	6	8	10	18
65+	30730	6.7	33	2	3	5	8	12	16	30
GRAND TOTAL	120821	4.7	16	1	2	4	5	8	10	20

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2666	1.8	1	<1	<1	1	2	3	4	6
20-34	1254	4.1	2	2	2	4	5	6	7	9
35-49	1697	4.5	3	2	3	4	5	7	8	10
50-64	2819	4.9	5	2	3	5	6	7	8	11
65+	1785	5.6	6	3	3	5	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	1942	3.1	58	<1	<1	2	3	4	8	62
20-34	545	4.8	6	2	3	4	5	7	9	12
35-49	1089	5.4	7	2	3	5	6	8	10	14
50-64	2372	6.3	14	3	3	5	7	10	13	21
65+	2392	8.6	42	3	4	7	10	15	21	36
TOT. SINGLE DX	10221	4.1	6	<1	1	4	5	7	8	11
" MULTIPLE DX	8340	6.0	35	1	1	5	7	11	14	30
TOTAL 0-19 YRS	4608	2.4	26	<1	<1	2	2	4	5	18
20-34	1799	4.3	4	2	3	4	5	6	7	10
35-49	2786	4.9	5	2	3	5	6	7	9	13
50-64	5191	5.5	10	2	3	5	6	8	10	17
65+	4177	7.3	29	3	3	6	8	13	17	29
GRAND TOTAL	18561	4.9	20	<1	1	4	6	8	11	21

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3005	2.1	1	<1	1	2	2	3	4	6
20-34	1205	3.4	2	1	2	3	4	5	6	9
35-49	1383	3.8	5	1	2	3	5	6	7	11
50-64	1152	4.5	6	2	2	4	6	7	9	12
65+	580	6.0	25	2	2	5	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	696	3.4	16	1	1	2	4	6	9	24
20-34	686	5.1	14	2	2	4	6	9	11	20
35-49	1153	6.2	22	2	2	5	7	11	15	27
50-64	1505	7.4	38	2	3	6	9	13	17	30
65+	1170	10.9	82	3	4	8	13	21	28	55
TOT. SINGLE DX	7325	3.3	7	1	1	3	4	6	7	11
" MULTIPLE DX	5210	7.1	44	2	2	5	8	14	19	33
TOTAL 0-19 YRS	3701	2.4	5	<1	1	2	3	4	5	10
20-34	1891	4.0	8	1	2	3	5	7	8	14
35-49	2536	4.9	15	2	2	4	6	9	11	21
50-64	2657	6.1	27	2	2	5	7	11	15	27
65+	1750	9.2	69	2	3	7	11	18	24	46
GRAND TOTAL	12535	4.9	26	1	1	3	6	9	13	26

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.9	2	<1	1	3	4	5	6	8
20-34	362	3.9	3	2	2	4	5	6	7	10
35-49	505	4.2	4	2	2	4	5	6	7	10
50-64	700	4.9	7	2	3	4	6	8	9	16
65+	977	6.5	17	2	3	6	8	11	14	22
2. MULTIPLE DX										
0-19 YRS	32	5.2	87	<1	1	4	5	7	9	55
20-34	142	4.8	13	2	2	4	5	7	9	25
35-49	306	5.7	14	2	3	5	7	10	13	24
50-64	515	6.9	22	3	3	5	8	12	17	25
65+	1355	11.5	95	3	4	8	14	23	31	54
TOT. SINGLE DX	2651	5.1	11	2	2	4	6	8	11	18
" MULTIPLE DX	2350	9.3	72	3	3	7	11	18	25	45
TOTAL 0-19 YRS	139	3.5	22	<1	1	3	4	5	7	14
20-34	504	4.2	6	2	2	4	5	6	7	15
35-49	811	4.7	9	2	2	4	5	7	9	19
50-64	1215	5.8	15	2	3	5	7	9	13	22
65+	2332	9.4	69	3	3	7	11	18	26	45
GRAND TOTAL	5001	7.1	44	2	3	5	8	13	19	35

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	599	2.6	2	<1	1	2	3	4	5	8
20-34	1797	4.2	5	1	2	4	5	7	8	12
35-49	2704	5.4	9	2	2	5	7	9	10	16
50-64	3403	6.1	12	2	3	6	8	10	11	17
65+	2318	7.4	16	3	3	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	184	3.8	11	1	1	3	4	7	9	17
20-34	1206	6.6	21	2	3	6	8	11	15	28
35-49	2477	8.1	32	3	3	7	10	14	19	33
50-64	4020	9.4	42	3	4	8	11	16	21	36
65+	4101	11.6	76	4	5	9	14	21	26	47
TOT. SINGLE DX	10821	5.7	12	2	2	5	7	9	11	17
" MULTIPLE DX	11988	9.5	53	3	4	8	11	17	22	39
TOTAL 0-19 YRS	783	2.9	5	<1	1	2	3	5	6	11
20-34	3003	5.2	13	2	2	4	6	9	11	19
35-49	5181	6.7	22	2	3	6	8	11	15	25
50-64	7423	7.9	31	3	3	7	9	14	17	30
65+	6419	10.1	59	3	4	8	12	18	23	40
GRAND TOTAL	22809	7.7	37	2	3	6	9	14	18	31

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.9	13	<1	1	2	5	9	11	18
20-34	148	6.8	13	2	3	6	9	12	14	17
35-49	234	7.7	15	3	4	7	9	12	14	22
50-64	299	8.6	20	3	4	8	11	14	16	23
65+	242	10.9	37	3	4	10	14	18	23	33
2. MULTIPLE DX										
0-19 YRS	91	10.0	150	1	1	7	12	26	31	97
20-34	267	11.1	69	4	5	9	12	18	29	41
35-49	624	11.4	58	5	6	10	13	19	23	42
50-64	1017	12.6	59	6	6	10	15	21	27	42
65+	939	16.9	120	6	8	14	21	30	39	64
TOT. SINGLE DX	1007	8.3	25	2	3	8	10	14	17	26
" MULTIPLE DX	2938	13.5	88	5	6	11	16	24	31	55
TOTAL 0-19 YRS	175	7.0	93	<1	1	4	9	16	26	78
20-34	415	9.6	53	3	3	8	11	16	20	38
35-49	858	10.4	50	4	5	9	12	17	21	33
50-64	1316	11.7	53	4	6	10	14	20	25	40
65+	1181	15.7	109	5	7	13	19	28	36	62
GRAND TOTAL	3945	12.2	77	3	5	10	14	22	29	49

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	807	3.9	14	1	1	3	5	7	10	20
20-34	1409	5.3	32	1	1	4	6	10	13	23
35-49	1089	6.8	42	1	2	5	9	14	20	29
50-64	1176	8.8	68	1	2	6	12	18	24	39
65+	930	10.4	84	2	2	8	13	21	28	50
2. MULTIPLE DX										
0-19 YRS	562	7.9	89	1	2	5	9	17	24	69
20-34	1562	9.4	96	1	2	7	11	20	28	94
35-49	2164	12.3	132	2	3	9	16	27	35	58
50-64	4260	13.6	141	2	3	10	18	28	36	65
65+	4858	15.9	165	2	4	13	21	32	42	68
TOT. SINGLE DX	5411	7.0	53	1	2	5	9	15	20	37
" MULTIPLE DX	13406	13.5	147	2	3	10	18	28	37	64
TOTAL 0-19 YRS	1369	5.5	49	1	1	3	6	11	17	38
20-34	2971	7.4	70	1	2	5	9	15	22	45
35-49	3253	10.5	109	2	2	7	13	22	30	54
50-64	5436	12.6	130	2	3	9	16	26	35	61
65+	5788	15.0	156	2	3	12	20	31	40	66
GRAND TOTAL	18817	11.5	129	1	2	8	15	25	34	59

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1037	6.3	18	2	3	5	8	11	13	23
20-34	2587	6.7	23	2	3	6	8	11	15	25
35-49	1057	8.8	34	3	4	7	10	15	20	31
50-64	813	12.2	73	4	5	10	15	23	30	42
65+	759	14.5	89	4	6	12	18	26	32	50
2. MULTIPLE DX										
0-19 YRS	1171	10.6	113	3	4	7	12	22	32	82
20-34	4148	9.4	70	3	4	7	10	17	25	54
35-49	2265	13.5	132	4	5	10	16	27	38	65
50-64	2357	18.3	191	6	7	14	22	37	49	83
65+	3026	21.7	211	7	9	18	27	40	54	90
TOT. SINGLE DX	6253	8.6	47	2	3	7	10	16	22	36
" MULTIPLE DX	12967	14.7	165	4	5	10	18	30	42	77
TOTAL 0-19 YRS	2208	8.6	73	2	3	6	9	16	23	52
20-34	6735	8.4	54	2	3	6	9	15	21	42
35-49	3322	12.0	106	4	5	9	14	23	32	58
50-64	3170	16.7	168	5	6	13	21	33	45	78
65+	3785	20.2	195	6	8	16	25	36	51	87
GRAND TOTAL	19220	12.7	134	3	4	9	15	26	36	67

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1873	3.4	7	<1	1	2	4	7	8	13
20-34	9087	2.6	5	<1	<1	2	3	6	7	12
35-49	1321	2.6	6	<1	<1	2	3	6	8	11
50-64	266	3.9	25	<1	1	2	4	9	12	25
65+	105	5.5	52	1	1	2	7	12	20	29
2. MULTIPLE DX										
0-19 YRS	1448	4.6	26	1	1	3	6	10	12	20
20-34	10468	3.4	12	<1	1	2	4	7	10	17
35-49	1953	4.4	27	<1	1	2	5	10	14	27
50-64	484	7.8	84	1	1	4	10	19	26	43
65+	285	11.7	168	1	2	9	15	26	37	93
TOT. SINGLE DX	12652	2.8	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	14638	4.0	23	<1	1	2	5	9	12	23
TOTAL 0-19 YRS	3321	3.9	17	<1	1	3	5	8	10	15
20-34	19555	3.1	10	<1	<1	2	4	7	9	15
35-49	3274	3.7	20	<1	1	2	4	8	11	22
50-64	750	6.4	67	1	1	3	8	16	24	40
65+	390	10.1	144	1	1	6	14	24	32	82
GRAND TOTAL	27290	3.4	16	<1	1	2	4	7	10	19

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	412	7.6	52	1	2	6	9	14	17	38
20-34	1790	6.7	26	1	2	6	8	12	15	26
35-49	1245	9.0	38	2	2	8	11	16	19	31
50-64	1100	11.0	56	3	3	9	13	18	22	42
65+	981	12.9	49	5	6	12	16	21	26	39
2. MULTIPLE DX										
0-19 YRS	613	10.2	111	2	3	7	11	19	30	73
20-34	3967	7.7	49	2	2	6	9	14	19	40
35-49	2626	12.2	109	2	4	9	15	24	32	59
50-64	2830	16.5	168	4	6	13	20	32	43	81
65+	3710	19.8	190	6	8	16	24	37	50	79
TOT. SINGLE DX	5528	9.3	47	2	2	8	12	17	21	33
" MULTIPLE DX	13746	13.8	149	2	4	10	17	28	38	70
TOTAL 0-19 YRS	1025	9.1	89	1	2	7	10	16	23	63
20-34	5757	7.4	43	1	2	6	9	13	18	34
35-49	3871	11.2	89	2	3	9	13	21	29	52
50-64	3930	14.9	143	4	5	12	18	28	40	72
65+	4691	18.4	169	6	8	15	22	34	46	76
GRAND TOTAL	19274	12.5	124	2	3	9	15	25	34	64

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	8.8	16	5	5	8	10	13	17	26
20-34	217	9.8	17	5	6	9	11	15	17	27
35-49	301	11.4	20	6	7	10	14	17	20	27
50-64	582	13.1	30	7	8	12	15	20	23	34
65+	573	14.5	47	8	8	13	17	23	27	39
2. MULTIPLE DX										
0-19 YRS	278	11.6	75	4	6	9	13	21	34	89
20-34	537	13.6	105	6	7	10	15	25	32	61
35-49	720	15.3	91	7	8	13	18	26	34	57
50-64	1610	17.4	107	8	8	15	20	30	39	67
65+	2122	19.8	137	8	9	17	24	34	43	70
TOT. SINGLE DX	1788	12.6	35	6	7	11	15	20	24	34
" MULTIPLE DX	5267	17.4	122	7	8	14	21	31	40	67
TOTAL 0-19 YRS	393	10.8	59	4	5	9	12	19	27	61
20-34	754	12.5	83	6	7	10	14	21	29	51
35-49	1021	14.2	74	7	7	12	17	23	30	49
50-64	2192	16.2	91	7	8	14	19	28	35	56
65+	2695	18.7	123	8	9	16	22	31	41	66
GRAND TOTAL	7055	16.2	104	7	8	13	19	28	36	60

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	615	7.8	36	2	2	7	11	16	20	31
20-34	1417	9.0	33	2	3	8	11	15	19	31
35-49	1453	9.3	27	2	4	9	11	15	18	28
50-64	1418	9.9	33	2	3	9	12	16	20	31
65+	680	10.6	43	2	2	10	13	18	23	31
2. MULTIPLE DX										
0-19 YRS	664	11.1	72	2	2	9	14	22	28	46
20-34	1661	13.1	125	2	3	10	16	25	35	68
35-49	1664	13.7	115	2	3	11	17	25	36	59
50-64	2427	14.4	107	3	5	12	17	26	35	57
65+	2133	16.2	128	3	5	14	21	31	39	60
TOT. SINGLE DX	5583	9.4	34	2	2	9	11	16	19	31
" MULTIPLE DX	8549	14.2	117	2	4	12	18	27	36	60
TOTAL 0-19 YRS	1279	9.5	59	2	2	8	12	18	23	41
20-34	3078	11.2	87	2	3	9	13	21	28	55
35-49	3117	11.7	79	2	3	9	14	21	27	52
50-64	3845	12.8	85	2	4	11	15	23	30	53
65+	2813	14.8	113	2	4	12	19	28	36	56
GRAND TOTAL	14132	12.3	90	2	3	10	15	23	30	53

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	7.9	14	2	4	8	10	12	17	18
20-34	1261	8.8	15	3	5	8	11	14	15	20
35-49	1609	9.0	17	3	4	8	11	14	16	23
50-64	1481	9.7	19	4	5	9	12	14	18	25
65+	557	10.7	28	4	5	10	13	17	19	32
2. MULTIPLE DX										
0-19 YRS	67	9.2	42	2	2	8	12	17	26	30
20-34	661	10.2	32	3	5	9	12	17	20	33
35-49	991	11.3	39	4	6	10	14	18	22	34
50-64	1519	12.3	52	5	6	11	15	21	25	40
65+	1241	14.9	95	4	6	12	18	25	33	55
TOT. SINGLE DX	5015	9.3	19	3	5	9	11	14	17	25
" MULTIPLE DX	4479	12.4	61	4	5	11	15	21	26	44
TOTAL 0-19 YRS	174	8.4	25	2	3	8	10	15	17	28
20-34	1922	9.3	21	3	5	9	11	14	17	27
35-49	2600	9.9	27	3	5	9	12	16	19	28
50-64	3000	11.0	38	4	5	10	13	18	22	34
65+	1798	13.6	78	4	6	11	16	24	29	51
GRAND TOTAL	9494	10.8	41	4	5	9	13	18	22	35

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	485	9.0	9	5	6	8	10	12	15	20
20-34	97	11.9	36	5	6	10	14	21	25	34
35-49	53	12.2	30	4	7	12	15	18	24	30
50-64	83	16.0	63	4	7	15	20	28	33	36
65+	85	16.0	105	3	5	15	20	28	33	59
2. MULTIPLE DX										
0-19 YRS	603	10.8	33	5	6	9	12	16	20	37
20-34	208	15.9	157	6	7	12	18	30	49	99
35-49	156	17.7	114	8	9	14	21	33	39	77
50-64	264	21.0	198	5	9	18	26	39	49	78
65+	353	23.2	190	7	9	20	31	40	53	73
TOT. SINGLE DX	803	11.0	37	5	6	9	12	18	22	34
" MULTIPLE DX	1584	16.6	146	6	7	13	20	32	40	67
TOTAL 0-19 YRS	1088	10.0	23	5	6	9	11	15	17	32
20-34	305	14.6	122	6	7	11	17	25	40	81
35-49	209	16.3	98	7	8	13	19	29	36	69
50-64	347	19.8	171	5	8	17	24	34	46	78
65+	438	21.8	182	5	9	19	28	39	52	67
GRAND TOTAL	2387	14.7	116	5	7	11	17	27	36	62

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	277	4.6	15	<1	1	4	6	10	12	21
20-34	1846	4.7	7	2	2	4	6	8	9	14
35-49	2067	4.8	10	1	2	4	6	8	11	16
50-64	1546	5.1	12	2	2	4	6	9	11	18
65+	560	6.0	19	1	2	5	8	12	14	23
2. MULTIPLE DX										
0-19 YRS	222	7.8	52	1	1	5	11	16	22	34
20-34	802	6.3	22	2	2	5	8	11	15	21
35-49	1002	6.8	28	2	2	6	8	12	16	27
50-64	1315	7.7	44	2	2	6	9	14	18	31
65+	1029	10.2	75	2	3	8	13	21	26	50
TOT. SINGLE DX	6296	4.9	12	1	2	4	6	9	11	17
" MULTIPLE DX	4370	7.8	46	2	2	6	10	15	20	35
TOTAL 0-19 YRS	499	6.0	34	<1	1	4	8	12	16	31
20-34	2648	5.2	13	2	2	4	6	9	11	19
35-49	3069	5.4	18	2	2	4	7	10	12	21
50-64	2861	6.3	29	2	2	5	8	12	15	24
65+	1589	8.7	60	2	2	6	11	17	24	42
GRAND TOTAL	10666	6.1	28	2	2	5	7	11	15	27

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4745	2.3	5	<1	<1	2	3	5	7	11
20-34	5859	3.7	11	<1	1	3	5	7	10	16
35-49	6299	3.9	12	1	1	3	5	8	11	17
50-64	7972	4.0	16	1	1	2	5	8	11	19
65+	8390	4.8	26	1	1	3	6	10	14	24
2. MULTIPLE DX										
0-19 YRS	5290	3.4	22	<1	1	2	4	7	10	19
20-34	8827	6.1	48	1	1	4	8	12	17	35
35-49	11240	6.8	53	1	1	5	9	14	19	38
50-64	19537	7.4	66	1	1	5	9	18	22	42
65+	32878	10.3	110	1	2	7	13	22	31	58
TOT. SINGLE DX	33265	3.9	16	1	1	2	5	8	11	19
" MULTIPLE DX	77772	8.1	83	1	1	5	10	18	25	48
TOTAL 0-19 YRS	10035	2.9	15	<1	1	2	3	6	8	16
20-34	14686	5.1	35	1	1	3	6	11	14	28
35-49	17539	5.7	41	1	1	4	7	12	16	30
50-64	27509	6.4	54	1	1	4	8	14	19	38
65+	41268	9.2	98	1	2	6	12	20	26	53
GRAND TOTAL	111037	6.8	66	1	1	4	9	15	21	43

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	3.5	8	<1	1	2	5	7	10	13
20-34	354	3.4	8	1	1	3	4	6	8	16
35-49	921	3.9	14	1	1	3	5	7	9	19
50-64	3704	4.1	12	1	1	3	5	8	10	17
65+	7267	4.9	18	1	2	4	6	9	12	22
2. MULTIPLE DX										
0-19 YRS	120	4.5	12	1	1	3	6	9	12	17
20-34	592	5.7	39	1	2	4	6	12	16	36
35-49	1193	5.8	39	1	2	4	7	12	17	32
50-64	4547	6.4	49	1	2	4	8	13	18	38
65+	12644	8.7	79	2	2	5	10	18	25	50
TOT. SINGLE DX	12314	4.6	16	1	2	4	6	8	11	20
" MULTIPLE DX	19096	7.8	70	2	2	5	9	16	23	45
TOTAL 0-19 YRS	188	4.1	11	1	1	3	5	9	11	16
20-34	946	4.8	29	1	1	3	5	10	14	28
35-49	2114	5.0	30	1	1	3	6	10	13	27
50-64	8251	5.4	34	1	2	4	6	10	15	30
65+	19911	7.3	61	2	2	5	9	15	21	41
GRAND TOTAL	31410	6.5	51	1	2	4	8	13	19	38

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	302	5.9	26	1	2	4	8	11	14	31
20-34	497	6.5	25	1	2	5	9	13	16	24
35-49	663	6.6	31	1	1	5	9	14	17	29
50-64	1201	7.5	47	1	2	5	11	16	21	31
65+	1780	8.3	61	1	2	6	12	18	23	36
2. MULTIPLE DX										
0-19 YRS	610	9.6	102	2	3	7	11	19	29	61
20-34	893	10.0	139	1	2	7	12	23	35	88
35-49	1121	10.5	135	1	2	8	13	21	31	77
50-64	2648	11.2	124	2	2	8	15	23	32	61
65+	5900	13.8	152	2	3	11	18	30	39	78
TOT. SINGLE DX	4443	7.5	48	1	2	5	10	16	20	33
" MULTIPLE DX	11172	12.3	143	2	2	9	16	27	36	73
TOTAL 0-19 YRS	912	8.4	80	1	2	6	10	17	23	52
20-34	1390	8.7	101	1	2	6	10	18	28	72
35-49	1784	9.0	100	1	2	7	11	17	26	59
50-64	3849	10.0	103	1	2	7	14	21	28	52
65+	7680	12.5	137	2	2	9	17	27	36	68
GRAND TOTAL	15615	10.9	120	2	2	8	14	24	32	64

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1192	1.4		<1	<1	1	2	2	3	5
20-34	105	2.5	6	<1	<1	2	3	5	6	16
35-49	80	2.5	4	<1	<1	2	3	5	6	12
50-64	88	3.2	5	<1	1	2	4	7	8	11
65+	55	3.5	6	<1	1	2	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	893	2.2	3	<1	<1	2	2	4	5	10
20-34	236	3.3	27	1	1	2	3	6	8	19
35-49	192	4.4	17	1	1	3	5	10	12	21
50-64	222	4.9	17	1	2	3	7	10	13	21
65+	205	7.2	67	2	2	5	9	16	21	55
TOT. SINGLE DX	1520	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1748	3.5	20	<1	1	2	4	8	11	21
TOTAL 0-19 YRS	2085	1.7	2	<1	<1	1	2	3	4	8
20-34	341	3.1	21	<1	1	2	[illegible]	5	8	18
35-49	272	3.9	14	<1	1	2	[illegible]	8	12	21
50-64	310	4.4	14	1	1	3	6	9	12	20
65+	260	6.4	57	1	2	4	8	14	20	39
GRAND TOTAL	3268	2.7	12	<1	<1	2	3	5	8	17

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1227	5.9	17	1	1	5	9	11	13	17
20-34	777	4.0	12	<1	1	3	5	9	11	17
35-49	415	5.2	18	1	1	4	7	10	14	20
50-64	498	5.1	17	1	2	4	7	10	11	22
65+	547	5.0	21	1	2	4	6	9	13	26
2. MULTIPLE DX										
0-19 YRS	709	5.4	22	1	1	4	8	11	13	21
20-34	655	5.6	36	1	1	3	7	13	16	35
35-49	586	6.7	58	1	2	4	8	13	20	33
50-64	846	6.8	39	2	2	5	9	14	19	28
65+	1231	8.3	71	2	2	6	10	17	25	42
TOT. SINGLE DX	3464	5.1	18	1	1	4	7	10	12	18
" MULTIPLE DX	4027	6.8	50	1	2	5	9	14	19	35
TOTAL 0-19 YRS	1936	5.7	19	1	1	5	8	11	13	20
20-34	1432	4.7	24	<1	1	3	6	10	14	26
35-49	1001	6.1	42	1	2	4	8	12	16	30
50-64	1344	6.2	32	1	2	4	8	12	17	26
65+	1778	7.3	58	2	2	5	9	15	22	36
GRAND TOTAL	7491	6.0	36	1	1	4	8	12	16	30

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1242	1.8	4	<1	<1	1	2	3	4	8
20-34	860	2.9	7	<1	<1	2	3	6	8	15
35-49	770	3.3	12	<1	1	2	4	7	9	15
50-64	704	3.4	11	<1	1	2	4	7	9	18
65+	828	4.4	19	1	1	3	6	9	12	24
2. MULTIPLE DX										
0-19 YRS	2252	2.5	8	<1	1	2	3	5	7	14
20-34	2479	4.8	23	1	1	3	6	10	14	24
35-49	2588	6.2	43	1	1	4	8	13	18	35
50-64	3379	6.8	54	1	2	5	9	15	19	35
65+	5645	9.6	90	2	2	7	13	20	27	50
TOT. SINGLE DX	4404	3.0	11	<1	<1	2	3	6	9	15
" MULTIPLE DX	16343	6.8	60	1	1	4	9	15	21	39
TOTAL 0-19 YRS	3494	2.2	7	<1	<1	1	2	5	7	11
20-34	3339	4.3	21	<1	1	3	6	9	12	23
35-49	3358	5.5	38	1	1	3	7	12	17	31
50-64	4083	6.2	49	1	1	4	8	14	18	33
65+	6473	9.0	85	1	2	6	12	19	25	48
GRAND TOTAL	20747	6.0	52	1	1	3	8	14	19	36

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	642	2.2	3	<1	<1	2	3	4	5	10
20-34	814	3.8	10	1	1	3	5	8	10	16
35-49	574	4.6	14	1	1	3	6	9	12	19
50-64	566	4.9	12	1	2	4	6	10	12	18
65+	589	5.2	16	1	2	4	6	10	12	19
2. MULTIPLE DX										
0-19 YRS	701	3.0	10	<1	1	2	3	5	8	17
20-34	1017	4.4	20	1	1	3	5	9	12	25
35-49	806	5.7	36	1	2	3	7	13	17	30
50-64	1116	6.4	39	1	2	4	8	13	17	33
65+	1766	9.1	81	2	2	6	11	19	26	49
TOT. SINGLE DX	3185	4.1	12	1	1	3	5	9	11	17
" MULTIPLE DX	5406	6.4	50	1	2	4	8	13	19	36
TOTAL 0-19 YRS	1343	2.6	7	<1	1	2	3	5	6	14
20-34	1831	4.1	16	1	1	3	5	9	11	22
35-49	1380	5.2	28	1	2	3	7	11	15	28
50-64	1682	5.9	31	1	2	4	7	12	15	28
65+	2355	8.2	68	2	2	6	10	16	23	44
GRAND TOTAL	8591	5.5	37	1	1	4	7	12	16	31

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.9	7	<1	1	3	5	8	9	9
20-34	293	7.5	12	3	4	7	9	10	13	18
35-49	1023	8.3	8	5	5	8	9	11	14	19
50-64	1063	8.9	8	5	6	8	10	12	15	20
65+	480	10.0	17	5	6	9	11	15	18	27
2. MULTIPLE DX										
0-19 YRS	11	8.9	39	3	3	7	11	17	24	25
20-34	388	8.6	19	5	5	8	10	12	16	26
35-49	1540	9.8	21	5	6	9	11	15	18	28
50-64	1775	10.8	35	6	6	9	12	16	20	33
65+	983	12.6	53	6	7	10	15	21	25	42
TOT. SINGLE DX	2868	8.7	11	5	5	8	10	12	15	20
" MULTIPLE DX	4697	10.6	35	5	6	9	12	17	21	32
TOTAL 0-19 YRS	20	6.7	30	1	2	5	9	12	18	25
20-34	681	8.1	17	4	5	8	9	12	14	23
35-49	2563	9.2	17	5	6	8	10	14	16	26
50-64	2838	10.1	26	5	6	9	11	15	18	29
65+	1463	11.8	43	6	7	10	14	19	23	36
GRAND TOTAL	7565	9.9	27	5	6	9	11	15	19	29

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	66	7.4	5	4	4	8	9	11	12	14
35-49	248	8.1	8	4	5	8	9	12	13	17
50-64	282	8.3	9	4	5	8	10	12	14	20
65+	156	9.1	15	4	5	9	11	14	16	25
2. MULTIPLE DX										
0-19 YRS	4	9.5	33	2	2	10	13	16	16	16
20-34	71	9.1	24	3	4	8	11	14	18	32
35-49	309	9.3	19	4	5	8	11	15	18	29
50-64	349	10.2	34	4	5	9	12	16	20	32
65+	320	11.1	45	4	5	9	14	18	23	40
TOT. SINGLE DX	754	8.3	10	4	5	8	10	12	14	19
" MULTIPLE DX	1053	10.1	33	4	5	9	12	16	20	32
TOTAL 0-19 YRS	6	8.2	27	2	2	8	11	15	16	16
20-34	137	8.3	16	4	4	8	10	12	14	25
35-49	557	8.7	15	4	5	8	10	13	16	22
50-64	631	9.4	24	4	5	8	11	14	17	27
65+	476	10.4	37	4	5	9	12	17	21	32
GRAND TOTAL	1807	9.4	24	4	5	8	11	15	18	28

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.7	7	<1	1	3	6	8	9	10
20-34	82	5.4	15	1	2	5	6	10	15	22
35-49	92	5.3	17	<1	2	4	7	12	14	20
50-64	95	5.7	21	1	2	4	8	12	17	20
65+	54	7.4	39	2	2	5	10	15	23	27
2. MULTIPLE DX										
0-19 YRS	59	4.5	59	<1	1	2	5	8	14	44
20-34	118	6.4	29	1	2	5	8	13	15	27
35-49	157	8.5	45	2	2	7	12	18	20	34
50-64	205	8.5	77	1	2	6	11	19	23	53
65+	246	12.4	109	2	2	9	17	25	36	50
TOT. SINGLE DX	356	5.6	21	1	2	4	7	12	15	23
" MULTIPLE DX	785	9.1	78	1	2	6	12	20	26	44
TOTAL 0-19 YRS	92	4.2	40	<1	1	2	5	8	10	42
20-34	200	6.0	24	1	2	5	8	12	15	22
35-49	249	7.3	37	1	2	5	10	16	19	31
50-64	300	7.6	61	1	2	5	10	17	21	41
65+	300	11.5	100	2	2	9	16	25	32	49
GRAND TOTAL	1141	8.0	63	1	2	6	10	18	23	41

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	5.8	19	1	1	5	9	12	14	14
20-34	46	6.5	27	1	1	6	9	12	18	22
35-49	35	8.5	29	1	2	9	11	15	20	23
50-64	24	14.5	77	2	2	14	20	28	30	33
65+	25	12.9	140	1	2	10	16	29	42	50
2. MULTIPLE DX										
0-19 YRS	20	7.7	19	1	2	8	10	12	16	19
20-34	73	12.3	78	3	4	9	17	22	26	52
35-49	90	13.7	185	2	3	11	15	23	31	85
50-64	110	18.1	189	4	6	15	20	36	44	71
65+	152	17.4	186	2	3	16	23	29	42	77
TOT. SINGLE DX	140	9.8	65	1	2	8	12	19	24	40
" MULTIPLE DX	445	15.6	168	2	4	13	20	28	39	75
TOTAL 0-19 YRS	30	7.1	19	1	1	7	10	12	14	19
20-34	119	10.1	67	1	2	8	13	21	24	39
35-49	125	12.3	146	2	2	10	15	22	28	81
50-64	134	17.5	170	3	6	14	20	32	43	70
65+	177	16.8	181	2	3	15	22	29	41	74
GRAND TOTAL	585	14.1	150	2	3	11	18	26	34	68

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	8.2	30	2	3	7	9	13	23	27
20-34	36	5.8	17	1	2	5	7	10	13	24
35-49	342	6.4	10	3	4	6	8	10	13	19
50-64	7103	6.8	9	4	4	6	8	10	12	18
65+	15223	7.8	15	4	4	7	9	12	15	22
2. MULTIPLE DX										
0-19 YRS	47	12.4	95	4	4	8	15	28	34	46
20-34	65	9.7	63	2	3	8	12	19	35	90
35-49	576	8.6	27	3	4	7	10	18	19	27
50-64	12508	9.5	47	4	5	8	11	16	21	38
65+	41135	12.1	83	4	5	9	14	23	30	52
TOT. SINGLE DX	22733	7.5	14	4	4	7	9	11	14	21
" MULTIPLE DX	54331	11.5	76	4	5	9	14	21	28	49
TOTAL 0-19 YRS	76	10.8	74	3	4	8	13	23	32	44
20-34	101	8.3	50	2	3	7	10	16	27	67
35-49	918	7.8	22	3	4	6	9	14	17	26
50-64	19611	8.5	35	4	4	7	10	14	18	33
65+	56358	11.0	69	4	5	8	13	20	27	47
GRAND TOTAL	77064	10.3	61	4	5	8	12	18	25	44

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.1	26	1	1	4	5	12	19	20
20-34	5	4.2	8	2	2	3	6	9	9	9
35-49	21	10.5	32	2	3	12	15	16	19	22
50-64	898	12.1	26	6	7	11	14	18	22	29
65+	1593	12.8	26	7	8	12	15	19	22	29
2. MULTIPLE DX										
0-19 YRS	9	7.3	60	<1	<1	4	11	21	23	23
20-34	9	10.9	97	2	2	5	21	25	28	28
35-49	30	13.3	68	3	3	11	18	25	31	34
50-64	1328	14.4	51	7	8	13	17	23	28	39
65+	4475	16.2	73	7	9	14	19	26	32	52
TOT. SINGLE DX	2528	12.5	27	6	7	12	15	19	22	29
" MULTIPLE DX	5851	15.8	69	7	8	14	19	25	31	49
TOTAL 0-19 YRS	20	6.1	41	<1	1	4	6	18	21	23
20-34	14	8.5	74	2	2	4	11	22	27	28
35-49	51	12.1	54	2	3	11	16	23	25	34
50-64	2226	13.5	42	6	8	12	16	21	26	37
65+	6068	15.3	64	7	8	13	18	24	29	49
GRAND TOTAL	8379	14.8	59	7	8	13	17	23	28	45

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.1	2	2	2	3	3	5	7	7
20-34	47	2.9	3	1	1	2	4	5	7	10
35-49	257	2.8	8	<1	1	2	3	4	7	19
50-64	1898	3.0	8	1	1	2	3	5	8	13
65+	2814	3.8	15	1	1	3	4	8	10	21
2. MULTIPLE DX										
0-19 YRS	19	7.8	60	2	2	5	9	15	26	35
20-34	52	6.3	57	<1	1	4	7	14	20	41
35-49	285	4.7	19	1	1	3	6	10	12	26
50-64	2033	6.1	50	1	2	4	7	13	19	36
65+	4647	8.7	80	2	2	6	11	19	25	45
TOT. SINGLE DX	5030	3.4	12	1	1	2	4	7	9	17
" MULTIPLE DX	7036	7.8	71	1	2	5	10	17	23	42
TOTAL 0-19 YRS	33	5.8	41	2	2	3	7	13	15	35
20-34	99	4.7	34	<1	1	3	5	9	15	37
35-49	542	3.8	15	1	1	3	4	8	11	22
50-64	3931	4.6	32	1	1	3	5	10	14	28
65+	7461	6.8	61	1	2	4	9	16	21	39
GRAND TOTAL	12066	6.0	51	1	2	3	7	14	19	36

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	2.7	4	1	1	2	3	5	6	10
20-34	603	3.3	5	1	1	3	4	6	7	14
35-49	388	3.8	11	<1	1	3	4	7	8	15
50-64	383	4.2	14	1	2	3	5	7	10	20
65+	237	4.6	15	1	2	4	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	338	3.3	11	1	1	2	4	6	8	21
20-34	314	5.8	30	1	2	4	7	12	17	28
35-49	310	7.2	65	2	2	5	9	14	21	46
50-64	441	7.5	85	2	2	5	8	15	23	52
65+	440	11.1	155	2	3	7	13	24	36	72
TOT. SINGLE DX	2153	3.5	9	1	1	3	4	6	8	15
" MULTIPLE DX	1843	7.3	63	1	2	4	8	15	23	49
TOTAL 0-19 YRS	880	2.9	7	1	1	2	3	5	7	14
20-34	917	4.2	16	1	1	3	5	8	11	22
35-49	698	5.3	38	1	1	4	4	10	14	38
50-64	824	6.0	55	1	2	4	6	12	17	45
65+	677	8.8	116	2	2	5	10	18	28	58
GRAND TOTAL	3996	5.2	47	1	1	3	5	10	15	38

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	748	3.2	5	1	1	3	4	5	7	14
20-34	981	4.6	13	1	2	4	5	8	12	19
35-49	371	4.6	10	1	2	4	6	9	11	18
50-64	387	6.0	22	2	2	4	8	12	16	24
65+	849	6.1	31	2	2	4	8	13	17	28
2. MULTIPLE DX										
0-19 YRS	634	3.7	9	1	1	3	4	7	9	16
20-34	605	6.0	30	2	2	4	7	12	17	32
35-49	352	6.5	35	2	2	5	8	13	19	39
50-64	850	9.6	109	2	2	6	12	20	27	53
65+	2456	11.3	110	2	3	8	15	24	31	58
TOT. SINGLE DX	3336	4.8	18	1	2	3	6	10	13	22
" MULTIPLE DX	4897	9.0	90	2	2	6	11	20	27	49
TOTAL 0-19 YRS	1382	3.4	7	1	1	3	4	6	8	15
20-34	1586	5.1	22	1	2	4	6	10	14	24
35-49	723	5.5	24	1	2	4	7	11	15	27
50-64	1237	8.5	85	2	2	5	10	18	25	45
65+	3305	9.9	95	2	2	7	13	22	29	51
GRAND TOTAL	8233	7.3	65	2	2	4	9	16	22	40

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3440	2.7	2	1	1	2	3	5	5	8
20-34	472	2.8	2	1	1	2	3	5	6	9
35-49	41	2.9	2	1	1	3	4	4	6	7
50-64	11	5.8	8	3	3	5	7	10	13	13
65+	4	5.3	12	1	1	5	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	2293	3.1	4	1	1	3	4	5	7	10
20-34	155	4.4	11	1	2	3	5	8	11	22
35-49	24	4.3	8	1	2	4	5	8	10	14
50-64	11	2.8	1	1	1	3	4	5	5	5
65+	8	19.5	1127	2	2	4	21	79	98	98
TOT. SINGLE DX	3968	2.7	2	1	1	2	3	5	6	8
" MULTIPLE DX	2491	3.3	9	1	1	3	4	5	7	11
TOTAL 0-19 YRS	5733	2.9	3	1	1	2	3	5	6	9
20-34	627	3.2	6	1	1	3	4	6	7	12
35-49	65	3.4	5	1	1	3	4	6	8	13
50-64	22	4.3	7	1	2	4	5	7	10	13
65+	12	14.8	770	1	2	4	8	54	92	98
GRAND TOTAL	6459	2.9	5	1	1	3	4	5	6	9

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	674	2.4	3	1	1	2	3	4	5	8
20-34	736	2.6	2	<1	1	2	3	4	5	8
35-49	215	2.9	5	1	1	2	3	5	6	11
50-64	94	3.7	16	1	2	3	4	6	7	29
65+	35	7.6	81	2	2	4	9	20	26	44
2. MULTIPLE DX										
0-19 YRS	277	3.4	16	1	1	3	4	6	8	16
20-34	312	3.4	6	1	1	3	4	6	8	14
35-49	131	4.7	13	1	2	3	6	10	13	19
50-64	93	5.9	37	1	2	4	7	11	22	31
65+	61	11.5	142	2	3	6	12	33	41	46
TOT. SINGLE DX	1754	2.7	6	1	1	2	3	4	6	10
" MULTIPLE DX	874	4.4	28	1	1	3	5	8	12	32
TOTAL 0-19 YRS	951	2.7	8	1	1	2	3	5	6	11
20-34	1048	2.8	4	<1	1	2	3	5	6	11
35-49	346	3.6	9	1	1	3	4	6	9	16
50-64	187	4.8	26	1	2	3	5	9	14	29
65+	96	10.1	123	2	2	5	12	28	40	45
GRAND TOTAL	2628	3.3	14	1	1	2	4	6	8	22

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.5	2	<1	<1	2	4	4	6	6
20-34	712	1.3	1	<1	<1	1	1	2	2	5
35-49	427	1.4	1	<1	<1	1	1	2	3	6
50-64	49	3.3	13	<1	<1	1	6	8	11	17
65+	35	8.3	24	2	3	7	10	16	18	21
2. MULTIPLE DX										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	324	3.1	16	<1	<1	2	3	6	10	21
35-49	266	3.8	34	<1	<1	2	4	9	11	20
50-64	97	6.5	28	1	1	6	9	12	15	29
65+	139	12.6	98	4	5	10	15	22	31	54
TOT. SINGLE DX	1237	1.6	4	<1	<1	1	1	2	5	13
" MULTIPLE DX	832	5.3	49	<1	1	3	7	12	16	35
TOTAL 0-19 YRS	20	2.1	2	<1	<1	1	3	4	5	6
20-34	1036	1.9	7	<1	<1	1	2	3	5	13
35-49	693	2.3	16	<1	<1	1	2	4	8	15
50-64	146	5.5	25	<1	<1	4	8	12	14	23
65+	174	11.8	67	3	5	9	14	21	29	52
GRAND TOTAL	2069	2.1	25	<1	<1	1	3	8	12	22

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2007	2.4	1	<1	1	2	3	4	5	7
20-34	3053	2.7	1	1	1	2	3	4	5	8
35-49	1991	2.8	2	1	1	3	3	4	5	8
50-64	1817	3.4	2	1	2	3	4	5	6	9
65+	739	3.9	6	2	2	3	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	1289	2.6	3	<1	1	2	3	4	5	9
20-34	1788	3.0	3	1	1	3	4	5	6	11
35-49	1121	4.0	9	1	2	3	5	7	9	16
50-64	1565	4.9	12	2	2	4	6	8	11	19
65+	1062	6.6	33	2	2	5	8	13	17	28
TOT. SINGLE DX	9607	2.9	3	1	1	3	3	5	6	9
" MULTIPLE DX	6825	4.1	13	1	1	3	5	7	10	19
TOTAL 0-19 YRS	3296	2.5	2	<1	1	2	3	4	5	8
20-34	4841	2.8	3	1	1	2	3	4	5	9
35-49	3112	3.2	5	1	1	3	4	5	7	12
50-64	3382	4.1	8	2	2	3	5	7	9	15
65+	1801	5.5	24	2	2	4	6	11	14	24
GRAND TOTAL	16432	3.4	7	1	1	3	4	6	7	14

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4244	1.8	1	<1	<1	2	2	2	3	4
20-34	1808	2.1	1	<1	1	2	2	3	3	5
35-49	941	2.1	1	<1	1	2	2	3	3	7
50-64	560	2.2	2	<1	1	2	2	3	4	10
65+	324	2.5	6	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	1285	2.8	11	<1	1	2	3	5	7	20
20-34	1160	3.3	11	1	1	2	3	6	10	19
35-49	1101	4.1	20	1	1	2	5	9	11	21
50-64	1085	4.4	23	1	1	3	5	9	12	23
65+	994	6.4	50	1	2	3	8	15	22	34
TOT. SINGLE DX	9839	1.9	2	<1	<1	2	2	3	3	7
" MULTIPLE DX	6585	4.3	30	1	1	2	4	9	13	28
TOTAL 0-19 YRS	6874	2.2	10	<1	<1	2	2	3	4	15
20-34	3443	2.5	6	<1	1	2	2	4	6	13
35-49	2424	3.1	12	1	1	2	3	6	9	15
50-64	2072	3.6	17	1	1	2	4	8	11	21
65+	1611	5.4	43	1	2	3	6	12	19	33
GRAND TOTAL	16424	2.9	14	<1	1	2	3	5	9	20

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	396	3.0	8	<1	<1	2	4	7	9	15
20-34	467	2.9	8	<1	<1	2	3	6	9	16
35-49	330	4.4	10	1	1	3	6	9	10	16
50-64	597	4.8	8	1	2	4	6	8	10	14
65+	300	5.4	28	1	2	4	7	10	13	27
2. MULTIPLE DX										
0-19 YRS	295	4.0	12	<1	1	3	5	9	11	16
20-34	394	6.3	70	1	1	4	7	12	18	46
35-49	500	6.8	39	2	2	5	8	13	17	36
50-64	958	6.7	27	2	2	5	8	12	16	28
65+	610	8.7	100	2	2	6	9	17	26	55
TOT. SINGLE DX	2090	4.0	13	<1	1	3	5	8	10	16
" MULTIPLE DX	2757	6.8	52	1	2	5	8	13	18	38
TOTAL 0-19 YRS	691	3.4	10	<1	<1	2	5	8	10	16
20-34	861	4.4	40	<1	1	2	5	9	12	28
35-49	830	5.9	29	1	2	4	7	11	14	30
50-64	1555	6.0	21	2	2	5	7	10	13	24
65+	910	7.6	79	2	2	5	8	14	21	49
GRAND TOTAL	4847	5.6	37	1	1	4	7	10	14	31

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1186	5.6	4	3	3	5	7	8	10	13
20-34	4213	5.7	4	3	4	6	7	8	9	13
35-49	559	6.5	9	3	4	6	8	10	11	19
50-64	128	8.1	16	2	4	7	9	13	17	22
65+	76	12.4	65	5	6	10	15	22	30	45
2. MULTIPLE DX										
0-19 YRS	1134	6.3	12	3	4	6	7	9	12	15
20-34	6842	6.4	10	3	4	6	7	9	11	18
35-49	1254	8.2	37	3	4	7	9	13	18	30
50-64	292	12.8	107	5	6	10	15	23	36	66
65+	294	18.9	150	6	8	15	23	35	47	61
TOT. SINGLE DX	6162	5.9	7	3	3	6	7	8	10	15
" MULTIPLE DX	9816	7.2	27	3	4	6	8	11	15	29
TOTAL 0-19 YRS	2320	6.0	9	3	3	6	7	9	11	15
20-34	11055	6.1	8	3	4	6	7	9	10	17
35-49	1813	7.7	29	3	4	7	8	12	17	28
50-64	420	11.4	84	3	5	9	13	20	29	53
65+	370	17.6	140	6	7	14	22	35	43	60
GRAND TOTAL	15978	6.7	19	3	4	6	7	10	13	24

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	609	6.2	4	4	4	6	7	9	11	14
20-34	3910	6.2	5	4	4	6	7	8	10	14
35-49	1283	6.7	7	4	4	6	7	9	11	17
50-64	240	8.9	21	5	5	8	10	13	17	30
65+	137	10.6	25	5	6	9	13	18	20	28
2. MULTIPLE DX										
0-19 YRS	841	6.9	8	4	4	6	8	10	12	18
20-34	7409	7.0	11	4	4	6	8	10	13	20
35-49	3146	8.1	23	4	5	7	9	12	16	27
50-64	567	11.5	59	5	6	9	14	20	25	40
65+	474	17.4	146	6	7	14	21	32	44	72
TOT. SINGLE DX	6179	6.5	7	4	4	6	7	9	11	17
" MULTIPLE DX	12437	7.9	26	4	5	7	8	12	16	29
TOTAL 0-19 YRS	1450	6.6	7	4	4	6	7	10	12	16
20-34	11319	6.7	9	4	4	6	7	10	12	19
35-49	4429	7.7	19	4	5	7	8	11	15	24
50-64	807	10.7	49	5	5	8	12	19	24	38
65+	611	15.9	127	6	7	13	19	29	39	68
GRAND TOTAL	18616	7.4	20	4	4	6	8	11	15	25

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.2	3	2	5	6	7	9	10	10
20-34	443	6.6	9	3	4	6	8	9	11	16
35-49	667	7.3	8	4	5	7	8	10	12	19
50-64	340	8.7	26	5	5	8	10	13	16	24
65+	168	10.8	55	6	6	9	12	17	21	32
2. MULTIPLE DX										
0-19 YRS	41	7.6	12	4	5	7	8	12	15	22
20-34	1569	7.5	13	4	5	7	8	11	14	22
35-49	2431	8.9	33	5	5	7	10	14	18	32
50-64	1028	11.6	60	5	6	9	14	20	26	43
65+	602	16.5	111	6	7	14	20	31	39	67
TOT. SINGLE DX	1638	7.7	19	4	5	7	9	12	14	22
" MULTIPLE DX	5671	9.8	48	5	5	8	11	17	22	40
TOTAL 0-19 YRS	61	7.1	10	4	5	7	8	10	14	21
20-34	2012	7.3	13	4	5	6	8	11	14	21
35-49	3098	8.6	29	4	5	7	9	13	17	29
50-64	1368	10.9	54	5	6	8	13	19	24	42
65+	770	15.3	105	6	7	12	18	29	37	64
GRAND TOTAL	7309	9.4	42	4	5	7	10	16	21	38

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	199	4.2	11	1	1	3	5	7	10	20
20-34	811	3.8	7	1	1	3	5	7	8	13
35-49	144	4.3	11	1	1	3	6	9	11	17
50-64	21	6.1	19	1	2	6	9	11	15	18
65+	7	9.4	39	2	2	10	15	18	18	18
2. MULTIPLE DX										
0-19 YRS	248	4.8	12	1	2	4	6	8	10	19
20-34	2042	5.1	13	1	2	5	6	8	10	17
35-49	346	6.6	35	1	2	6	8	13	17	33
50-64	36	11.0	56	2	3	8	13	24	28	31
65+	25	15.1	119	3	3	13	19	35	38	43
TOT. SINGLE DX	1182	4.0	9	1	1	3	6	7	9	16
" MULTIPLE DX	2697	5.4	19	1	2	5	7	9	12	23
TOTAL 0-19 YRS	447	4.5	12	1	2	4	6	8	10	19
20-34	2853	4.7	12	1	1	5	6	8	10	17
35-49	490	5.9	30	1	1	5	7	11	16	31
50-64	57	9.2	48	1	2	8	10	20	24	31
65+	32	13.8	106	2	3	11	17	30	37	43
GRAND TOTAL	3879	5.0	17	1	1	5	6	8	11	21

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	1.6		<1	<1	1	2	2	3	5
20-34	16345	1.5		<1	<1	1	2	2	2	4
35-49	6114	1.4		<1	<1	1	2	2	2	4
50-64	36	1.5		<1	<1	1	2	2	2	3
65+										
2. MULTIPLE DX										
0-19 YRS	97	1.9	4	<1	<1	1	2	3	5	14
20-34	11057	1.9	4	<1	<1	2	2	3	4	8
35-49	4988	1.9	5	<1	<1	2	2	3	4	9
50-64	43	1.9	1	<1	<1	2	2	3	4	6
65+										
TOT. SINGLE DX	22611	1.5	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	16185	1.9	5	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	213	1.7	2	<1	<1	1	2	3	4	6
20-34	27402	1.7	2	<1	<1	1	2	2	3	6
35-49	11102	1.7	3	<1	<1	1	2	2	3	6
50-64	79	1.7	1	<1	<1	2	2	3	4	6
65+										
GRAND TOTAL	38796	1.7	2	<1	<1	1	2	2	3	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	3.1	4	1	1	3	4	6	7	12
20-34	12773	2.5	2	<1	1	2	3	4	5	7
35-49	4330	2.4	1	<1	1	2	3	4	5	7
50-64	41	3.9	14	<1	1	3	4	7	9	24
65+										
2. MULTIPLE DX										
0-19 YRS	211	3.8	5	1	2	3	5	6	8	14
20-34	18275	3.6	4	1	2	3	4	5	6	10
35-49	5261	3.5	5	1	1	3	4	6	7	12
50-64	54	6.9	45	1	2	6	8	15	16	44
65+										
TOT. SINGLE DX	17281	2.5	2	<1	1	2	3	4	5	7
" MULTIPLE DX	23801	3.6	5	1	2	3	4	6	7	11
TOTAL 0-19 YRS	348	3.5	5	1	1	3	4	6	7	13
20-34	31048	3.1	4	1	1	3	4	5	6	9
35-49	9591	3.0	4	1	1	3	4	5	6	10
50-64	95	5.6	34	1	1	4	7	11	15	36
65+										
GRAND TOTAL	41082	3.1	4	1	1	3	4	5	6	9

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	496	5.3	3	2	3	5	6	8	9	12
20-34	7065	4.9	5	1	2	5	6	7	8	10
35-49	890	4.8	7	1	1	5	6	8	9	12
50-64	16	6.4	8	3	3	6	9	10	11	12
65+	9	10.9	28	4	4	11	15	18	20	20
2. MULTIPLE DX										
0-19 YRS	501	6.1	9	2	3	6	7	9	11	19
20-34	7424	5.4	7	2	2	5	7	8	9	14
35-49	1121	5.6	10	1	2	5	7	9	11	18
50-64	29	10.7	30	3	4	10	14	19	23	23
65+	17	12.5	78	2	3	9	18	27	27	27
TOT. SINGLE DX	8476	4.9	5	1	2	5	6	7	8	11
" MULTIPLE DX	9092	5.5	8	2	2	5	7	8	10	16
TOTAL 0-19 YRS	997	5.7	7	2	3	5	7	8	10	15
20-34	14489	5.2	6	1	2	5	6	8	9	13
35-49	2011	5.2	9	1	2	5	7	8	10	16
50-64	45	9.2	27	3	3	9	11	17	20	23
65+	26	11.9	60	2	4	10	16	26	27	27
GRAND TOTAL	17568	5.2	7	1	2	5	6	8	9	14

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	2.1	1	<1	1	2	3	3	4	6
20-34	3982	2.3	1	<1	1	2	3	3	4	7
35-49	1363	2.5	7	<1	1	2	3	4	5	10
50-64	476	2.6	3	<1	1	2	3	4	6	11
65+	205	3.4	12	1	1	2	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	126	2.8	2	1	1	2	3	5	6	9
20-34	2536	2.8	5	1	1	2	3	5	7	11
35-49	1321	3.3	15	<1	1	2	3	6	9	21
50-64	592	3.9	20	1	1	2	4	8	12	25
65+	257	6.1	71	1	2	3	6	13	18	44
TOT. SINGLE DX	6218	2.4	3	<1	1	2	3	4	4	8
" MULTIPLE DX	4832	3.3	14	1	1	2	3	6	8	17
TOTAL 0-19 YRS	318	2.4	2	<1	1	2	3	4	5	8
20-34	6518	2.5	3	<1	1	2	3	4	5	9
35-49	2684	2.9	11	<1	1	2	3	5	7	16
50-64	1068	3.3	13	<1	1	2	3	6	10	18
65+	462	4.9	47	1	1	3	4	10	15	42
GRAND TOTAL	11050	2.8	8	<1	1	2	3	4	6	13

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	1.8		<1	<1	2	2	3	4	5
20-34	1631	2.2	5	<1	<1	2	2	3	4	10
35-49	1743	2.2	3	<1	<1	2	2	4	5	10
50-64	1206	2.8	7	<1	1	2	2	5	8	15
65+	638	4.5	21	1	1	3	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	170	3.3	30	<1	1	2	3	6	8	28
20-34	2861	2.8	7	<1	1	2	3	5	7	15
35-49	4005	3.0	14	<1	1	2	3	6	9	19
50-64	2574	4.1	31	1	1	2	4	9	13	27
65+	1568	8.1	82	2	2	6	10	16	24	53
TOT. SINGLE DX	5351	2.6	8	<1	1	2	3	4	7	14
" MULTIPLE DX	11178	3.9	29	<1	1	2	4	9	12	27
TOTAL 0-19 YRS	303	2.7	18	<1	1	2	3	4	6	13
20-34	4492	2.6	7	<1	1	2	3	4	7	13
35-49	5748	2.8	11	<1	1	2	3	5	8	16
50-64	3780	3.7	25	<1	1	2	3	8	12	23
65+	2206	7.0	68	1	2	4	9	14	21	45
GRAND TOTAL	16529	3.5	23	<1	1	2	3	7	11	23

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	3.2	3	1	1	3	4	6	7	9
20-34	2990	3.0	3	1	1	3	4	5	6	9
35-49	254	2.9	2	1	1	3	3	5	6	8
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	58	4.2	5	1	2	4	5	7	8	15
20-34	818	4.2	15	1	2	3	5	8	10	16
35-49	103	3.9	21	1	1	3	4	7	9	28
50-64	12	6.5	29	1	1	6	8	13	20	21
65+	4	7.0	18	3	3	6	10	13	13	13
TOT. SINGLE DX	3432	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	995	4.2	16	1	2	3	5	8	10	16
TOTAL 0-19 YRS	238	3.5	4	1	1	3	4	6	8	10
20-34	3808	3.3	6	1	1	3	4	6	7	12
35-49	357	3.1	8	1	1	3	4	5	7	10
50-64	19	4.9	23	<1	1	4	7	9	16	21
65+	5	6.6	14	3	3	6	8	13	13	13
GRAND TOTAL	4427	3.3	6	1	1	3	4	6	7	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	4.3	7	<1	<1	4	6	7	9	12
20-34	1191	5.2	7	<1	1	6	7	8	9	13
35-49	414	4.5	10	<1	1	4	7	8	9	14
50-64	129	3.9	77	<1	1	2	3	7	10	42
65+	76	5.1	94	1	2	3	5	10	13	66
2. MULTIPLE DX										
0-19 YRS	52	4.7	13	1	1	4	6	9	12	18
20-34	1933	5.9	16	1	1	6	7	9	11	20
35-49	882	5.9	31	1	1	5	8	10	13	26
50-64	368	5.4	55	1	1	3	6	11	18	48
65+	240	9.9	162	1	2	5	13	22	40	87
TOT. SINGLE DX	1851	5.0	17	<1	1	5	7	8	9	14
" MULTIPLE DX	3475	6.1	36	1	1	6	7	10	14	31
TOTAL 0-19 YRS	93	4.5	11	<1	1	4	6	8	10	17
20-34	3124	5.6	13	<1	1	6	7	9	10	16
35-49	1296	5.5	25	1	1	5	7	10	12	24
50-64	497	5.0	62	1	1	2	5	10	16	47
65+	316	8.8	150	1	2	4	11	20	31	84
GRAND TOTAL	5326	5.7	29	1	1	5	7	9	12	26

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	7.5	4	5	5	7	9	10	12	16
20-34	5868	7.1	4	5	5	7	8	9	11	15
35-49	9606	7.3	4	5	5	7	8	9	11	15
50-64	3318	8.2	8	5	6	8	9	11	14	20
65+	1458	9.9	20	6	6	9	11	15	18	26
2. MULTIPLE DX										
0-19 YRS	291	7.5	13	4	5	7	8	10	13	23
20-34	26921	7.6	9	5	5	7	8	10	12	19
35-49	55233	8.0	11	5	6	7	9	11	13	21
50-64	15508	9.1	22	5	6	8	10	13	17	28
65+	5398	12.8	69	6	7	10	15	22	28	49
TOT. SINGLE DX	20323	7.6	7	5	5	7	8	10	12	18
" MULTIPLE DX	103351	8.3	17	5	6	7	9	12	15	25
TOTAL 0-19 YRS	364	7.5	12	5	5	7	8	10	13	22
20-34	32789	7.5	9	5	5	7	8	10	12	19
35-49	64839	7.9	10	5	6	7	9	11	13	20
50-64	18826	9.0	20	5	6	8	10	13	16	28
65+	6856	12.2	61	6	7	10	14	20	26	46
GRAND TOTAL	123674	8.2	15	5	6	7	9	11	14	24

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	6.7	3	4	5	6	8	9	11	11
20-34	3371	5.9	2	4	4	6	7	8	9	12
35-49	3041	6.5	5	4	4	6	7	9	11	15
50-64	1472	8.0	7	5	5	8	9	11	13	18
65+	1181	8.7	11	5	6	8	10	12	14	23
2. MULTIPLE DX										
0-19 YRS	30	6.3	5	3	4	6	7	10	12	12
20-34	11145	6.4	6	4	4	6	7	9	10	15
35-49	16578	7.0	9	4	5	6	8	10	12	17
50-64	5667	8.5	11	5	6	8	10	12	14	20
65+	3849	10.2	29	6	6	9	11	15	19	31
TOT. SINGLE DX	9080	6.8	7	4	5	6	8	10	11	16
" MULTIPLE DX	37269	7.4	12	4	5	7	8	11	13	20
TOTAL 0-19 YRS	45	6.4	5	3	4	6	8	9	11	12
20-34	14516	6.3	5	4	4	6	7	9	10	14
35-49	19619	7.0	9	4	5	6	8	10	12	17
50-64	7139	8.4	11	5	5	8	10	12	14	19
65+	5030	9.9	26	6	6	9	11	15	18	29
GRAND TOTAL	46349	7.3	11	4	5	7	8	11	13	19

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	90	12.7	58	6	7	11	15	18	23	54
35-49	92	13.8	32	7	8	12	16	23	25	32
50-64	75	14.2	70	6	7	11	18	25	29	53
65+	47	15.7	59	7	9	14	19	23	32	46
2. MULTIPLE DX										
0-19 YRS	3	19.3	214	6	6	17	30	35	35	35
20-34	87	12.6	30	6	7	11	15	21	24	28
35-49	163	17.2	144	7	8	13	19	31	47	99
50-64	160	19.8	185	7	9	15	23	40	54	74
65+	88	21.1	210	8	9	17	23	40	50	82
TOT. SINGLE DX	307	13.8	54	6	7	12	16	22	27	46
" MULTIPLE DX	501	17.9	157	7	8	14	20	34	45	81
TOTAL 0-19 YRS	6	13.0	138	4	4	8	17	33	35	35
20-34	177	12.6	44	6	7	11	15	20	24	41
35-49	255	16.0	107	7	8	13	18	29	34	91
50-64	235	18.0	155	7	8	14	20	35	46	71
65+	135	19.3	164	8	9	16	21	37	43	77
GRAND TOTAL	**808**	**16.4**	**122**	**7**	**8**	**13**	**19**	**29**	**39**	**68**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1205	1.3		<1	<1	1	1	2	2	5
20-34	4175	1.3		<1	<1	<1	1	2	2	5
35-49	523	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	244	3.1	35	<1	<1	1	3	6	8	18
20-34	1606	2.7	12	<1	<1	2	3	6	8	16
35-49	534	2.3	4	<1	<1	2	2	4	6	12
50-64										
65+										
TOT. SINGLE DX	5903	1.3	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	2384	2.7	13	<1	<1	2	3	5	8	16
TOTAL 0-19 YRS	1449	1.6	7	<1	<1	1	1	2	4	8
20-34	5781	1.7	4	<1	<1	1	2	3	4	10
35-49	1057	1.8	3	<1	<1	1	2	3	4	10
50-64										
65+										
GRAND TOTAL	**8287**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10362	1.9	2	<1	1	1	2	3	4	8
20-34	73105	1.8	1	<1	<1	1	2	3	4	7
35-49	28648	1.7	1	<1	<1	2	2	3	3	7
50-64	10997	1.9	2	<1	<1	2	2	3	4	8
65+	2895	2.9	11	<1	1	2	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	4103	3.3	10	1	1	2	4	6	9	14
20-34	42815	2.9	9	<1	1	2	3	6	8	15
35-49	34089	2.9	11	<1	<1	2	3	6	9	16
50-64	14660	3.3	17	<1	1	2	3	7	10	21
65+	5472	5.5	51	1	1	3	6	12	18	36
TOT. SINGLE DX	126007	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	101139	3.1	14	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	14465	2.3	5	<1	1	2	3	4	6	10
20-34	115920	2.2	5	<1	<1	2	2	4	6	11
35-49	62737	2.4	7	<1	<1	2	2	4	7	13
50-64	25657	2.7	11	<1	<1	2	2	5	8	17
65+	8367	4.6	39	1	1	2	5	10	15	32
GRAND TOTAL	**227146**	**2.4**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**14**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3909	1.2		<1	<1	1	1	2	2	4
20-34	11993	1.2		<1	<1	<1	1	2	2	3
35-49	1432	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1248	1.7	11	<1	<1	<1	1	2	5	12
20-34	5612	2.1	9	<1	<1	<1	2	4	6	15
35-49	1509	2.1	6	<1	<1	1	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	17334	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	8369	2.0	10	<1	<1	<1	2	4	6	13
TOTAL 0-19 YRS	5157	1.3	3	<1	<1	<1	1	2	2	6
20-34	17605	1.5	4	<1	<1	<1	1	2	3	8
35-49	2941	1.6	4	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**25703**	**1.5**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1122	1.5	1	<1	<1	1	2	2	4	6
20-34	6226	1.4	1	<1	<1	1	2	2	3	6
35-49	753	1.5	1	<1	<1	1	2	2	3	5
50-64	16	2.4	6	<1	<1	2	2	7	9	9
65+	6	2.5	5	1	1	2	2	7	7	7
2. MULTIPLE DX										
0-19 YRS	208	2.7	5	<1	1	2	3	5	8	13
20-34	1389	2.5	9	<1	<1	2	3	5	7	15
35-49	303	3.1	26	<1	<1	2	3	5	11	32
50-64	39	7.7	123	<1	<1	2	10	27	34	47
65+	26	11.5	225	2	2	8	12	29	48	70
TOT. SINGLE DX	8123	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	1965	2.8	18	<1	<1	2	3	5	8	21
TOTAL 0-19 YRS	1330	1.7	2	<1	<1	1	2	3	4	8
20-34	7615	1.6	3	<1	<1	1	2	3	4	7
35-49	1056	1.9	9	<1	<1	1	2	3	4	17
50-64	55	6.2	94	<1	<1	2	7	15	30	47
65+	32	9.8	195	1	2	5	10	20	41	70
GRAND TOTAL	10088	1.7	5	<1	<1	1	2	3	4	9

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.0	3	2	2	5	6	8	8	8
20-34	141	5.3	5	1	2	6	7	8	9	12
35-49	29	5.1	10	1	1	5	8	10	10	11
50-64	24	7.3	12	4	4	7	8	10	14	22
65+	21	9.5	16	5	6	9	11	13	18	23
2. MULTIPLE DX										
0-19 YRS	41	6.6	9	3	4	6	8	10	14	17
20-34	443	6.3	10	2	3	6	7	9	11	18
35-49	72	6.8	14	<1	1	6	9	11	13	18
50-64	42	9.0	22	4	6	8	11	13	16	32
65+	40	12.7	85	5	6	9	14	25	33	50
TOT. SINGLE DX	224	5.9	9	1	2	6	7	9	10	16
" MULTIPLE DX	638	6.9	19	2	4	6	8	11	14	28
TOTAL 0-19 YRS	50	6.3	9	3	3	5	8	10	12	17
20-34	584	6.0	9	2	3	6	7	9	10	17
35-49	101	6.3	14	1	1	6	8	11	12	18
50-64	66	8.4	20	4	5	7	9	12	16	30
65+	61	11.6	63	5	6	9	12	20	28	49
GRAND TOTAL	862	6.7	16	2	3	6	8	10	13	23

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	2.8	4	<1	1	2	4	6	7	8
20-34	816	3.2	7	<1	<1	2	5	7	8	10
35-49	166	3.5	6	<1	1	3	4	7	8	14
50-64	135	4.2	6	1	2	4	5	6	10	15
65+	103	4.2	4	2	3	4	5	6	7	16
2. MULTIPLE DX										
0-19 YRS	99	4.9	16	1	1	4	7	9	11	25
20-34	887	4.3	17	<1	1	3	6	8	9	23
35-49	267	4.6	19	1	1	3	6	8	11	23
50-64	178	5.3	21	1	2	4	6	11	13	23
65+	174	6.4	66	2	2	4	6	13	22	42
TOT. SINGLE DX	1411	3.3	7	<1	1	3	5	7	8	11
" MULTIPLE DX	1605	4.7	24	1	1	4	6	8	11	26
TOTAL 0-19 YRS	290	3.5	10	1	1	3	5	7	8	13
20-34	1703	3.8	13	<1	<1	3	5	7	8	16
35-49	433	4.2	15	1	1	3	6	8	10	22
50-64	313	4.8	15	1	2	4	5	9	11	21
65+	277	5.6	45	2	2	4	5	8	15	39
GRAND TOTAL	3016	4.1	16	<1	1	3	5	8	9	22

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.8	22	1	2	5	7	13	18	18
20-34	418	5.8	8	2	3	5	7	9	10	17
35-49	1229	6.9	8	3	4	7	8	10	12	16
50-64	2051	7.1	7	4	4	7	8	10	12	17
65+	1349	7.7	9	4	4	7	9	11	14	19
2. MULTIPLE DX										
0-19 YRS	18	7.3	16	<1	2	7	10	13	15	16
20-34	787	7.3	13	3	4	7	9	11	13	22
35-49	2549	8.5	17	4	5	8	10	13	16	23
50-64	3563	8.7	17	4	5	8	10	14	16	24
65+	2482	9.8	34	5	5	9	11	15	19	31
TOT. SINGLE DX	5058	7.1	9	4	4	7	8	11	12	17
" MULTIPLE DX	9399	8.8	22	4	5	8	10	14	17	25
TOTAL 0-19 YRS	29	6.8	19	1	2	6	8	13	16	18
20-34	1205	6.8	13	3	3	6	8	11	12	20
35-49	3778	8.0	15	4	4	7	9	12	15	22
50-64	5614	8.2	14	4	5	7	9	12	15	22
65+	3831	9.1	27	4	5	8	10	14	17	26
GRAND TOTAL	14457	8.2	18	4	5	7	9	13	15	23

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	3.3	12	<1	1	2	4	7	11	18
20-34	776	3.9	6	<1	1	3	5	7	9	12
35-49	337	4.4	10	1	1	4	6	8	10	18
50-64	238	5.7	11	1	1	6	8	10	11	16
65+	107	7.3	19	2	2	7	9	12	17	27
2. MULTIPLE DX										
0-19 YRS	127	5.3	64	<1	1	3	6	12	15	43
20-34	389	5.1	18	1	1	4	6	10	12	23
35-49	300	6.9	31	1	2	6	9	13	16	29
50-64	322	9.2	63	2	3	7	11	17	23	41
65+	254	11.5	116	3	4	8	14	22	31	53
TOT. SINGLE DX	1635	4.4	11	1	1	4	6	8	10	16
" MULTIPLE DX	1392	7.6	59	1	2	6	9	15	20	37
TOTAL 0-19 YRS	304	4.1	35	<1	1	2	5	9	13	26
20-34	1165	4.3	11	1	1	3	6	8	10	17
35-49	637	5.5	22	1	1	4	7	11	15	21
50-64	560	7.7	44	1	2	6	9	14	19	35
65+	361	10.2	91	2	3	8	11	18	27	49
GRAND TOTAL	3027	5.9	36	1	1	5	7	11	15	30

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	613	3.2	11	<1	<1	2	3	7	9	19
20-34	1821	3.2	9	<1	<1	2	4	7	9	15
35-49	629	4.0	27	<1	1	2	5	9	11	25
50-64	476	4.7	21	<1	1	3	6	9	13	22
65+	536	5.8	17	1	2	5	8	10	13	19
2. MULTIPLE DX										
0-19 YRS	495	4.7	27	1	1	3	6	9	14	29
20-34	1568	4.7	22	1	1	3	6	9	12	21
35-49	829	6.6	41	1	1	5	9	14	19	33
50-64	966	7.5	57	1	2	6	9	15	21	41
65+	1254	10.0	82	2	3	8	12	21	29	49
TOT. SINGLE DX	4075	3.8	16	<1	1	2	5	8	10	20
" MULTIPLE DX	5112	6.8	52	1	1	5	8	14	20	39
TOTAL 0-19 YRS	1108	3.8	19	<1	1	2	5	8	12	21
20-34	3389	3.9	16	<1	1	2	5	8	11	19
35-49	1458	5.5	27	<1	1	3	7	12	17	33
50-64	1442	6.5	47	1	2	5	8	13	19	37
65+	1790	8.8	67	2	2	7	10	17	25	46
GRAND TOTAL	9187	5.5	38	<1	1	4	7	11	16	32

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	928	2.3	3	<1	<1	2	3	4	5	8
20-34	4252	2.2	2	<1	<1	2	3	4	5	7
35-49	1773	2.4	3	<1	1	2	3	4	5	10
50-64	832	2.7	6	<1	1	2	3	5	6	12
65+	421	3.9	17	1	1	3	4	8	11	24
2. MULTIPLE DX										
0-19 YRS	352	3.7	20	1	1	3	4	6	9	23
20-34	1515	3.9	19	1	1	3	4	7	11	30
35-49	981	4.5	21	1	1	3	5	10	13	24
50-64	750	7.0	92	1	1	4	8	15	25	53
65+	651	9.1	103	2	2	6	12	19	29	61
TOT. SINGLE DX	8206	2.4	4	<1	1	2	3	4	5	10
" MULTIPLE DX	4249	5.4	50	1	1	3	6	12	17	38
TOTAL 0-19 YRS	1280	2.7	9	<1	1	2	3	5	6	12
20-34	5767	2.7	7	<1	1	2	3	5	6	13
35-49	2754	3.2	11	<1	1	2	3	6	9	17
50-64	1582	4.8	52	1	1	3	5	10	15	37
65+	1072	7.1	76	1	2	4	9	16	23	54
GRAND TOTAL	12455	3.4	22	<1	1	2	4	6	10	25

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.2		<1	<1	2	2	3	4	5
20-34	75	4.4	16	<1	1	3	6	10	13	21
35-49	80	6.6	63	<1	1	4	8	15	20	46
50-64	118	9.0	77	2	2	6	11	21	28	44
65+	140	11.1	98	2	2	8	16	25	30	48
2. MULTIPLE DX										
0-19 YRS	8	3.0	3	2	2	2	4	6	7	7
20-34	46	7.5	75	1	2	4	10	13	26	52
35-49	78	9.6	85	1	2	7	12	27	30	38
50-64	125	14.0	183	2	3	10	18	26	49	64
65+	248	19.9	285	3	5	16	27	43	56	96
TOT. SINGLE DX	431	8.2	75	1	2	5	10	19	26	44
" MULTIPLE DX	505	15.5	229	2	3	11	20	35	45	83
TOTAL 0-19 YRS	26	2.4	2	<1	1	2	2	5	6	7
20-34	121	5.6	41	<1	1	3	7	11	14	34
35-49	158	8.1	76	1	1	5	9	20	28	43
50-64	243	11.6	138	2	2	8	16	24	35	62
65+	388	16.7	236	2	3	12	22	38	45	92
GRAND TOTAL	936	12.1	171	1	2	7	16	28	39	68

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	1.9	1	<1	<1	1	3	4	5	6
20-34	325	3.1	3	<1	1	3	4	5	7	11
35-49	91	3.3	9	<1	1	2	4	6	10	17
50-64	62	4.5	29	<1	1	3	5	8	11	37
65+	22	6.9	111	<1	1	4	6	14	31	50
2. MULTIPLE DX										
0-19 YRS	83	3.2	13	1	1	2	4	6	8	24
20-34	208	3.6	5	1	1	3	5	7	8	14
35-49	77	5.6	14	1	1	5	8	10	13	20
50-64	78	8.9	132	2	2	6	10	20	25	74
65+	29	11.2	130	2	2	9	12	27	40	48
TOT. SINGLE DX	687	3.1	10	<1	1	2	4	5	8	13
" MULTIPLE DX	475	5.2	43	1	1	3	6	10	15	33
TOTAL 0-19 YRS	270	2.3	6	<1	1	2	3	5	6	10
20-34	533	3.3	5	<1	1	3	4	6	8	12
35-49	168	4.4	13	1	1	3	6	9	11	18
50-64	140	7.0	92	1	2	4	8	14	22	44
65+	51	9.4	125	1	1	6	10	22	39	50
GRAND TOTAL	1162	3.9	25	<1	1	3	5	8	10	24

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.8	13	<1	<1	1	2	7	11	19
20-34	78	4.0	38	<1	<1	2	3	12	17	36
35-49	22	3.7	10	<1	1	2	6	9	11	12
50-64	20	3.9	30	<1	<1	2	4	8	18	25
65+	5	2.4	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	36	4.0	25	<1	<1	2	5	10	15	24
20-34	82	5.7	49	<1	1	3	6	14	20	39
35-49	39	5.9	35	1	2	3	9	15	24	99+
50-64	19	7.6	71	1	2	5	11	14	27	38
65+	39	10.3	185	1	1	5	11	28	44	60
TOT. SINGLE DX	166	3.6	26	<1	<1	2	3	8	14	24
" MULTIPLE DX	215	6.5	72	<1	1	3	8	15	23	55
TOTAL 0-19 YRS	77	3.4	19	<1	<1	1	3	9	13	23
20-34	160	4.9	45	<1	<1	2	5	13	18	41
35-49	61	5.1	27	<1	1	3	8	11	18	91
50-64	39	5.7	53	<1	1	3	7	12	20	38
65+	44	9.4	170	1	1	4	11	24	39	60
GRAND TOTAL	381	5.2	54	<1	<1	2	6	12	19	44

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12638	3.1	1	2	2	3	4	4	5	6
20-34	60099	3.3	1	2	2	3	4	5	5	7
35-49	2381	3.5	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7551	3.7	4	2	2	3	4	5	6	11
20-34	39901	3.8	4	2	2	4	4	5	6	10
35-49	2385	4.1	4	2	2	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	75118	3.3	2	2	2	3	4	4	5	7
" MULTIPLE DX	49837	3.8	5	2	2	3	4	5	6	10
TOTAL 0-19 YRS	20189	3.3	3	2	2	3	4	5	5	8
20-34	100000	3.5	3	2	2	3	4	5	6	8
35-49	4766	3.8	3	2	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	124955	3.5	3	2	2	3	4	5	6	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	2.9	1	1	2	3	3	4	4	7
20-34	1624	3.1	1	1	2	3	4	4	5	6
35-49	102	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	319	3.1	10	1	1	3	4	5	6	9
20-34	2315	3.7	9	1	2	3	4	6	7	13
35-49	223	3.9	10	1	2	3	4	6	7	16
50-64										
65+										
TOT. SINGLE DX	1931	3.1	1	1	2	3	4	4	5	6
" MULTIPLE DX	2857	3.7	10	1	2	3	4	6	7	13
TOTAL 0-19 YRS	524	3.0	7	1	1	3	3	4	5	8
20-34	3939	3.5	6	1	2	3	4	5	6	11
35-49	325	3.6	8	1	2	3	4	5	7	12
50-64										
65+										
GRAND TOTAL	4788	3.4	6	1	2	3	4	5	6	11

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1465	3.2	2	2	2	3	4	4	5	7
20-34	8672	3.4	2	2	2	3	4	5	5	7
35-49	382	3.3	1	2	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1754	3.6	4	2	2	3	4	5	6	11
20-34	10260	3.8	3	2	2	4	4	5	6	10
35-49	597	4.0	3	2	2	4	5	6	7	10
50-64										
65+										
TOT. SINGLE DX	10519	3.3	2	2	2	3	4	5	5	7
" MULTIPLE DX	12611	3.8	4	2	2	4	4	5	6	10
TOTAL 0-19 YRS	3219	3.4	4	2	2	3	4	5	6	9
20-34	18932	3.6	3	2	2	3	4	5	6	9
35-49	979	3.7	3	2	2	4	4	6	6	9
50-64										
65+										
GRAND TOTAL	23130	3.6	3	2	2	3	4	5	6	9

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58247	2.9	1	1	2	3	3	4	4	6
20-34	318612	3.0	1	1	2	3	4	4	5	6
35-49	14148	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12180	3.5	5	1	2	3	4	5	7	12
20-34	85790	3.6	5	2	2	3	4	5	6	10
35-49	6779	3.9	6	2	2	3	4	5	7	13
50-64										
65+										
TOT. SINGLE DX	391007	3.0	2	1	2	3	4	4	5	6
" MULTIPLE DX	104749	3.6	6	2	2	3	4	5	6	11
TOTAL 0-19 YRS	70427	3.0	2	1	2	3	3	4	5	7
20-34	404402	3.1	3	1	2	3	4	4	5	7
35-49	20927	3.3	4	1	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	495756	3.1	3	1	2	3	4	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6404	5.7	4	4	4	5	6	7	8	12
20-34	51161	5.8	4	4	4	6	7	7	8	11
35-49	2500	6.2	5	4	4	6	7	8	9	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	10669	6.6	11	4	4	6	7	9	11	19
20-34	82822	6.4	11	4	4	6	7	8	10	19
35-49	7476	7.0	19	4	4	6	7	9	12	25
50-64										
65+										
TOT. SINGLE DX	60065	5.8	4	4	4	6	7	7	8	11
" MULTIPLE DX	100967	6.5	12	4	4	6	7	8	10	20
TOTAL 0-19 YRS	17073	6.3	9	4	4	6	7	9	10	17
20-34	133983	6.2	9	4	4	6	7	8	9	17
35-49	9976	6.8	16	4	4	6	7	9	11	23
50-64										
65+										
GRAND TOTAL	161032	6.2	9	4	4	6	7	8	9	17

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	615	5.8	4	4	4	5	6	8	9	13
20-34	3338	5.8	5	4	4	6	6	7	8	12
35-49	167	6.2	5	4	4	6	7	8	9	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	727	6.5	6	4	4	6	7	9	11	17
20-34	4683	6.7	17	4	4	6	7	9	11	24
35-49	482	7.4	15	4	4	6	8	11	14	23
50-64										
65+										
TOT. SINGLE DX	4120	5.8	5	4	4	6	6	7	8	12
" MULTIPLE DX	5892	6.7	16	4	4	6	7	9	12	23
TOTAL 0-19 YRS	1342	6.2	6	4	4	6	7	8	10	16
20-34	8021	6.3	13	4	4	6	7	8	10	20
35-49	649	7.1	14	4	4	6	8	10	14	23
50-64										
65+										
GRAND TOTAL	10012	6.3	12	4	4	6	7	8	10	19

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.2	1	2	3	4	5	5	6	6
20-34	159	5.3	3	3	3	5	6	8	9	11
35-49	7	5.3	5	3	3	5	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	22	8.2	71	3	4	6	7	14	32	40
20-34	171	6.6	19	3	4	6	7	10	12	29
35-49	25	7.0	6	3	4	7	8	10	13	15
50-64										
65+										
TOT. SINGLE DX	181	5.2	4	3	3	5	6	8	9	11
" MULTIPLE DX	218	6.8	23	3	4	6	7	10	12	35
TOTAL 0-19 YRS	37	6.6	46	3	3	5	7	8	20	40
20-34	330	6.0	12	3	3	5	7	9	11	15
35-49	32	6.7	7	3	3	6	8	10	12	15
50-64										
65+										
GRAND TOTAL	399	6.1	15	3	3	5	7	9	11	22

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2605	1.8		1	1	2	2	3	3	4
20-34	2825	1.9		1	1	2	2	3	4	5
35-49	230	1.9	1	1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	648	2.3	6	1	1	2	2	3	4	14
20-34	811	2.5	4	1	1	2	3	4	5	13
35-49	101	2.4	3	1	1	2	3	4	6	10
50-64										
65+										
TOT. SINGLE DX	5660	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	1560	2.4	6	1	1	2	3	4	5	13
TOTAL 0-19 YRS	3253	1.9	2	1	1	2	2	3	3	5
20-34	3636	2.0	2	1	1	2	2	3	4	7
35-49	331	2.1	2	1	1	2	2	4	4	7
50-64										
65+										
GRAND TOTAL	7220	2.0	2	1	1	2	2	3	4	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	4.0	19	<1	1	3	5	8	10	29
20-34	809	4.0	30	<1	<1	2	5	9	11	27
35-49	67	3.6	11	<1	<1	2	4	10	12	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	108	5.2	22	<1	1	4	7	12	18	20
20-34	872	4.2	43	<1	<1	2	5	10	15	31
35-49	517	1.7	11	<1	<1	<1	<1	1	5	17
50-64										
65+										
TOT. SINGLE DX	1034	4.0	28	<1	<1	2	5	8	11	27
" MULTIPLE DX	1497	3.4	33	<1	<1	<1	4	8	13	27
TOTAL 0-19 YRS	266	4.5	21	<1	1	3	6	9	13	22
20-34	1681	4.1	38	<1	<1	2	5	9	13	30
35-49	584	1.9	12	<1	<1	<1	<1	4	7	15
50-64										
65+										
GRAND TOTAL	2531	3.7	31	<1	<1	2	4	8	12	27

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2946	2.5	2	<1	<1	3	3	4	4	6
20-34	15303	2.6	2	<1	<1	3	3	4	5	7
35-49	758	2.6	2	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1160	3.2	3	<1	1	3	4	5	6	11
20-34	6481	3.4	5	<1	1	3	4	5	6	12
35-49	532	3.8	6	1	2	3	4	6	7	13
50-64										
65+										
TOT. SINGLE DX	19007	2.6	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	8173	3.4	5	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	4106	2.7	3	<1	<1	3	3	4	5	8
20-34	21784	2.9	3	<1	<1	3	4	4	5	8
35-49	1290	3.1	5	<1	<1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	27180	2.8	3	<1	<1	3	4	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7692	2.8	1	1	2	3	3	4	4	6
20-34	42747	2.9	1	1	2	3	3	4	5	6
35-49	2409	2.9	1	1	1	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5377	3.2	4	2	2	3	4	5	5	9
20-34	29860	3.3	4	1	2	3	4	5	6	9
35-49	2243	3.5	3	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	52848	2.9	2	1	2	3	3	4	5	6
" MULTIPLE DX	37480	3.3	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	13069	3.0	3	1	2	3	3	4	5	8
20-34	72607	3.1	3	1	2	3	4	4	5	7
35-49	4652	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	90328	3.1	3	1	2	3	4	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	3.3	10	<1	1	2	4	6	8	16
20-34	265	3.6	11	1	2	3	4	6	9	22
35-49	152	3.7	13	1	1	3	4	8	10	19
50-64	211	5.7	50	1	2	3	6	13	19	38
65+	141	8.1	88	2	2	5	10	18	25	51
2. MULTIPLE DX										
0-19 YRS	104	4.3	11	1	2	4	5	7	12	19
20-34	182	4.7	56	1	2	3	4	8	12	32
35-49	188	6.9	147	1	2	3	7	15	23	78
50-64	358	9.8	165	2	2	4	12	25	35	84
65+	300	10.9	167	2	2	6	14	25	38	84
TOT. SINGLE DX	925	4.7	35	1	2	3	5	10	15	31
" MULTIPLE DX	1132	8.3	137	2	2	4	10	19	30	77
TOTAL 0-19 YRS	260	3.7	11	1	1	3	4	6	9	17
20-34	447	4.1	30	1	2	3	4	7	10	27
35-49	340	5.5	90	1	1	3	5	11	17	48
50-64	569	8.3	127	1	2	4	10	20	30	72
65+	441	10.0	143	2	2	5	13	23	33	75
GRAND TOTAL	2057	6.7	94	1	2	3	7	16	24	55

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1210	3.9	2	2	2	4	4	5	6	10
20-34	1891	3.8	2	2	2	4	4	6	6	9
35-49	616	4.1	11	2	2	4	5	6	7	12
50-64	215	4.1	5	2	2	4	5	7	9	14
65+	57	6.6	32	2	2	4	8	16	19	28
2. MULTIPLE DX										
0-19 YRS	846	4.3	3	2	3	4	5	6	7	12
20-34	1137	4.4	7	2	3	4	5	7	8	14
35-49	423	4.7	8	2	2	4	5	7	9	17
50-64	193	6.4	62	2	2	4	7	14	17	64
65+	75	10.4	185	2	2	6	12	32	40	93
TOT. SINGLE DX	3989	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	2674	4.8	16	2	3	4	5	7	9	19
TOTAL 0-19 YRS	2056	4.1	3	2	3	4	5	6	7	11
20-34	3028	4.0	4	2	2	4	5	6	7	11
35-49	1039	4.3	10	2	2	4	5	7	8	15
50-64	408	5.2	34	2	2	4	6	9	14	24
65+	132	8.8	122	2	2	4	11	20	33	78
GRAND TOTAL	6663	4.3	9	2	2	4	5	6	8	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	783	2.7	4	1	1	2	3	5	6	8
20-34	1261	3.1	5	1	1	3	4	6	7	11
35-49	274	3.5	8	1	1	2	4	7	9	15
50-64	92	4.3	10	1	1	3	6	8	10	16
65+	38	4.5	17	1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	859	5.1	43	1	2	3	6	10	13	34
20-34	1380	5.7	40	1	2	4	7	11	14	34
35-49	376	7.6	63	2	2	6	9	15	20	37
50-64	184	8.3	77	2	2	6	10	17	23	54
65+	105	11.7	147	2	3	7	14	26	35	67
TOT. SINGLE DX	2448	3.1	6	1	1	2	4	6	7	12
" MULTIPLE DX	2904	6.2	53	1	2	4	7	12	17	39
TOTAL 0-19 YRS	1642	4.0	26	1	1	3	4	7	10	21
20-34	2641	4.5	26	1	1	3	5	8	11	27
35-49	650	5.9	45	1	2	4	7	12	16	29
50-64	276	7.0	59	1	2	5	8	14	20	46
65+	143	9.8	123	1	2	6	12	22	33	64
GRAND TOTAL	5352	4.8	34	1	1	3	5	9	13	29

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	662	3.5	6	1	1	3	4	6	8	12
20-34	1823	3.4	6	1	1	3	4	6	8	12
35-49	655	3.8	10	1	1	3	5	7	9	15
50-64	222	4.4	14	1	2	3	5	9	12	18
65+	97	6.8	33	2	2	5	8	15	19	29
2. MULTIPLE DX										
0-19 YRS	858	7.2	60	2	2	5	8	13	18	45
20-34	2250	7.3	68	2	2	5	8	14	19	49
35-49	881	7.8	70	2	2	6	9	14	21	41
50-64	431	9.6	82	2	2	7	12	21	26	53
65+	233	12.5	154	2	3	9	14	25	36	66
TOT. SINGLE DX	3459	3.7	9	1	1	3	4	7	9	14
" MULTIPLE DX	4653	7.9	75	2	2	6	9	15	22	49
TOTAL 0-19 YRS	1520	5.6	41	1	2	4	6	11	14	33
20-34	4073	5.6	44	1	2	4	6	11	15	39
35-49	1536	6.1	49	1	2	4	7	12	16	31
50-64	653	7.9	65	1	2	5	10	16	23	48
65+	330	10.8	125	2	2	8	14	21	33	59
GRAND TOTAL	8112	6.1	51	1	2	4	7	12	16	38

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	4.8	29	1	2	3	5	8	11	35
20-34	110	4.3	22	<1	1	3	5	8	9	27
35-49	82	4.5	13	<1	1	4	5	8	10	22
50-64	70	5.2	48	2	2	4	5	8	11	50
65+	26	4.7	21	1	1	3	6	10	17	20
2. MULTIPLE DX										
0-19 YRS	65	6.0	32	1	2	4	7	11	15	33
20-34	81	6.0	56	1	1	4	7	12	16	49
35-49	78	7.1	39	2	2	5	8	18	21	27
50-64	82	8.2	71	2	2	5	9	15	29	44
65+	50	6.8	38	1	2	5	8	15	21	30
TOT. SINGLE DX	360	4.6	27	1	1	3	5	8	11	29
" MULTIPLE DX	356	6.9	49	1	2	5	8	15	20	34
TOTAL 0-19 YRS	137	5.4	31	1	2	4	6	10	12	34
20-34	191	5.0	37	<1	1	4	6	9	14	34
35-49	160	5.7	28	1	2	4	6	14	18	25
50-64	152	6.8	63	2	2	5	7	12	20	44
65+	76	6.1	34	1	2	4	8	14	20	29
GRAND TOTAL	716	5.7	39	1	2	4	7	11	16	32

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1722	5.5	31	1	2	4	6	11	16	30
20-34	1944	5.0	37	1	2	3	5	9	13	35
35-49	1325	4.9	24	1	2	4	6	9	13	25
50-64	1403	6.6	29	2	2	5	8	12	16	29
65+	563	9.7	75	2	3	8	12	20	25	47
2. MULTIPLE DX										
0-19 YRS	1017	7.4	67	2	2	5	8	14	24	47
20-34	1866	6.2	66	2	2	4	6	12	22	47
35-49	1569	6.3	67	2	2	4	6	12	19	45
50-64	1749	8.2	89	2	2	5	9	16	23	58
65+	839	13.5	156	2	3	10	18	30	42	98
TOT. SINGLE DX	6957	5.8	37	1	2	4	7	11	16	32
" MULTIPLE DX	7040	7.8	88	2	2	5	9	17	26	53
TOTAL 0-19 YRS	2739	6.2	46	1	2	4	7	12	19	39
20-34	3810	5.6	52	1	2	4	6	10	17	42
35-49	2894	5.7	48	1	2	4	6	10	16	38
50-64	3152	7.5	63	2	2	5	9	14	20	45
65+	1402	12.0	127	2	3	9	15	26	37	69
GRAND TOTAL	13997	6.8	64	2	2	4	8	14	21	45

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1016	3.8	3	2	2	3	5	6	7	11
20-34	2240	3.8	3	2	2	4	5	6	7	10
35-49	2032	4.2	3	2	2	4	5	6	7	10
50-64	2443	4.5	6	2	2	4	5	7	8	12
65+	1061	5.1	13	2	2	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	1056	4.1	2	2	2	4	5	6	7	9
20-34	3379	4.2	4	2	2	4	5	6	7	12
35-49	3912	4.7	10	2	3	4	5	7	9	17
50-64	6961	5.2	14	2	3	4	6	8	10	19
65+	3683	6.5	34	2	3	5	7	10	15	32
TOT. SINGLE DX	8792	4.3	6	2	2	4	5	7	8	12
" MULTIPLE DX	18991	5.1	16	2	3	4	6	8	10	22
TOTAL 0-19 YRS	2072	3.9	3	2	2	4	5	6	7	10
20-34	5619	4.1	4	2	2	4	5	6	7	11
35-49	5944	4.6	8	2	2	4	5	7	8	14
50-64	9404	5.0	12	2	3	4	6	8	9	17
65+	4744	6.1	30	2	3	5	7	10	14	31
GRAND TOTAL	27783	4.8	13	2	2	4	6	7	9	18

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5799	3.9	18	1	1	3	4	6	9	25
20-34	7664	4.5	29	1	1	3	5	8	11	30
35-49	5034	4.8	32	1	2	3	5	9	12	31
50-64	4090	5.5	41	1	2	4	6	10	15	37
65+	1968	7.7	73	1	2	5	9	17	24	48
2. MULTIPLE DX										
0-19 YRS	2292	7.7	127	1	2	4	7	20	33	71
20-34	5188	8.1	142	1	2	4	8	19	35	75
35-49	4448	8.3	130	1	2	4	8	20	32	70
50-64	5260	9.7	149	2	2	5	11	23	36	66
65+	4137	14.8	226	2	3	10	20	35	49	94
TOT. SINGLE DX	24555	4.8	34	1	2	3	5	9	13	32
" MULTIPLE DX	21325	9.8	163	1	2	5	11	25	38	74
TOTAL 0-19 YRS	8091	5.0	53	1	1	3	5	8	16	42
20-34	12852	5.9	78	1	2	3	6	11	20	53
35-49	9482	6.4	81	1	2	4	6	13	22	54
50-64	9350	7.9	107	1	2	4	8	18	28	57
65+	6105	12.5	188	2	2	7	16	30	43	76
GRAND TOTAL	45880	7.1	100	1	2	4	7	16	27	58

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1815	6.7	64	1	2	4	7	13	22	44
20-34	1781	5.4	37	1	2	4	6	9	14	34
35-49	736	6.2	45	1	2	5	7	11	16	36
50-64	638	8.9	80	2	2	7	11	16	21	64
65+	1092	14.9	84	3	5	14	18	26	33	54
2. MULTIPLE DX										
0-19 YRS	669	11.4	212	2	2	6	13	30	43	74
20-34	937	11.2	191	2	2	6	13	27	45	79
35-49	532	11.3	182	2	2	7	13	24	36	75
50-64	716	14.2	168	2	3	10	18	30	42	80
65+	1930	21.2	221	5	7	18	27	41	57	99+
TOT. SINGLE DX	6062	8.0	71	1	2	5	10	17	23	47
" MULTIPLE DX	4784	15.7	223	2	3	11	21	35	49	88
TOTAL 0-19 YRS	2484	8.0	109	2	2	5	8	18	29	60
20-34	2718	7.4	98	1	2	4	8	15	25	59
35-49	1268	8.3	110	1	2	5	9	17	26	61
50-64	1354	11.7	134	2	3	8	15	25	36	74
65+	3022	18.9	181	4	6	16	24	36	49	94
GRAND TOTAL	10846	11.4	153	2	2	7	15	26	37	71

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3832	3.0	18	<1	1	2	3	5	6	24
20-34	5960	2.9	10	<1	1	2	3	5	7	14
35-49	2650	3.3	17	<1	1	2	4	5	8	19
50-64	2362	4.1	24	1	1	3	4	8	11	25
65+	2049	7.2	71	1	2	4	9	16	23	43
2. MULTIPLE DX										
0-19 YRS	899	5.1	62	1	1	3	5	9	21	44
20-34	1714	6.0	77	1	1	3	6	12	21	48
35-49	1125	6.9	94	1	1	4	8	15	26	51
50-64	1368	9.1	141	1	2	5	10	22	34	77
65+	2074	14.8	218	2	3	10	20	34	48	94
TOT. SINGLE DX	16853	3.7	24	<1	1	2	4	6	10	26
" MULTIPLE DX	7180	9.2	145	1	2	4	11	23	34	70
TOTAL 0-19 YRS	4731	3.4	27	<1	1	2	3	5	8	30
20-34	7674	3.6	27	<1	1	2	4	6	9	28
35-49	3775	4.4	43	<1	1	3	4	8	13	35
50-64	3730	5.9	74	1	1	3	6	13	21	52
65+	4123	11.0	160	1	2	6	14	26	38	71
GRAND TOTAL	24033	5.3	67	<1	1	3	5	11	20	45

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	391	19.8	226	3	4	17	28	40	50	64
20-34	135	17.5	207	4	6	12	21	37	51	67
35-49	115	13.7	75	4	6	11	17	27	33	42
50-64	340	13.9	81	5	6	12	16	22	28	57
65+	1424	17.7	102	7	9	16	21	28	37	68
2. MULTIPLE DX										
0-19 YRS	297	25.6	286	5	8	23	34	48	62	93
20-34	254	26.3	339	7	9	21	33	56	66	98
35-49	115	22.5	309	6	7	18	31	52	83	99+
50-64	435	22.1	256	7	9	17	27	46	63	98
65+	3002	22.2	190	8	10	19	27	41	56	99+
TOT. SINGLE DX	2405	17.3	128	5	7	15	21	30	40	65
" MULTIPLE DX	4103	22.7	218	8	10	19	28	43	61	99+
TOTAL 0-19 YRS	688	22.3	260	3	4	20	31	44	54	85
20-34	389	23.3	310	6	7	18	29	51	62	91
35-49	230	18.1	211	5	6	14	24	40	52	99+
50-64	775	18.5	196	6	8	14	22	34	53	82
65+	4426	20.8	167	8	10	17	25	37	51	99+
GRAND TOTAL	6508	20.7	192	7	8	17	25	39	53	98

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	677	12.6	103	3	4	10	15	22	30	57
20-34	662	14.2	105	4	6	12	17	25	34	61
35-49	512	13.5	82	5	6	11	16	22	30	52
50-64	1566	14.9	80	6	7	13	17	24	30	55
65+	7896	18.5	96	8	9	16	22	29	37	63
2. MULTIPLE DX										
0-19 YRS	787	20.5	206	5	8	16	26	40	51	99
20-34	1321	22.7	249	7	9	18	27	45	60	99+
35-49	781	22.3	250	7	8	18	28	47	67	99+
50-64	2410	21.8	211	8	9	18	27	42	57	99+
65+	17071	23.5	197	9	11	20	29	43	58	99+
TOT. SINGLE DX	11313	17.2	99	6	8	15	20	28	36	61
" MULTIPLE DX	22370	23.2	205	9	10	19	28	43	59	99+
TOTAL 0-19 YRS	1464	16.8	174	4	5	13	21	33	44	85
20-34	1983	19.8	218	5	7	16	24	40	54	91
35-49	1293	18.8	202	5	7	15	23	37	56	99+
50-64	3976	19.1	171	7	8	16	22	35	48	88
65+	24967	21.9	171	9	11	19	26	39	52	99+
GRAND TOTAL	33683	21.1	177	8	9	18	25	38	52	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1099	13.4	171	1	2	9	20	30	40	62
20-34	108	19.1	335	2	3	12	28	46	51	87
35-49	46	18.1	324	2	3	11	24	34	57	93
50-64	101	17.8	381	1	2	12	24	45	79	99+
65+	326	18.1	189	3	4	16	23	35	53	99+
2. MULTIPLE DX										
0-19 YRS	530	22.2	317	2	3	19	32	48	62	91
20-34	289	25.1	365	4	7	19	36	53	68	99+
35-49	119	29.7	477	4	6	26	47	63	86	99+
50-64	144	28.5	540	3	5	22	47	77	93	99+
65+	573	25.2	318	6	8	20	35	55	71	99+
TOT. SINGLE DX	1680	15.1	207	1	2	11	21	32	46	81
" MULTIPLE DX	1655	24.8	361	3	5	20	36	56	70	99+
TOTAL 0-19 YRS	1629	16.2	236	1	2	12	24	38	49	74
20-34	397	23.5	363	3	5	18	34	51	67	98
35-49	165	26.5	460	3	5	22	40	60	83	99+
50-64	245	24.1	500	2	3	17	35	69	91	99+
65+	899	22.6	283	4	7	18	29	50	66	99+
GRAND TOTAL	3335	19.9	307	2	3	16	28	47	61	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1555	5.2	43	1	1	2	6	15	20	28
20-34	1475	4.1	22	<1	1	3	5	9	12	27
35-49	844	4.4	24	1	1	3	5	9	11	24
50-64	961	4.4	23	1	1	3	5	9	12	23
65+	846	5.9	39	1	1	4	7	13	18	32
2. MULTIPLE DX										
0-19 YRS	481	11.5	188	1	2	6	16	29	42	64
20-34	792	10.7	191	1	2	6	12	27	41	73
35-49	484	9.9	154	1	2	6	11	22	38	76
50-64	600	10.6	163	1	2	6	12	25	40	83
65+	770	13.7	192	2	2	10	18	30	43	86
TOT. SINGLE DX	5681	4.8	32	1	1	3	5	11	16	28
" MULTIPLE DX	3127	11.4	182	1	2	7	14	27	41	78
TOTAL 0-19 YRS	2036	6.7	85	1	1	3	8	18	24	46
20-34	2267	6.4	91	1	1	3	7	14	23	53
35-49	1328	6.4	79	1	1	4	7	13	21	54
50-64	1561	6.8	86	1	1	4	7	14	24	50
65+	1616	9.6	128	1	2	5	12	22	31	63
GRAND TOTAL	8808	7.1	95	1	1	4	8	17	25	53

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6863	3.7	10	1	1	3	4	7	9	15
20-34	8796	4.5	14	1	1	4	6	8	11	20
35-49	4717	5.4	18	1	2	4	7	10	13	21
50-64	4282	6.7	28	2	2	5	8	12	16	29
65+	2766	9.3	63	2	3	7	11	18	22	44
2. MULTIPLE DX										
0-19 YRS	2883	8.0	112	1	2	5	8	17	28	63
20-34	5618	9.2	126	1	2	6	10	19	31	73
35-49	3290	9.6	125	2	2	6	11	19	31	69
50-64	3646	11.1	123	2	3	8	13	23	33	66
65+	3833	15.4	167	3	4	12	19	32	42	71
TOT. SINGLE DX	27424	5.3	24	1	2	4	6	10	13	24
" MULTIPLE DX	19270	10.7	138	2	2	7	13	23	35	69
TOTAL 0-19 YRS	9746	5.0	45	1	1	3	5	9	13	38
20-34	14414	6.3	64	1	2	4	7	12	18	51
35-49	8007	7.1	67	1	2	5	8	13	19	49
50-64	7928	8.7	77	2	3	6	10	17	24	50
65+	6599	12.8	133	3	4	9	16	26	36	64
GRAND TOTAL	46694	7.5	78	1	2	5	9	15	22	51

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14540	2.5	8	1	1	2	3	5	7	16
20-34	4455	4.0	18	1	1	3	5	8	11	21
35-49	2716	4.4	22	1	1	3	5	9	12	23
50-64	3194	4.6	28	1	1	3	6	10	13	27
65+	3293	5.5	40	1	1	3	7	12	17	31
2. MULTIPLE DX										
0-19 YRS	3849	6.0	78	1	1	3	6	14	21	49
20-34	3193	8.3	112	1	1	5	9	18	29	64
35-49	2056	8.7	116	1	2	5	10	18	30	65
50-64	2753	9.1	116	1	2	6	11	20	30	70
65+	4690	12.1	174	1	2	8	15	27	41	80
TOT. SINGLE DX	28198	3.5	19	1	1	2	4	7	11	21
" MULTIPLE DX	16541	9.0	128	1	1	5	11	21	31	67
TOTAL 0-19 YRS	18389	3.2	26	1	1	2	3	6	10	25
20-34	7648	5.8	62	1	1	4	6	12	18	47
35-49	4772	6.3	68	1	1	4	7	13	19	48
50-64	5947	6.7	74	1	1	4	8	14	22	50
65+	7983	9.4	130	1	1	6	12	21	31	67
GRAND TOTAL	44739	5.5	66	1	1	3	6	12	19	46

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1289	4.2	32	<1	1	2	4	11	16	27
20-34	1119	3.2	20	<1	1	2	4	6	10	23
35-49	519	3.4	25	<1	1	2	4	7	10	31
50-64	609	4.3	38	<1	1	2	5	9	13	33
65+	738	5.9	62	1	1	3	7	14	23	37
2. MULTIPLE DX										
0-19 YRS	496	8.2	99	1	1	4	10	22	30	45
20-34	798	10.4	161	1	1	6	13	26	41	60
35-49	432	10.9	204	1	1	5	14	27	44	74
50-64	609	8.6	122	1	1	5	10	21	31	54
65+	958	11.7	194	1	1	7	15	27	41	80
TOT. SINGLE DX	4274	4.1	35	<1	1	2	4	10	15	31
" MULTIPLE DX	3293	10.2	162	1	1	5	13	25	37	67
TOTAL 0-19 YRS	1785	5.3	54	<1	1	2	6	15	21	34
20-34	1917	6.2	91	<1	1	3	6	16	25	52
35-49	951	6.8	121	<1	1	3	7	17	27	57
50-64	1218	6.4	85	1	1	3	7	15	25	49
65+	1696	9.2	145	1	1	5	12	23	33	76
GRAND TOTAL	7567	6.8	99	1	1	3	8	17	26	53

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	774	3.8	13	1	1	3	4	6	10	21
20-34	1364	3.8	11	1	1	3	4	6	8	14
35-49	474	4.3	11	1	2	4	5	7	10	14
50-64	291	6.0	25	1	2	5	7	11	16	27
65+	205	9.9	76	2	2	7	14	18	23	48
2. MULTIPLE DX										
0-19 YRS	251	8.3	97	1	1	5	9	19	28	51
20-34	538	7.8	87	1	2	5	9	16	26	60
35-49	244	9.2	108	2	2	5	11	20	30	62
50-64	244	10.9	135	2	2	8	13	26	39	69
65+	310	18.5	240	3	4	15	23	40	55	76
TOT. SINGLE DX	3108	4.5	20	1	1	3	5	8	12	21
" MULTIPLE DX	1587	10.7	145	1	2	6	13	25	36	67
TOTAL 0-19 YRS	1025	4.9	38	1	1	3	5	9	17	31
20-34	1902	4.9	36	1	2	3	5	8	12	36
35-49	718	6.0	50	1	2	4	6	12	18	38
50-64	535	8.3	82	1	2	5	9	16	27	64
65+	515	15.0	193	2	3	11	19	32	48	71
GRAND TOTAL	4695	6.6	71	1	2	4	7	14	21	50

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3538	4.0	17	1	1	3	4	7	11	23
20-34	4007	4.1	17	1	1	3	5	7	9	22
35-49	1850	4.3	19	1	2	3	5	8	11	26
50-64	1125	6.2	53	1	2	4	7	13	18	41
65+	656	12.9	159	2	2	8	18	29	38	59
2. MULTIPLE DX										
0-19 YRS	1668	5.4	43	1	2	3	5	11	21	32
20-34	2373	5.5	47	1	2	4	6	10	14	41
35-49	1436	7.1	84	1	2	4	7	15	24	52
50-64	1291	10.5	153	2	2	6	12	25	36	73
65+	1142	19.7	301	2	3	15	28	44	60	97
TOT. SINGLE DX	11176	4.8	34	1	1	3	5	9	14	32
" MULTIPLE DX	7910	8.6	131	1	2	4	9	22	32	64
TOTAL 0-19 YRS	5206	4.5	26	1	1	3	5	8	14	29
20-34	6380	4.6	29	1	2	3	5	8	11	29
35-49	3286	5.5	50	1	2	4	6	10	17	42
50-64	2416	8.5	112	1	2	5	10	19	30	60
65+	1798	17.2	260	2	3	13	24	39	53	86
GRAND TOTAL	19086	6.4	78	1	2	4	6	14	23	49

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	9.6	37	4	5	8	12	16	20	35
20-34	8580	10.3	32	4	5	9	12	17	21	31
35-49	13872	10.7	32	4	5	9	13	18	22	30
50-64	7110	11.8	43	5	6	10	14	20	24	34
65+	1455	14.0	61	6	7	12	17	23	28	42
2. MULTIPLE DX										
0-19 YRS	121	13.1	85	2	4	10	18	29	42	99+
20-34	2374	13.7	89	5	6	11	17	24	31	50
35-49	5430	13.9	83	5	6	11	17	24	32	51
50-64	5344	15.5	100	6	7	13	19	27	34	53
65+	2510	20.2	157	7	8	17	25	37	45	73
TOT. SINGLE DX	31417	11.0	37	4	5	9	13	18	22	32
" MULTIPLE DX	15779	15.4	107	5	7	13	19	28	35	56
TOTAL 0-19 YRS	521	10.4	50	3	4	9	13	19	25	51
20-34	10954	11.1	46	4	5	9	13	19	23	37
35-49	19302	11.6	49	5	5	10	14	20	24	37
50-64	12454	13.4	71	5	6	11	16	23	29	45
65+	3965	17.9	131	6	8	15	22	32	40	64
GRAND TOTAL	47196	12.5	65	5	6	10	15	22	27	43

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4340	3.5	3	1	2	3	4	6	7	9
20-34	10964	3.7	4	1	2	3	5	6	7	10
35-49	5482	4.0	6	1	2	4	5	6	8	12
50-64	3126	4.3	7	1	2	4	5	7	9	14
65+	681	5.3	20	1	2	4	7	9	13	22
2. MULTIPLE DX										
0-19 YRS	2332	4.1	7	1	2	4	5	7	8	16
20-34	6302	4.2	10	1	2	4	5	7	9	15
35-49	4002	4.6	16	1	2	4	6	8	11	23
50-64	4144	5.3	23	1	2	4	6	10	13	25
65+	1544	6.7	52	2	2	5	8	14	19	36
TOT. SINGLE DX	24593	3.9	6	1	2	4	5	6	8	12
" MULTIPLE DX	18324	4.8	19	1	2	4	6	8	11	22
TOTAL 0-19 YRS	6672	3.7	5	1	2	3	5	6	7	11
20-34	17266	3.9	7	1	2	4	5	6	8	12
35-49	9484	4.3	11	1	2	4	5	7	9	17
50-64	7270	4.9	17	1	2	4	6	9	11	21
65+	2225	6.3	43	1	2	5	7	12	17	32
GRAND TOTAL	42917	4.2	12	1	2	4	5	7	9	17

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6284	2.7	5	<1	1	2	3	5	6	12
20-34	9703	2.8	6	<1	1	2	3	5	6	12
35-49	4951	3.3	11	<1	1	2	4	6	8	17
50-64	3091	3.8	16	1	1	3	4	7	10	22
65+	1084	5.3	38	1	1	3	6	12	17	33
2. MULTIPLE DX										
0-19 YRS	2564	3.5	17	1	1	2	4	6	9	22
20-34	5183	3.9	23	1	1	3	4	7	10	26
35-49	3243	4.9	41	1	1	3	5	9	14	36
50-64	3391	6.2	68	1	2	4	6	13	20	47
65+	1678	9.6	133	2	2	5	12	23	33	60
TOT. SINGLE DX	25113	3.1	10	<1	1	2	4	5	8	16
" MULTIPLE DX	16059	5.1	51	1	1	3	5	10	16	40
TOTAL 0-19 YRS	8848	2.9	9	<1	1	2	3	5	7	15
20-34	14886	3.2	13	<1	1	2	4	6	8	16
35-49	8194	4.0	24	1	1	3	4	7	10	24
50-64	6482	5.0	45	1	1	3	5	10	16	37
65+	2762	7.9	100	1	2	4	9	18	28	51
GRAND TOTAL	41172	3.9	27	1	1	2	4	7	11	28

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	626	13.4	49	6	7	12	16	20	26	40
20-34	877	12.5	70	5	6	10	14	20	28	47
35-49	1193	11.3	39	5	5	10	14	18	23	36
50-64	735	12.0	73	5	5	10	14	20	26	52
65+	98	15.8	94	5	7	13	20	29	33	56
2. MULTIPLE DX										
0-19 YRS	377	19.7	228	6	8	15	24	38	56	98
20-34	709	17.9	234	6	7	13	21	38	64	99+
35-49	921	15.2	126	5	6	12	18	29	40	88
50-64	761	16.9	168	5	6	13	21	34	47	99+
65+	245	22.2	282	7	8	16	30	50	72	99+
TOT. SINGLE DX	3529	12.2	59	5	6	10	14	20	26	41
" MULTIPLE DX	3013	17.4	192	5	7	13	21	36	51	99+
TOTAL 0-19 YRS	1003	15.8	126	6	7	13	18	28	36	72
20-34	1586	14.9	151	5	6	12	17	29	40	96
35-49	2114	13.0	81	5	6	11	16	22	32	59
50-64	1496	14.5	127	5	6	11	17	27	38	87
65+	343	20.4	237	7	8	15	25	43	58	99+
GRAND TOTAL	6542	14.6	126	5	6	12	17	27	37	83

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	558	4.5	13	1	2	4	5	8	10	17
20-34	1275	4.9	19	1	2	4	6	9	11	21
35-49	1056	5.1	17	1	2	4	6	9	11	23
50-64	1457	5.3	26	1	2	4	6	10	13	25
65+	655	6.8	51	1	2	4	8	16	22	34
2. MULTIPLE DX										
0-19 YRS	383	5.9	20	2	2	5	7	10	14	27
20-34	859	6.6	49	2	2	5	8	12	17	42
35-49	811	6.3	29	2	2	5	8	12	15	33
50-64	1203	7.6	69	2	2	5	9	15	22	48
65+	834	9.3	102	2	2	5	12	21	30	57
TOT. SINGLE DX	5001	5.3	25	1	2	4	6	10	13	26
" MULTIPLE DX	4090	7.3	61	2	2	5	8	14	21	45
TOTAL 0-19 YRS	941	5.1	17	1	2	4	6	9	12	20
20-34	2134	5.6	32	1	2	4	7	10	13	28
35-49	1867	5.6	23	1	2	4	7	10	13	27
50-64	2660	6.3	47	1	2	4	7	12	17	40
65+	1489	8.2	82	2	2	5	10	19	26	46
GRAND TOTAL	**9091**	**6.2**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**36**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	11.9	83	4	4	9	15	21	31	50
20-34	100	14.1	83	3	5	11	17	25	35	46
35-49	163	13.7	68	5	7	12	16	21	25	54
50-64	789	15.2	51	8	9	14	17	23	28	45
65+	4889	17.7	72	8	10	16	21	27	33	54
2. MULTIPLE DX										
0-19 YRS	37	17.1	164	3	5	13	24	36	47	51
20-34	94	17.9	175	5	7	14	23	34	43	70
35-49	184	19.1	208	7	8	15	22	35	47	94
50-64	1216	21.4	193	8	10	17	25	40	56	99+
65+	9731	23.0	169	10	12	20	27	40	53	99+
TOT. SINGLE DX	6013	17.1	71	8	9	15	20	26	32	51
" MULTIPLE DX	11262	22.7	174	9	11	19	27	40	53	99+
TOTAL 0-19 YRS	109	13.7	116	4	4	11	17	29	37	51
20-34	194	15.9	131	4	6	12	20	29	40	62
35-49	347	16.6	150	6	7	14	19	27	40	75
50-64	2005	18.9	146	8	9	16	22	32	46	90
65+	14620	21.3	143	9	11	18	25	36	47	88
GRAND TOTAL	**17275**	**20.8**	**145**	**9**	**10**	**18**	**24**	**35**	**46**	**87**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	14.6	78	3	5	15	17	25	34	42
20-34	252	13.7	46	7	8	12	16	20	26	38
35-49	543	14.1	31	8	9	13	16	20	24	33
50-64	2702	15.1	40	8	9	14	17	22	26	39
65+	4942	16.9	52	9	10	16	19	24	29	46
2. MULTIPLE DX										
0-19 YRS	31	20.1	274	8	9	12	26	46	60	71
20-34	264	17.9	121	8	9	15	21	31	44	95
35-49	641	18.5	110	8	9	16	21	33	40	57
50-64	2625	18.7	106	9	10	16	21	30	39	72
65+	6643	21.8	142	10	11	18	25	36	47	79
TOT. SINGLE DX	8460	16.0	48	8	10	15	18	23	28	42
" MULTIPLE DX	10204	20.7	134	9	11	18	24	34	44	75
TOTAL 0-19 YRS	52	17.9	200	5	8	13	18	38	51	71
20-34	516	15.8	89	8	9	13	18	27	33	71
35-49	1184	16.5	79	8	9	14	18	27	35	49
50-64	5327	16.9	76	8	10	15	19	26	32	56
65+	11585	19.7	110	9	11	17	23	31	40	69
GRAND TOTAL	**18664**	**18.6**	**100**	**9**	**10**	**16**	**21**	**29**	**38**	**64**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2442	4.8	6	2	2	4	6	7	9	13
20-34	3411	5.3	13	2	2	5	6	8	10	19
35-49	1072	7.3	36	2	2	5	9	15	19	31
50-64	2065	14.4	58	3	5	14	18	23	27	38
65+	3840	17.5	57	8	10	16	21	26	31	44
2. MULTIPLE DX										
0-19 YRS	1747	5.5	11	2	3	5	7	9	11	17
20-34	3174	6.4	28	2	3	5	7	10	14	30
35-49	1189	8.5	74	2	2	6	10	17	24	47
50-64	2070	16.3	115	3	5	15	20	29	37	58
65+	4665	20.6	121	8	11	18	24	34	42	69
TOT. SINGLE DX	12830	10.5	66	2	3	7	16	21	25	37
" MULTIPLE DX	12845	13.2	121	2	3	10	18	26	34	58
TOTAL 0-19 YRS	4189	5.1	8	2	2	5	6	8	10	15
20-34	6585	5.8	21	2	2	5	7	9	12	25
35-49	2261	8.0	57	2	2	6	10	16	22	40
50-64	4135	15.4	88	3	5	14	19	26	32	50
65+	8505	19.2	95	8	10	17	23	31	38	61
GRAND TOTAL	**25675**	**11.9**	**95**	**2**	**3**	**9**	**17**	**24**	**30**	**48**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2969	3.5	2	1	2	3	4	5	6	8
20-34	5765	3.6	3	1	2	3	4	6	7	10
35-49	2263	3.9	7	1	2	3	5	6	8	13
50-64	2154	4.8	13	1	2	4	6	9	11	19
65+	952	6.6	32	2	2	5	8	13	17	28
2. MULTIPLE DX										
0-19 YRS	700	4.4	16	1	2	4	5	7	9	17
20-34	1996	4.3	11	1	2	4	5	7	10	20
35-49	1525	5.0	18	1	2	4	6	9	12	23
50-64	2186	6.3	39	2	2	5	7	11	16	31
65+	1284	9.2	77	2	3	6	11	20	27	47
TOT. SINGLE DX	14103	4.0	8	1	2	3	5	6	8	15
" MULTIPLE DX	7691	5.8	35	2	2	4	6	11	16	32
TOTAL 0-19 YRS	3669	3.6	5	1	2	3	4	6	7	10
20-34	7761	3.8	6	1	2	3	5	6	7	13
35-49	3788	4.4	12	1	2	4	5	7	10	18
50-64	4340	5.5	27	2	2	4	6	10	14	26
65+	2236	8.1	60	2	2	5	10	17	24	40
GRAND TOTAL	21794	4.7	18	1	2	4	5	8	11	23

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1559	3.6	17	<1	1	2	4	7	10	22
20-34	1683	3.7	13	<1	1	3	4	7	10	20
35-49	1567	3.3	14	<1	1	2	4	6	9	18
50-64	1716	2.8	10	<1	<1	2	3	5	8	18
65+	568	3.7	24	<1	<1	2	4	8	12	28
2. MULTIPLE DX										
0-19 YRS	833	7.0	77	1	2	4	7	16	23	47
20-34	1053	7.4	91	1	1	4	9	16	24	50
35-49	914	7.0	86	1	2	4	7	16	23	52
50-64	1050	6.7	60	1	2	4	8	17	24	39
65+	625	11.2	165	1	2	7	15	28	36	65
TOT. SINGLE DX	7093	3.4	15	<1	<1	2	4	7	9	20
" MULTIPLE DX	4475	7.6	93	1	2	4	9	18	26	52
TOTAL 0-19 YRS	2392	4.8	41	<1	1	3	5	9	15	38
20-34	2736	5.1	47	<1	1	3	6	10	15	39
35-49	2481	4.7	44	<1	1	3	5	9	15	38
50-64	2766	4.3	33	<1	<1	2	4	10	16	31
65+	1193	7.7	112	<1	1	3	9	20	30	56
GRAND TOTAL	11568	5.0	49	<1	1	3	5	11	17	39

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3381	2.2	7	<1	<1	2	2	3	4	9
20-34	6093	2.2	3	<1	<1	2	2	3	4	10
35-49	3540	2.6	7	<1	<1	2	3	4	6	14
50-64	2723	3.3	14	<1	1	2	4	6	9	21
65+	1022	4.4	30	<1	1	3	5	9	13	29
2. MULTIPLE DX										
0-19 YRS	548	4.2	42	<1	1	2	4	8	12	32
20-34	1503	4.7	39	<1	1	3	5	10	16	31
35-49	1755	5.7	45	1	1	3	7	14	18	37
50-64	2063	7.5	80	1	2	4	9	18	24	48
65+	1451	11.0	154	1	2	7	14	26	36	65
TOT. SINGLE DX	16759	2.6	9	<1	<1	2	3	4	6	15
" MULTIPLE DX	7320	6.9	81	1	1	4	8	16	24	48
TOTAL 0-19 YRS	3929	2.5	13	<1	<1	2	3	4	5	13
20-34	7596	2.7	12	<1	<1	2	3	4	7	18
35-49	5295	3.6	22	<1	1	2	4	7	12	24
50-64	4786	5.1	48	<1	1	3	5	11	18	36
65+	2473	8.3	113	1	1	4	10	20	30	56
GRAND TOTAL	24079	3.9	35	<1	1	2	4	8	14	31

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.3	2	<1	<1	2	3	4	6	8
20-34	332	2.9	19	<1	1	2	3	5	7	16
35-49	589	2.4	2	<1	1	2	3	4	4	9
50-64	1672	2.5	1	<1	1	2	3	4	5	8
65+	1095	2.7	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	60	4.4	19	1	1	3	5	10	13	23
20-34	168	4.7	47	1	1	3	5	9	14	24
35-49	314	4.0	20	1	1	3	4	8	12	27
50-64	897	3.9	20	1	2	3	4	7	12	26
65+	649	4.7	36	1	2	3	4	9	17	29
TOT. SINGLE DX	3861	2.6	4	<1	1	2	3	4	5	9
" MULTIPLE DX	2088	4.3	28	1	1	3	4	8	14	28
TOTAL 0-19 YRS	233	2.8	7	<1	1	2	3	6	8	14
20-34	500	3.5	29	<1	1	2	4	6	10	22
35-49	903	3.0	9	<1	1	2	3	4	7	18
50-64	2569	3.0	9	<1	1	2	3	5	6	15
65+	1744	3.4	17	1	1	2	3	5	9	24
GRAND TOTAL	5949	3.2	13	1	1	2	3	5	8	19

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1900	2.2	3	<1	1	2	3	4	5	9
20-34	3024	2.3	2	<1	1	2	3	4	5	9
35-49	1252	2.4	3	<1	1	2	3	4	5	10
50-64	794	2.6	7	<1	1	2	3	4	6	12
65+	195	2.7	7	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	1254	2.8	14	1	1	2	3	5	7	15
20-34	2167	3.1	14	1	1	2	3	6	8	19
35-49	836	3.7	28	1	1	2	4	6	10	35
50-64	584	3.8	21	1	1	2	4	7	11	22
65+	250	5.0	33	1	1	3	5	11	16	33
TOT. SINGLE DX	7165	2.3	4	<1	1	2	3	4	5	9
" MULTIPLE DX	5091	3.3	19	1	1	2	4	6	9	21
TOTAL 0-19 YRS	3154	2.4	8	<1	1	2	3	4	6	11
20-34	5191	2.6	8	<1	1	2	3	5	6	13
35-49	2088	2.9	14	<1	1	2	3	5	7	16
50-64	1378	3.1	14	<1	1	2	3	6	8	19
65+	445	4.0	24	1	1	3	4	8	12	32
GRAND TOTAL	12256	2.7	10	<1	1	2	3	5	7	15

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	981	2.7	4	1	1	2	3	5	6	9
20-34	1907	3.2	10	<1	1	3	4	6	7	14
35-49	1680	3.5	8	1	1	3	4	6	8	14
50-64	1888	4.2	12	1	2	3	5	7	9	21
65+	694	5.3	26	1	2	4	6	9	13	26
2. MULTIPLE DX										
0-19 YRS	545	4.5	48	1	1	3	4	8	14	41
20-34	1208	4.9	41	1	1	3	5	9	14	36
35-49	1071	5.6	46	1	2	4	6	10	16	40
50-64	1381	6.6	70	2	2	4	7	12	19	47
65+	778	9.2	116	2	2	5	10	22	32	64
TOT. SINGLE DX	7150	3.7	12	1	1	3	4	6	8	16
" MULTIPLE DX	4983	6.1	65	1	1	4	6	12	20	47
TOTAL 0-19 YRS	1526	3.3	21	1	1	2	4	6	8	19
20-34	3115	3.8	24	1	1	3	4	7	9	25
35-49	2751	4.4	24	1	1	3	5	8	10	25
50-64	3269	5.2	38	1	2	4	6	9	13	34
65+	1472	7.4	77	1	2	5	8	15	25	54
GRAND TOTAL	12133	4.7	35	1	1	3	5	8	13	32

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2235	3.3	4	1	1	3	4	6	7	10
20-34	2180	3.9	14	1	1	3	5	7	8	14
35-49	1263	3.8	7	1	1	3	5	6	8	13
50-64	862	4.4	13	1	2	4	5	7	10	18
65+	300	7.0	44	1	2	5	9	15	18	30
2. MULTIPLE DX										
0-19 YRS	1318	4.8	24	1	2	4	5	8	11	29
20-34	1069	6.0	69	1	2	4	6	10	18	54
35-49	570	6.1	66	1	2	4	7	10	18	54
50-64	568	8.3	99	2	2	5	9	18	24	62
65+	325	12.8	158	2	3	9	17	32	41	99+
TOT. SINGLE DX	6840	3.9	12	1	1	3	5	7	9	16
" MULTIPLE DX	3850	6.5	70	1	2	4	7	12	20	55
TOTAL 0-19 YRS	3553	3.9	12	1	1	3	5	6	8	17
20-34	3249	4.6	33	1	1	3	5	8	10	29
35-49	1833	4.5	27	1	1	4	5	8	10	25
50-64	1430	5.9	51	1	2	4	6	11	16	48
65+	625	10.0	113	2	2	7	13	22	33	76
GRAND TOTAL	10690	4.8	34	1	1	4	5	8	12	32

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	2.7	26	<1	1	2	3	5	7	23
20-34	708	2.9	13	1	1	2	3	5	8	20
35-49	479	3.1	14	<1	1	2	3	7	10	20
50-64	395	3.3	22	1	1	2	3	6	11	24
65+	216	3.5	25	1	1	2	4	7	10	30
2. MULTIPLE DX										
0-19 YRS	176	5.0	67	1	1	2	5	10	18	53
20-34	486	5.4	45	1	1	3	6	14	19	37
35-49	401	7.3	128	1	1	3	7	17	31	61
50-64	417	7.7	92	1	1	3	9	19	27	48
65+	312	9.8	162	1	1	5	12	26	37	91
TOT. SINGLE DX	2182	3.0	19	1	1	2	3	6	9	22
" MULTIPLE DX	1792	7.1	100	1	1	3	8	18	27	57
TOTAL 0-19 YRS	557	3.4	41	1	1	2	3	6	10	38
20-34	1194	3.9	28	1	1	2	4	8	14	29
35-49	880	5.0	70	1	1	2	5	11	18	45
50-64	813	5.5	63	1	1	3	6	14	21	45
65+	530	7.2	116	1	1	3	8	20	29	71
GRAND TOTAL	3974	4.9	59	1	1	2	5	11	18	43

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	4.0	14	<1	1	3	5	8	10	20
20-34	55	4.7	26	1	1	3	5	12	17	23
35-49	29	9.4	332	1	2	4	9	19	34	98
50-64	38	7.6	67	1	2	5	10	18	24	41
65+	16	14.8	249	2	3	9	18	40	54	59
2. MULTIPLE DX										
0-19 YRS	23	21.8	396	2	2	18	36	49	61	71
20-34	53	12.3	157	1	1	6	18	27	44	53
35-49	32	18.3	317	2	3	11	25	47	54	70
50-64	40	18.8	331	3	4	13	24	42	49	98
65+	65	21.0	397	2	3	14	30	54	75	98
TOT. SINGLE DX	165	7.1	116	1	1	4	8	15	22	56
" MULTIPLE DX	213	18.1	320	2	2	12	24	46	54	90
TOTAL 0-19 YRS	50	12.2	266	1	1	5	18	39	47	71
20-34	108	8.4	104	1	1	4	12	22	26	50
35-49	61	14.1	339	1	2	8	15	40	53	95
50-64	78	13.3	232	2	2	8	18	30	43	85
65+	81	19.8	371	2	3	13	24	51	70	96
GRAND TOTAL	378	13.3	260	1	2	7	17	35	48	84

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	4.2	21	1	1	3	5	8	11	30
20-34	183	6.2	44	1	2	4	7	13	18	37
35-49	174	8.3	120	1	2	4	8	23	28	50
50-64	213	9.7	119	1	2	6	12	24	34	51
65+	340	11.8	212	1	2	7	13	28	40	71
2. MULTIPLE DX										
0-19 YRS	118	7.8	105	1	1	4	9	21	31	83
20-34	228	15.1	262	2	2	9	20	37	51	94
35-49	538	18.5	271	2	3	14	24	42	53	80
50-64	1422	20.9	308	3	4	16	29	47	61	97
65+	2460	22.6	322	3	5	18	31	49	64	99+
TOT. SINGLE DX	1090	8.6	127	1	2	5	10	21	30	61
" MULTIPLE DX	4766	20.9	312	3	4	16	29	47	60	99
TOTAL 0-19 YRS	298	5.6	58	1	1	3	6	11	20	41
20-34	411	11.1	185	1	2	6	15	29	40	83
35-49	712	16.0	253	2	2	11	22	37	51	78
50-64	1635	19.4	298	2	3	14	27	46	59	95
65+	2800	21.3	321	3	4	16	29	48	62	99+
GRAND TOTAL	5856	18.6	300	2	3	14	26	43	58	96

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	11.7	25	3	6	11	13	21	21	21
20-34	42	17.5	132	5	7	14	21	36	41	56
35-49	39	23.0	333	6	7	17	29	45	65	92
50-64	85	27.6	303	8	9	22	37	52	59	85
65+	230	22.4	190	8	9	18	29	41	49	78
2. MULTIPLE DX										
0-19 YRS	31	26.4	314	6	8	20	39	53	55	69
20-34	129	27.9	447	6	8	22	39	65	79	99+
35-49	265	29.2	357	8	10	25	39	62	93	99+
50-64	1228	31.3	344	9	12	28	42	65	82	99+
65+	3230	32.3	398	9	12	28	45	70	89	99+
TOT. SINGLE DX	411	22.6	226	7	9	18	29	43	54	81
" MULTIPLE DX	4883	31.8	384	9	12	28	44	67	88	99+
TOTAL 0-19 YRS	46	21.6	266	6	7	15	29	50	54	69
20-34	171	25.4	389	5	7	18	34	56	73	98
35-49	304	28.4	358	8	10	24	38	58	89	99+
50-64	1313	31.1	343	9	12	27	42	62	82	99+
65+	3460	31.7	391	9	12	27	44	68	88	99+
GRAND TOTAL	5294	31.1	378	9	11	27	43	66	67	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	11.7	50	4	5	9	15	24	28	28
20-34	18	14.5	82	5	6	12	17	27	35	40
35-49	19	15.2	70	5	6	14	24	29	65	99+
50-64	68	17.0	125	5	7	14	21	32	37	63
65+	280	20.1	207	6	7	16	24	42	54	88
2. MULTIPLE DX										
0-19 YRS	23	24.9	473	5	6	14	37	61	73	77
20-34	49	34.8	364	12	16	34	60	99+	99+	99+
35-49	96	27.6	395	7	9	23	34	65	80	99+
50-64	695	29.3	360	8	10	24	42	66	84	99+
65+	3464	27.2	333	8	10	22	37	59	82	99+
TOT. SINGLE DX	403	18.7	179	5	7	15	22	36	50	83
" MULTIPLE DX	4327	27.6	341	8	10	22	38	61	83	99+
TOTAL 0-19 YRS	41	19.1	326	4	5	14	27	46	64	77
20-34	67	29.3	368	7	9	25	51	78	99+	99+
35-49	115	25.5	362	6	8	20	32	64	80	99+
50-64	763	28.2	351	8	10	23	40	64	81	99+
65+	3744	26.6	327	8	10	21	36	58	79	99+
GRAND TOTAL	4730	26.8	333	8	9	22	37	60	80	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	10.4	98	1	3	6	12	23	35	44
20-34	34	14.3	227	2	3	9	19	33	38	77
35-49	23	18.9	146	3	4	17	26	31	41	55
50-64	43	20.2	203	3	4	18	30	37	49	60
65+	49	19.4	156	3	5	17	26	36	40	68
2. MULTIPLE DX										
0-19 YRS	29	26.7	629	2	3	19	42	65	73	90
20-34	63	27.1	471	3	4	21	47	64	99+	99+
35-49	121	31.5	554	6	9	27	45	77	94	99+
50-64	443	32.2	377	9	12	29	45	66	91	99+
65+	684	32.3	366	8	12	29	46	65	82	99+
TOT. SINGLE DX	181	17.0	179	3	4	14	24	33	41	66
" MULTIPLE DX	1340	31.8	398	7	11	28	46	66	89	99+
TOTAL 0-19 YRS	61	18.1	411	2	3	10	22	50	64	88
20-34	97	22.6	420	3	3	16	37	60	93	99+
35-49	144	29.5	510	5	8	24	40	75	90	99+
50-64	486	31.1	373	8	10	28	43	64	89	99+
65+	733	31.4	363	8	11	28	45	64	82	99+
GRAND TOTAL	1521	30.0	395	5	9	26	43	64	85	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	4.0	18	<1	1	2	6	9	14	20
20-34	94	6.4	38	1	1	5	8	11	16	36
35-49	48	7.4	72	1	1	5	9	14	18	47
50-64	28	7.8	57	1	1	5	10	20	28	28
65+	10	4.1	6	1	1	4	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	58	8.6	129	1	2	6	9	16	28	72
20-34	65	9.7	99	2	2	7	10	22	28	55
35-49	39	12.0	154	1	2	8	14	29	35	65
50-64	30	6.8	32	1	2	5	10	13	17	28
65+	14	8.6	72	1	2	5	12	21	30	32
TOT. SINGLE DX	288	5.7	39	1	1	4	7	12	16	35
" MULTIPLE DX	206	9.4	108	1	2	7	11	19	29	61
TOTAL 0-19 YRS	166	5.7	62	1	1	3	7	12	17	39
20-34	159	7.8	66	1	2	6	9	13	24	46
35-49	87	9.4	113	1	1	7	11	17	34	58
50-64	58	7.3	44	1	2	5	10	15	25	28
65+	24	6.8	48	1	2	4	8	13	24	32
GRAND TOTAL	494	7.2	71	1	1	5	9	14	23	46

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	3.0	13	<1	1	2	3	6	8	23
20-34	368	4.3	38	<1	1	2	5	8	12	40
35-49	232	4.8	73	<1	1	2	5	10	16	37
50-64	217	6.9	106	<1	1	3	7	17	27	47
65+	170	11.3	134	<1	1	8	14	25	37	58
2. MULTIPLE DX										
0-19 YRS	53	4.0	23	<1	1	2	5	7	16	29
20-34	178	8.0	180	1	1	3	7	22	37	97
35-49	169	10.8	130	1	1	7	15	26	33	67
50-64	340	15.4	273	2	2	10	20	41	61	99+
65+	462	18.4	229	3	4	14	25	41	51	98
TOT. SINGLE DX	1139	5.8	76	<1	1	3	6	13	22	46
" MULTIPLE DX	1202	14.3	230	1	2	10	19	36	50	99+
TOTAL 0-19 YRS	205	3.3	16	<1	1	2	3	6	8	26
20-34	546	5.5	88	1	1	3	5	11	21	58
35-49	401	7.3	106	1	1	3	9	18	26	62
50-64	557	12.1	225	1	2	7	16	31	49	99+
65+	632	16.5	214	2	3	13	22	37	48	86
GRAND TOTAL	2341	10.2	173	1	1	5	13	26	39	80

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	18.0	495	2	2	4	31	58	58	58
20-34	33	4.2	16	1	2	3	4	8	14	21
35-49	23	7.0	42	1	2	4	10	17	21	28
50-64	36	8.9	69	2	3	6	11	22	28	38
65+	28	11.6	49	3	3	10	17	22	25	26
2. MULTIPLE DX										
0-19 YRS	7	7.9	91	2	2	5	7	25	29	29
20-34	10	8.2	97	1	1	5	8	26	30	30
35-49	14	6.6	24	1	1	6	10	14	17	18
50-64	26	13.3	186	1	2	8	16	35	42	56
65+	36	15.7	80	4	5	16	20	27	35	38
TOT. SINGLE DX	131	8.7	93	2	2	5	11	20	27	58
" MULTIPLE DX	93	12.3	113	1	2	9	17	27	35	48
TOTAL 0-19 YRS	18	14.1	349	2	2	4	18	51	58	58
20-34	43	5.1	36	1	2	3	5	10	22	30
35-49	37	6.8	35	1	2	6	10	16	18	28
50-64	62	10.7	121	2	2	6	15	27	37	54
65+	64	13.9	70	3	4	12	19	25	29	38
GRAND TOTAL	224	10.2	104	2	2	6	15	23	29	56

Appendix

ICD-9-CM Codes for Selected Operation Groups

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	2.6	1	1	1	2	3	4	5	7
20-34	301	3.1	4	1	1	3	4	6	7	11
35-49	412	4.7	15	1	2	4	6	9	10	17
50-64	463	5.1	14	2	2	4	7	10	12	17
65+	768	7.6	28	2	3	7	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	55	4.7	34	1	1	3	4	11	15	37
20-34	128	5.1	15	2	2	4	6	11	12	23
35-49	387	6.9	48	2	2	5	8	12	14	47
50-64	659	8.4	56	2	3	6	9	17	25	44
65+	1458	12.0	102	2	4	9	15	23	31	55
TOT. SINGLE DX	2223	5.3	20	1	2	4	7	10	13	19
" MULTIPLE DX	2687	9.9	84	2	3	7	12	20	28	51
TOTAL 0-19 YRS	334	2.9	7	1	1	2	3	4	6	15
20-34	429	3.7	8	1	1	3	4	7	8	16
35-49	799	5.8	33	2	2	5	7	10	13	27
50-64	1122	7.0	42	2	2	5	8	13	19	38
65+	2226	10.5	81	2	3	8	13	20	28	53
GRAND TOTAL	4910	7.8	60	2	2	6	10	15	22	41

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2581	2.0	1	<1	1	2	2	3	4	5
20-34	9743	2.1	1	<1	<1	2	2	3	4	8
35-49	14818	2.4	3	<1	1	2	3	3	5	9
50-64	8224	2.9	6	<1	1	2	3	5	8	13
65+	4179	3.8	13	1	2	2	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	482	3.0	10	<1	1	2	3	5	7	14
20-34	3861	3.3	13	<1	1	2	3	6	9	18
35-49	8156	3.9	19	1	1	3	4	8	11	22
50-64	6546	5.4	42	1	2	3	6	11	16	36
65+	5466	8.4	95	2	2	5	11	18	26	58
TOT. SINGLE DX	39545	2.6	5	<1	1	2	3	4	6	11
" MULTIPLE DX	24511	5.2	45	1	2	3	6	11	16	35
TOTAL 0-19 YRS	3063	2.2	3	<1	1	2	2	3	4	8
20-34	13604	2.5	6	<1	1	2	3	4	5	12
35-49	22974	2.9	10	<1	1	2	3	5	8	16
50-64	14770	4.0	24	1	1	2	4	8	12	24
65+	9645	6.4	65	1	2	3	8	14	20	44
GRAND TOTAL	64056	3.6	22	<1	1	2	3	7	11	23

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.1	5	<1	1	3	5	8	9	10
20-34	431	7.9	21	4	5	7	9	11	14	20
35-49	2361	7.8	10	4	5	7	9	11	13	18
50-64	4055	8.4	11	4	5	8	10	12	14	20
65+	3713	9.0	15	5	5	8	10	13	16	22
2. MULTIPLE DX										
0-19 YRS	15	7.0	21	1	2	8	10	14	15	16
20-34	372	9.0	25	4	5	8	10	13	17	30
35-49	2410	9.0	23	4	5	8	10	14	17	26
50-64	4820	10.1	32	5	5	9	11	16	20	32
65+	5772	11.9	50	5	6	10	14	19	24	39
TOT. SINGLE DX	10580	8.4	13	4	5	8	10	12	15	21
" MULTIPLE DX	13389	10.6	40	5	5	9	12	17	22	35
TOTAL 0-19 YRS	35	5.3	14	1	2	4	8	10	13	16
20-34	803	8.4	23	4	5	8	10	12	15	23
35-49	4771	8.4	18	4	5	8	10	12	15	23
50-64	8875	9.3	24	4	5	8	11	14	18	27
65+	9485	10.8	39	5	6	9	12	17	22	35
GRAND TOTAL	23969	9.7	29	4	5	9	11	15	19	30

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1195	3.1	2	1	1	3	4	5	6	9
20-34	3382	3.2	4	<1	1	3	4	6	7	9
35-49	2606	3.7	5	1	1	3	5	6	8	11
50-64	1273	4.0	5	1	2	4	5	7	8	12
65+	303	4.2	15	1	1	3	5	7	9	26
2. MULTIPLE DX										
0-19 YRS	333	3.9	12	1	2	3	4	6	8	21
20-34	1873	4.2	12	1	1	4	5	7	10	18
35-49	2857	4.7	11	1	2	4	6	8	10	17
50-64	1795	5.1	15	2	2	4	6	9	11	21
65+	437	6.5	48	2	2	4	8	12	18	39
TOT. SINGLE DX	8759	3.5	5	1	1	3	4	6	7	10
" MULTIPLE DX	7295	4.7	15	1	2	4	6	8	10	20
TOTAL 0-19 YRS	1528	3.3	5	1	2	3	4	5	6	10
20-34	5255	3.6	8	<1	1	3	4	6	8	13
35-49	5463	4.2	9	1	1	4	5	7	9	14
50-64	3068	4.6	12	1	2	4	6	8	10	17
65+	740	5.6	36	1	2	4	6	10	15	31
GRAND TOTAL	16054	4.1	10	1	1	3	5	7	9	16

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4046	3.8	5	1	2	3	5	6	7	10
20-34	7305	3.9	5	1	2	4	5	6	7	11
35-49	997	3.8	4	1	2	3	5	6	8	11
50-64	252	4.5	15	1	2	4	5	8	10	18
65+	65	6.0	32	2	2	4	6	15	20	28
2. MULTIPLE DX										
0-19 YRS	501	5.5	29	2	2	4	6	9	13	27
20-34	1133	5.2	17	2	2	4	6	9	12	22
35-49	376	6.2	31	2	2	5	7	11	17	31
50-64	183	8.4	71	2	2	6	11	18	25	57
65+	68	9.7	78	2	3	7	13	21	32	91
TOT. SINGLE DX	12665	3.9	6	1	2	3	5	6	7	11
" MULTIPLE DX	2261	5.8	30	2	2	4	7	10	14	32
TOTAL 0-19 YRS	4547	4.0	9	1	2	4	5	6	8	12
20-34	8438	4.1	7	1	2	4	5	6	8	13
35-49	1373	4.5	13	1	2	4	5	7	9	19
50-64	435	6.2	42	1	2	4	7	13	18	42
65+	133	7.9	59	2	2	5	10	17	26	60
GRAND TOTAL	14926	4.2	10	1	2	4	5	7	8	15

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5636	2.3	8	<1	<1	2	2	4	6	12
20-34	6779	3.1	14	<1	<1	2	3	6	8	19
35-49	5715	3.2	17	<1	<1	2	3	6	9	20
50-64	5474	3.5	18	<1	<1	2	4	7	11	24
65+	3747	4.8	42	<1	<1	3	5	11	17	32
2. MULTIPLE DX										
0-19 YRS	1973	4.7	52	<1	1	2	5	9	15	40
20-34	4449	7.2	91	1	1	4	8	17	26	62
35-49	5553	7.7	85	1	1	5	9	17	25	48
50-64	8253	8.9	98	1	2	6	11	19	27	53
65+	9787	11.4	142	2	2	8	14	25	35	71
TOT. SINGLE DX	27351	3.3	19	<1	<1	2	3	6	10	22
" MULTIPLE DX	30015	9.0	110	1	2	6	11	20	29	60
TOTAL 0-19 YRS	7609	2.9	21	<1	<1	2	3	5	8	22
20-34	11228	4.7	49	<1	<1	3	5	10	16	39
35-49	11268	5.4	56	<1	1	3	6	12	18	38
50-64	13727	6.8	74	<1	1	4	8	15	22	44
65+	13534	9.6	123	1	2	6	12	22	31	63
GRAND TOTAL	57366	6.3	75	<1	1	3	7	15	22	46

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6840	4.3	31	<1	1	3	5	9	13	29
20-34	7561	5.3	45	1	1	3	6	11	16	35
35-49	4277	5.9	53	1	1	4	7	13	17	38
50-64	3506	7.5	85	1	1	4	9	17	24	48
65+	2949	9.3	119	1	1	5	12	22	32	54
2. MULTIPLE DX										
0-19 YRS	9235	6.1	80	1	1	3	6	13	22	50
20-34	13834	7.4	109	1	1	4	8	17	28	63
35-49	7903	10.1	152	1	1	6	12	25	37	71
50-64	8875	13.3	213	1	2	8	17	32	46	84
65+	12378	16.7	273	2	2	12	22	42	58	99+
TOT. SINGLE DX	25133	5.9	60	1	1	3	7	13	19	41
" MULTIPLE DX	52225	10.8	184	1	1	6	13	28	41	82
TOTAL 0-19 YRS	16075	5.3	60	1	1	3	6	11	18	42
20-34	21395	6.6	88	1	1	4	7	14	23	55
35-49	12180	8.7	122	1	1	5	10	20	31	62
50-64	12381	11.7	184	1	2	7	15	28	41	76
65+	15327	15.3	252	1	2	10	20	38	54	99+
GRAND TOTAL	77358	9.2	149	1	1	5	11	23	35	72

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1179	7.1	58	1	1	5	10	16	23	38
20-34	1357	8.3	106	1	1	5	10	21	28	52
35-49	775	9.2	97	1	1	6	12	22	31	48
50-64	768	12.0	163	1	1	8	16	27	39	66
65+	862	16.6	197	1	2	13	23	34	42	71
2. MULTIPLE DX										
0-19 YRS	786	16.1	230	2	2	11	23	37	47	80
20-34	1303	17.1	258	2	2	13	24	39	53	92
35-49	981	18.9	291	2	2	14	27	43	59	99+
50-64	1384	22.1	309	2	4	18	31	49	63	99+
65+	2151	27.6	344	4	7	24	38	56	72	99+
TOT. SINGLE DX	4941	10.2	129	1	1	6	14	24	33	55
" MULTIPLE DX	6605	21.7	319	2	3	18	31	49	63	99+
TOTAL 0-19 YRS	1965	10.7	147	1	1	7	14	28	36	60
20-34	2660	12.6	200	1	2	8	17	30	43	78
35-49	1756	14.6	229	1	2	10	21	35	49	85
50-64	2152	18.5	281	1	2	14	27	43	58	99+
65+	3013	24.5	327	3	5	21	34	51	66	99+
GRAND TOTAL	11546	16.8	270	1	2	12	24	40	53	92

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402	3.9	37	<1	1	2	4	8	14	33
20-34	636	5.3	71	<1	1	2	5	13	22	47
35-49	345	6.3	95	1	1	3	6	16	25	52
50-64	253	6.1	62	1	1	3	7	15	22	41
65+	133	10.2	208	1	1	4	11	31	42	68
2. MULTIPLE DX										
0-19 YRS	196	7.6	121	1	1	3	6	23	31	64
20-34	467	13.6	282	1	2	7	18	40	52	99+
35-49	262	14.8	321	1	2	7	22	42	59	98
50-64	330	15.4	336	1	2	8	23	51	69	99+
65+	320	22.8	513	2	2	16	38	62	88	99+
TOT. SINGLE DX	1769	5.7	80	1	1	2	5	14	23	46
" MULTIPLE DX	1575	15.3	346	1	2	7	23	47	65	99+
TOTAL 0-19 YRS	598	5.1	68	1	1	2	5	12	23	50
20-34	1103	8.8	177	1	1	3	10	25	39	88
35-49	607	9.9	210	1	1	4	11	30	42	85
50-64	583	11.4	239	1	1	5	15	36	57	99+
65+	453	19.1	457	1	2	11	30	55	81	99+
GRAND TOTAL	3344	10.2	228	1	1	4	12	31	49	99

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2251	2.4	6	<1	<1	2	3	4	6	13
20-34	1656	2.9	6	<1	1	2	3	5	7	12
35-49	1224	3.4	11	<1	1	3	4	6	8	16
50-64	1436	2.9	5	<1	1	2	3	5	6	13
65+	611	3.3	9	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	995	4.1	42	<1	1	2	4	8	12	36
20-34	1318	5.3	46	1	1	3	6	11	15	38
35-49	1559	5.8	44	1	2	4	7	11	17	31
50-64	2120	6.5	75	1	2	4	7	14	22	50
65+	1709	11.0	151	2	2	7	14	25	40	99+
TOT. SINGLE DX	7178	2.9	8	<1	1	2	3	5	7	14
" MULTIPLE DX	7701	6.8	82	1	1	4	8	15	23	56
TOTAL 0-19 YRS	3246	2.9	18	<1	1	2	3	5	8	18
20-34	2974	3.9	26	<1	1	3	4	7	11	28
35-49	2783	4.8	31	1	1	3	5	9	13	28
50-64	3556	5.1	50	1	1	3	5	10	16	39
65+	2320	8.9	125	1	2	5	11	21	32	85
GRAND TOTAL	14879	4.9	50	<1	1	3	5	10	16	41

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	4.0	24	1	1	3	5	8	9	25
20-34	166	5.9	44	1	1	3	7	12	17	36
35-49	148	5.9	48	1	1	4	7	12	16	45
50-64	160	5.2	29	1	1	3	7	11	15	26
65+	116	7.3	63	1	1	5	8	16	26	40
2. MULTIPLE DX										
0-19 YRS	155	6.1	49	1	2	4	6	13	17	34
20-34	242	7.6	56	2	2	6	9	13	18	43
35-49	286	9.2	75	2	2	7	11	18	30	46
50-64	382	10.2	61	2	3	8	13	20	26	39
65+	719	12.5	109	3	4	10	15	24	32	58
TOT. SINGLE DX	719	5.6	42	1	1	4	7	12	16	38
" MULTIPLE DX	1784	10.3	86	2	3	8	13	21	28	48
TOTAL 0-19 YRS	284	5.1	39	1	1	4	6	9	15	32
20-34	408	6.9	52	1	2	5	9	13	18	40
35-49	434	8.1	68	1	2	6	10	16	23	45
50-64	542	8.7	57	1	2	7	11	17	23	39
65+	835	11.8	106	2	3	9	15	23	30	54
GRAND TOTAL	2503	8.9	78	1	2	6	11	18	26	46

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	905	4.8	21	1	1	3	6	10	14	23
20-34	12552	5.7	26	1	1	4	8	12	16	24
35-49	15169	5.8	27	1	1	4	8	13	16	24
50-64	8391	6.0	31	1	1	4	8	13	17	26
65+	1993	6.9	48	1	1	4	9	15	20	33
2. MULTIPLE DX										
0-19 YRS	456	6.7	44	1	1	5	8	15	18	39
20-34	6381	8.0	52	1	2	6	11	17	21	35
35-49	10012	8.2	51	1	2	6	11	17	22	35
50-64	9116	9.0	67	1	2	7	12	19	24	41
65+	4448	11.7	120	2	2	9	15	26	33	59
TOT. SINGLE DX	39010	5.8	29	1	1	4	8	13	16	25
" MULTIPLE DX	30413	8.9	68	1	2	7	12	19	24	41
TOTAL 0-19 YRS	1361	5.4	30	1	1	3	7	12	16	25
20-34	18933	6.4	36	1	1	4	9	14	18	28
35-49	25181	6.8	38	1	2	5	9	15	18	29
50-64	17507	7.6	53	1	2	5	10	16	21	35
65+	6441	10.2	103	1	2	7	14	23	30	51
GRAND TOTAL	69423	7.2	48	1	2	5	10	15	20	33

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	5.1	30	1	2	3	6	11	15	29
20-34	1161	5.4	38	1	2	3	7	11	16	25
35-49	1548	5.2	29	1	2	3	6	11	15	28
50-64	2905	5.1	29	1	2	3	6	11	14	27
65+	2649	5.0	32	1	2	3	6	10	15	31
2. MULTIPLE DX										
0-19 YRS	238	8.7	79	2	2	6	10	21	29	51
20-34	1007	9.0	113	2	2	6	10	19	29	51
35-49	2081	9.1	89	2	2	6	11	19	27	50
50-64	6343	8.4	77	2	2	6	10	17	24	49
65+	7632	9.2	89	2	2	7	12	19	26	52
TOT. SINGLE DX	8563	5.2	32	1	2	3	6	11	15	28
" MULTIPLE DX	17301	8.9	86	2	2	6	11	18	26	50
TOTAL 0-19 YRS	538	6.7	55	1	2	4	8	15	22	43
20-34	2168	7.1	77	1	2	4	8	15	21	44
35-49	3629	7.4	68	2	2	5	9	16	22	44
50-64	9248	7.4	65	2	2	5	9	15	22	43
65+	10281	8.1	78	1	2	5	10	17	24	47
GRAND TOTAL	25864	7.6	71	2	2	5	10	16	23	45

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.0	13	1	1	2	3	9	11	11
20-34	53	3.8	9	1	2	2	4	8	9	17
35-49	450	3.5	10	2	2	2	3	7	9	15
50-64	788	3.4	9	2	2	2	3	7	10	16
65+	202	3.4	8	1	1	2	4	7	10	14
2. MULTIPLE DX										
0-19 YRS	13	4.2	11	2	2	2	5	10	12	12
20-34	85	4.9	18	1	2	3	7	13	14	18
35-49	993	5.0	21	2	2	3	7	11	15	24
50-64	2538	5.1	21	2	2	3	7	11	15	22
65+	901	6.0	35	1	2	4	8	13	18	25
TOT. SINGLE DX	1500	3.5	9	1	2	2	3	7	10	15
" MULTIPLE DX	4530	5.3	24	1	2	3	7	12	15	23
TOTAL 0-19 YRS	20	3.8	12	1	1	2	4	10	11	12
20-34	138	4.4	15	1	2	3	5	10	14	17
35-49	1443	4.5	18	2	2	3	6	10	14	20
50-64	3326	4.7	19	2	2	3	6	10	14	22
65+	1103	5.6	31	1	2	3	7	12	16	25
GRAND TOTAL	6030	4.8	21	1	2	3	6	11	14	22

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	642	4.8	26	1	1	3	6	11	14	24
20-34	2799	5.6	23	1	1	4	8	12	14	22
35-49	3240	5.7	26	1	1	4	8	12	15	23
50-64	4756	5.3	28	1	1	3	7	12	15	25
65+	4237	5.7	34	1	1	3	8	13	16	26
2. MULTIPLE DX										
0-19 YRS	559	7.3	76	1	2	4	9	16	20	46
20-34	2838	8.5	65	1	2	7	11	16	22	44
35-49	5557	8.2	56	2	2	6	11	17	22	37
50-64	13279	8.2	64	2	2	6	11	17	22	40
65+	16727	10.1	90	2	2	8	13	21	27	50
TOT. SINGLE DX	15674	5.5	29	1	1	3	8	12	15	24
" MULTIPLE DX	38960	9.0	76	2	2	7	12	19	24	44
TOTAL 0-19 YRS	1201	6.0	51	1	1	3	8	13	17	34
20-34	5637	7.0	47	1	2	5	9	14	18	34
35-49	8797	7.3	47	1	2	5	10	15	20	32
50-64	18035	7.5	56	1	2	5	10	16	21	36
65+	20964	9.2	83	1	2	7	12	19	25	46
GRAND TOTAL	54634	8.0	65	1	2	6	11	17	22	40

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52448	3.9	16	1	1	3	5	7	9	20
20-34	74773	4.7	24	1	1	3	6	9	12	25
35-49	52156	5.4	26	1	1	4	7	11	14	27
50-64	46337	6.2	32	1	2	5	8	12	16	28
65+	42324	7.7	47	2	2	6	10	15	20	36
2. MULTIPLE DX										
0-19 YRS	56457	5.3	39	1	1	4	6	10	14	34
20-34	95299	6.3	40	1	2	5	7	12	17	33
35-49	110338	7.4	41	2	2	6	9	14	19	33
50-64	185170	8.6	55	2	3	7	11	16	22	39
65+	338256	10.7	82	3	3	8	13	21	27	50
TOT. SINGLE DX	268038	5.4	30	1	1	4	7	11	15	28
" MULTIPLE DX	785520	8.8	66	2	2	7	11	17	23	43
TOTAL 0-19 YRS	108905	4.6	29	1	1	3	5	8	12	28
20-34	170072	5.6	34	1	1	4	7	11	15	30
35-49	162494	6.8	38	1	2	5	8	13	18	31
50-64	231507	8.1	52	2	2	6	10	16	21	38
65+	380580	10.3	79	2	3	8	13	20	27	49
GRAND TOTAL	1053558	7.9	59	1	2	6	10	16	22	40

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17181	7.0	97	1	1	4	7	17	27	55
20-34	15761	8.2	70	1	2	6	10	16	23	46
35-49	14348	8.2	48	2	2	7	10	15	21	37
50-64	12392	8.6	56	2	2	7	11	16	21	39
65+	10936	10.0	76	2	3	8	12	19	26	48
2. MULTIPLE DX										
0-19 YRS	16273	8.1	108	1	2	5	8	18	30	61
20-34	18697	9.3	84	2	3	7	11	19	27	51
35-49	22145	9.5	64	2	3	7	11	18	24	43
50-64	34765	10.3	73	2	3	8	13	19	25	46
65+	68429	12.4	98	3	4	10	15	23	31	56
TOT. SINGLE DX	70618	8.3	72	1	2	6	10	17	24	46
" MULTIPLE DX	160309	10.7	90	2	3	8	13	21	28	53
TOTAL 0-19 YRS	33454	7.5	103	1	2	4	7	17	28	58
20-34	34458	8.8	78	2	2	6	10	18	25	49
35-49	36493	9.0	59	2	3	7	11	17	23	41
50-64	47157	9.8	70	2	3	8	12	18	24	45
65+	79365	12.1	96	3	4	10	15	23	30	55
GRAND TOTAL	230927	10.0	86	2	3	7	12	20	27	51

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39846	4.1	19	1	1	3	5	7	9	20
20-34	20625	5.0	36	1	1	3	6	9	14	33
35-49	14050	6.1	34	1	2	4	7	12	16	30
50-64	15552	6.9	37	1	2	5	9	14	17	30
65+	16054	8.0	49	2	2	6	10	15	20	36
2. MULTIPLE DX										
0-19 YRS	49803	5.4	43	1	2	4	6	9	14	38
20-34	30466	6.3	50	1	2	4	7	12	18	37
35-49	36424	7.4	45	2	2	6	9	15	19	34
50-64	72617	8.6	54	2	3	7	11	16	21	38
65+	144272	10.5	76	2	3	8	13	20	26	47
TOT. SINGLE DX	106127	5.5	34	1	1	4	7	11	18	30
" MULTIPLE DX	333582	8.6	65	2	2	6	11	17	23	42
TOTAL 0-19 YRS	89649	4.8	33	1	2	4	5	8	12	32
20-34	51091	5.8	45	1	1	4	7	11	17	36
35-49	50474	7.0	43	1	2	5	9	14	19	33
50-64	88169	8.3	52	2	2	6	11	16	21	37
65+	160326	10.2	74	2	3	8	13	20	26	46
GRAND TOTAL	439709	7.9	59	1	2	6	10	16	21	40

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
643	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin